Frank O'Donnell



OAK RIDGE NATIONAL LABORATORY

UNION CARBIDE ENVIRONMENTAL MONITORING REPORTS

UNITED STATES

DEPARTMENT OF ENERGY

OAK RIDGE FACILITIES

1980

1981

1982

January 16, 1984

Compiled by

The Staff of the Department of Environmental Management Environmental and Occupational Safety Division Oak Ridge National Laboratory


for the

Martin Marietta Energy Systems, Inc. Environmental Phase-In Task Force

OPERATED BY UNION CARBIDE CORPORATION FOR THE UNITED STATES DEPARTMENT OF ENERGY

			)
			• •
			•
			- •

# UGG-ND



# ENVIRONMENTAL MONITORING REPORT UNITED STATES DEPARTMENT OF ENERGY OAK RIDGE FACILITIES

Calendar Year 1982

Printed in the United States of America. Available from National Technical Information Service
U.S. Department of Commerce
5285 Port Royal Road, Springfield, Virginia 22161
Price: Paper Copy A04; Microfiche A01 (domestic): A11 (foreign)

### DISCLAIMER

This report was prepared as an account of work sponsored by an agency of the United States Government. Neither the United States Government nor any agency thereof, nor any of their employees, makes any warranty, express or implied, or assumes any legal liability or responsibility for the accuracy, completeness, or usefulness of any information, apparatus, product, or process disclosed, or represents that its use would not infringe privately owned rights. Reference herein to any specific commercial product, process, or service by trade name, trademark, manufacturer, or otherwise, does not necessarily constitute or imply its endorsement, recommendation, or favoring by the United States Government or any agency thereof. The views and opinions of authors expressed herein do not necessarily state or reflect those of the United States Government or any agency thereof.

**Y/UB-18** 

Date of Issue: May 1, 1983

# ENVIRONMENTAL MONITORING REPORT UNITED STATES DEPARTMENT OF ENERGY OAK RIDGE FACILITIES

Calendar Year 1982

UNION CARBIDE CORPORATION - NUCLEAR DIVISION

Office of Health, Safety, and Environmental Affairs
Post Office Box Y
Oak Ridge, Tennessee 37830

			·	•
				• -
•				
				•

# TABLE OF CONTENTS

INTRODUCTION 1  SUMMARY 3  MONITORING DATA - COLLECTION, ANALYSIS, AND EVALUATION 4  External Gamma Radiation Monitoring 8  Water Monitoring 8  Biological Monitoring 10  Soil and Sediment Monitoring 15		PAGE
MONITORING DATA - COLLECTION, ANALYSIS, AND EVALUATION  Air Monitoring 4 External Gamma Radiation Monitoring 8 Water Monitoring 8 Biological Monitoring 10	NTRODUCTION	. 1
AND EVALUATION  Air Monitoring 4 External Gamma Radiation Monitoring 8 Water Monitoring 8 Biological Monitoring 10	SUMMARY	. 3
External Gamma Radiation Monitoring         8           Water Monitoring         8           Biological Monitoring         10		
Water Monitoring 8 Biological Monitoring 10		
Biological Monitoring		
Soil and Sediment Monitoring		
Calculation of Potential Radiation Dose to the Public		
REFERENCES	REFERENCES	58
APPENDIXES	APPENDIXES	
A. Quality Assurance 60	A. Quality Assurance	60
B. Units, Prefixes, and Abbreviations 62		

	·
	• **
	•
·	
•	
	e s

# LIST OF FIGURES

FIGURE	I	PAGE
1	Air, Vegetation, and Soil Sampling Locations	5
2	Remote Air Monitoring Locations	
3	Stream Monitoring Locations	9
4	Curies Discharged Over White Oak Dam	
5	Percentage Concentration Guide Levels in The Clinch River	12
6	Immediate Environs Milk Sampling Locations	
7	Remote Environs Milk Sampling Locations	
8	Oak Ridge Gaseous Diffusion Plant Sediment	
	Sampling Locations	17
9	Meteorological Data for the Oak Ridge Reservation	
10	Exposure Pathways	
Al	Flow Chart of QA Program	
	LIST OF TABLES	
TABLE		PAGE
1	Incremental Population Table In The Vicinity of ORNL	22
2	Continuous Air Monitoring Data (Gross Beta Activity)	
3	Continuous Air Monitoring Data (Gross Alpha Activity)	
4	Continuous Air Monitoring Data (Specific Radionuclides)	
5	Concentration of 134 I in Air Measured by the Perimeter	
	Air Monitoring Stations	26
6	Discharges of Radioactivity to the Atmosphere	
7	Air Monitoring Data - Fluorides	
8	Air Monitoring Data - Suspended Particulates	
9	Sulfur Dioxide Monitoring Data	
10	External Gamma Radiation Measurements	31
11	Radionuclides of Primary Concern in Surface Streams	32
12	Uranium Concentration in Surface Streams	
13	Discharges of Radioactivity to Surface Streams	34
14	Long-Lived Gross Beta Activity in Rainwater	35
15	Chemical Water Quality Data - White Oak Dam	36
16	Chemical Water Quality Data - ORGDP Sanitary Water Pumping Station	37
17	Chemical Water Quality Data - ORGDP Recirculating Water Pumping Station	
18	Chemical Water Quality Data - Clinch River	
10	Downstream of ORGDP	
19	Chemical Water Quality Data - East Fork Poplar Creek	
20	Chemical Water Quality Data - Bear Creek	
21	Chemical Water Quality Data - Poplar Creek Above Blair Bridge	
22	Chemical Water Quality Data - Poplar Creek Near Clinch River	43

·					
		·		• *	
				•	
			•		

TABLE	(contd.)	PAGE
23	National Pollutant Discharge Elimination System	
	(NPDES) Experience	44
24	Concentration of <sup>131</sup> I in Milk	47
25	Concentration of *Sr in Milk	48
26	Radionuclide Content in Clinch River Fish - Alpha Emitters	49
27	Radionuclide Content in Clinch River Fish - Beta Emitters	
28	Mercury Content in Clinch River Fish	51
29	137Cs Concentration in Deer Samples	
30	Vegetation Sampling Data	53
31	Radioactivity in Grass Samples from Perimeter and Remote	
	Monitoring Stations	54
32	Radioactivity in Soil Samples from Perimeter and Remote	
	Monitoring Stations	55
33	Stream Sediment Samples	
34	Summary of the Estimated Radiation Dose	

			·	
•		,		. "

# INTRODUCTION

Oak Ridge is located in East Tennessee in a broad valley which lies between the Cumberland Mountains on the northwest and the Great Smoky Mountains on the southeast. The Department of Energy (DOE) Reservation is located in the Valley and Ridge physiographic province which is characterized by parallel ridges of sandstone, shale, and cherty dolomite, separated by valleys of less weather-resistant limestone and shale. The ridges are oriented southwest-northeast. Topography of the area is due to differential erosion of severely folded and faulted rocks ranging in age from Early Cambrian to Early Mississippian. Elevations range from 226 to 415 meters above mean sea level with a maximum relief of 189 meters. The area includes gently sloping valleys and rolling to steep slopes and ridges. The Tennessee Valley Authority's (TVA) Melton Hill and Watts Bar Reservoirs on the Clinch River form the southern and western boundaries of the Reservation while the City of Oak Ridge (approximately 28,000 population) is on the northern boundary.

The local climate is noticeably influenced by topography. Prevailing winds are usually either upvalley, from west to southwest, or down-valley, from east to northeast. During periods of light winds, daytime winds are usually southwesterly and nighttime winds usually northeasterly. Wind velocities are somewhat decreased by the mountains and ridges, and tornadoes rarely occur. In winter, the Cumberland Mountains have a moderating influence on the local climate by retarding the flow of cold air from the north and west. Temperatures of 38°C or higher and -18°C or below are unusual. Low-level temperature inversions occur during approximately 56 percent of the hourly observations. Winter and early spring are the seasons of heaviest precipitation with the monthly maximum normally occurring during January to March. The mean annual precipitation is approximately 137 centimeters.

The topography of the Oak Ridge area is such that all drainage from the DOE Reservation flows into the Clinch River which has its headwaters in southwestern Virginia and flows southwest to its mouth near Kingston, Tennessee. The Clinch River flow is regulated by several dams which provide reservoirs for flood control, electric power generation, and recreation. The principal tributaries through which liquid effluents from the plant areas reach the Clinch River are White Oak Creek, East Fork Poplar Creek, and Poplar Creek.

With the exception of the City of Oak Ridge, the land within 8 kilometers of the DOE Reservation is predominantly rural being utilized largely for residences, small farms, and pasturage for cattle. Fishing, boating, water skiing, and swimming are favorite recreational activities in the area. The approximate location and population of the towns nearest the DOE Reservation are: Oliver Springs (pop. 3600) 11 kilometers to the northwest; Clinton (pop. 5400) 16 kilometers to the northeast; Lenior City (pop. 5400) 11 kilometers to the southeast; Kingston (pop. 4400) 11 kilometers to the southwest; and Harriman (pop. 8300) 13 kilometers to the west. Knoxville, the major metropolitan area nearest Oak Ridge, is located about 40 kilometers to the east and has a population of approximately 183,000. A directional 80-kilometer population distribution, which is used for population dose calculations later in this report, is shown in Table 1.

The DOE Reservation contains three major operating facilities: the Oak Ridge National Laboratory (ORNL), the Oak Ridge Gaseous Diffusion Plant (ORGDP), and the Y-12 Plant; all of which are operated by Union Carbide Corporation, Nuclear Division. In addition, two smaller DOE facilities are in the area: the Comparative Animal Research Laboratory, and the Oak Ridge Associated Universities, both of which are operated by Oak Ridge Associated Universities.

The Oak Ridge National Laboratory is a large multipurpose research laboratory whose basic mission is the discovery of new knowledge, both basic and applied, in all areas related to energy. To accomplish this mission, the Laboratory conducts research in all fields of modern science and technology. The Laboratory's facilities consist of nuclear reactors, chemical pilot plants, research laboratories, radioisotope production laboratories, and support facilities.

The Oak Ridge Gaseous Diffusion Plant (ORGDP) is a complex of production, research, development, and support facilities located west of the city of Oak Ridge. While the primary function of ORGDP is the enrichment of uranium hexafluoride (UF<sub>6</sub>) in the uranium-235 isotope, extensive efforts are also expended on research and development activities associated with both the gaseous diffusion and gas centrifuge processes. In addition, the barrier material used by all three Department of Energy-owned gaseous diffusion plants is manufactured at ORGDP. Numerous other activities (maintenance, nitrogen production, steam production, uranium recovery, fluorine production, water treatment, laboratory analysis, administration, etc.) lend support to these primary functions and are thus essential to the operation of this plant.

The Oak Ridge Y-12 Plant which is located immediately adjacent to the City of Oak Ridge has five major responsibilities: (1) production of nuclear weapon components, (2) processing of source and special nuclear materials, (3) support to the weapon design laboratories, (4) support to other UCC-ND installations, and (5) support to other government agencies. Activities associated with these functions include the production of lithium compounds, the recovery of enriched uranium from unirradiated scrap material, and the fabrication of uranium and other materials into finished parts and assemblies. Fabrication operations include vacuum casting, are melting, powder compaction, rolling, forming, heat treating, machining, inspection, and testing.

Operations associated with the DOE research and production facilities in Oak Ridge give rise to several types of waste materials.

Radioactive waste are generated from nuclear research activities, reactor operations, pilot plant operations involving radioactive materials, isotope separation processes, uranium enrichment, and uranium processing operations. Nonradioactive wastes are generated by normal industrial-type support operations that include water demineralizers, air conditioning, cooling towers, acid disposal, sewage plant operations, and steam plant operations.

Nonradioactive solid wastes are buried in a centralized sanitary landfill or designated burial areas. Radioactive solid wastes are buried in solid waste storage areas and placed in retrievable storage either above or below ground depending upon the type and quantity of radioactive material present and the economic value involved.

Gaseous wastes generally are treated by filtration, electrostatic precipitation, and/or chemical scrubbing techniques prior to release to the atmosphere. The major gaseous waste streams are released through stacks to provide atmosphere dilution for materials which may remain in the stream following treatment.

Liquid radioactive wastes are not released but are concentrated and contained in tanks for ultimate disposal. Process water which may contain small quantities of radioactive or chemical pollutants is discharged, after treatment, to White Oak Creek, Poplar Creek, East Fork Poplar Creek, and Bear Creek, which are small tributaries to the Clinch River.

# SUMMARY

The Environmental Monitoring Program for the Oak Ridge area includes sampling and analysis of air, water from surface streams, creek sediments, biota, and soil for both radioactive and nonradioactive materials. This report presents a summary of the results of the program for calendar year 1982.

Surveillance of radioactivity in the Oak Ridge environs indicates that atmospheric concentrations of radioactivity were not significantly different from other areas in East Tennessee. Concentrations of radioactivity in the Clinch River and in fish collected from the river were less than one percent of the permissible concentration and intake guides for individuals in the offsite environment. While some radioactivity was released to the environment from plant operations, the concentrations in all of the media sampled were well below established standards.

The total body dose to a "hypothetical maximum exposed individual" at the site boundary was calculated to be 4.9 millirem/yr (49 microsieverts) which is one percent of the DOE Order 5480.1A standard. The maximum 50-year dose commitment to the critical organ of an individual from the aquatic food chain was calculated to be 21 millirem (210 microsieverts) to the bone which is 1.4 percent of the allowable annual standard. The maximum dose commitment to individuals living nearest the site boundary from airborne releases, assuming continuous residence, was 1.9 millirem (19 microsieverts) to the total body and 8.7 millirem (87 microsieverts) to the lung. These doses are 0.4 percent and 0.6 percent, respectively, of the annual standards. The average total body dose to an Oak Ridge resident was estimated to be 0.09 millirem (0.9 microsieverts) as compared to approximately 100 millirem/yr (1000 microsieverts/yr) from natural background radiation; the average dose commitment to the lung of an Oak Ridge resident was 0.44 millirem (4.4 microsieverts). The cumulative total body dose to the population within an 80-kilometer radius of the Oak Ridge facilities resulting from 1982 effluents was calculated to be 50 man-rem (0.5 man-sieverts). This dose may be compared to an estimated 87,000 man-rem (870 man-sieverts) to the same population resulting from natural background radiation.

Surveillance of nonradioactive materials in the Oak Ridge environs shows that established limits were not exceeded for those materials possibly present in the air as a result of plant operations.

The chemical water quality data in surface streams obtained from the water sampling program indicated that average concentrations resulting from plant effluents were in compliance with State stream guidelines with the exception of fluoride at monitoring Station E-1 which was 110 percent of the guideline and nitrate at Station B-1 which was 100 percent of the guideline.

National Pollutant Discharge Elimination System (NPDES) permit compliance information has been included in this report.

During 1982 there were no spills of oil and/or hazardous materials from the Oak Ridge installations reported to the National Response Center.

# MONITORING DATA COLLECTION, ANALYSIS, AND EVALUATION

Environmental monitoring data for calendar year 1982 are summarized in Tables 2 through 34. In general, the data tables show the number of samples collected at each location, the maximum concentration, the minimum concentration, the average concentration, the relevant standard, and percent of standard for the average of each parameter. Averages are usually accompanied by plusor-minus (±) values which represent the 95 percent confidence limits. The 95 percent confidence

limits which are calculated from the standard deviation of the average, assuming a normal frequency distribution, are predictions of the variability in the range of concentrations based on a limited number of measurements. They do not represent the conventional error in the average of repeated measurements on identical samples. Data which are below the minimum detectable limit are expressed as less than (<) the minimum detectable value. In computing average values, sample results below the detection limit are assigned the detection limit value with the resulting average value being expressed as less than (<) the computed value.

Average environmental concentrations are compared with applicable standards, where such standards have been established, as a means of evaluating the impact of effluent releases. Potential radiation dose to members of the public and/or environmental concentrations of radioactivity are compared with the dose standards and environmental concentration guides contained in DOE Order 5480.1A<sup>(1)</sup>

The concentration guide (CG) is a number derived for the most part from the dose standards recommended by the International Commission on Radiological Protection (ICRP) and the National Council on Radiological Protection (NCRP) and contained in DOE Order 5480.1A. The concentration guides for a particular radionuclide are those concentrations in air or water which can be inhaled or ingested each day by a "standard man" for a period of 50 years without exceeding the committed dose equivalent specified in the dose standards.

The "standard man" is described by the ICRP in terms of body proportions of various elements found in the body; average consumption rates of food, air, and water; average excretion rates; weight of each body organ; and a number of other factors such as the size distribution of dust particles trapped in the respiratory tract and their fate in the body.

Stream concentrations of nonradoactive pollutants have been compared with Tennessee State Health Department stream guidelines.

Liquid effluent monitoring data have been compared to the limits specified in the National Pollutant Discharge Elimination System (NPDES) permits issued to the Oak Ridge facilities by the Environmental Protection Agency (EPA).

There is a movement currently in some scientific communities to use the International System of Units (SI) for radioactive measurements. This report contains data in both units; the non-SI units used previously, followed by the SI units in parentheses.

## Air Monitoring

Radioactive - Atmospheric concentrations of radioactive materials occuring in the general environment of East Tennessee are monitored by two systems of monitoring stations. One system consists of nine stations (HP-31 through HP-39) which encircle the perimeter of the Oak Ridge area and provides data for evaluating releases from Oak Ridge facilities to the immediate environment, Figure 1. A second system consists of seven stations (HP-51 through HP-53 and HP-55 through HP-58) encircling the Oak Ridge area at distances of from 19 to 121 kilometers, Figure 2. This system provides background data to aid in evaluating local conditions. Sampling for radioactive particulates is carried out by passing air continuously through filter papers. Filter papers are evaluated weekly by gross beta and gross alpha counting techniques and composited by system quarterly for specific radionuclide analysis. More frequent detailed analyses are performed if concentrations in the environment are significantly above normal. Airborne radioactive iodine is monitored in the immediate environment at the perimeter stations by passing air continuously through cartridges containing activated charcoal. Charcoal cartridges are evaluated for radioactive iodine by gamma spectrometry.




Figure 1
AIR, VEGETATION, AND SOIL SAMPLING LOCATIONS




Figure 2
REMOTE AIR MONITORING LOCATIONS

Data on the concentrations of radioactive materials in air and the quantities of radioactive materials released to the atmosphere in the Oak Ridge and surrounding areas are given in Tables 2 through 6.

The average gross beta concentrations of radioactivity from particulates in air measured by both the perimeter and remote monitoring systems were 0.02 and 0.02 percent, respectively, of the applicable concentration guide (CG) as specified in the DOE Order 5480.1A, Chapter XI for individuals in uncontrolled areas (Table 2).

The average gross alpha concentrations in the perimeter and remote monitoring systems were 0.02 and 0.02 percent, respectively, of the CG for a mixture of uranium isotopes (Table 3).

The results of specific radionuclide analyses of composited filters are given in Table 4. The environmental concentrations tabulated are all at least a thousand times less than the applicable DOE concentration guides for the radionuclides detected. In general, activity levels were less than those of the previous year, this change being attributed to the decrease in world-wide fallout.

The concentration of <sup>134</sup>I as measured by the perimeter air monitoring system was <0.01 percent of the inhalation concentration guide for individuals in uncontrolled areas (Table 5).

While some radioactivity was released to the atmosphere (Table 6), measurements in the Oak Ridge area show that environmental levels were well below established standards.

Nonradioactive - Environmental air samples are taken for the determination of fluorides, suspended particulates, and sulfur dioxide.

Sampling locations for fluorides are indicated by F-1 through F-6, Figure 1. The current sampling procedure is to obtain six-day samples collected on potassium carbonate treated paper and to analyze weekly by specific ion electrode. The six-day analyses are then averaged to obtain 30-day values.

Suspended particulates are measured at locations SP-1 through SP-4, Figure 1. The method for the determination of suspended particulates is the high volume method recommended by EPA. Particulates are collected by drawing air through weighed filter paper. The filter paper is allowed to equilibrate in a humidity controlled atmosphere and the filter is reweighed. From the weight of particulates, the sampling time, and the air flow rate, the particulate concentration in micrograms per cubic meter is calculated. The sampling period is 24 hours.

The two continuous monitoring stations (S-1 and S-2) in the Y-12 Plant are used for measurement of ambient sulfur dioxide concentrations. Each station consists of a pulsed ultraviolet fluorescence analyzer and recorder with associated equipment located in a temperature-controlled shelter. Sulfur dioxide concentrations are interpreted on an hourly basis and averaged for 24-hour, monthly, and annual periods.

Air monitoring data for fluorides, suspended particulates, and sulfur dioxide are presented in Tables 7 through 9. The data indicate that measured environmental concentrations of fluorides, suspended particulates, and sulfur dioxide were in compliance with applicable standards.<sup>(2)</sup>

The Y-12 steam plant is being upgraded to operate more efficiently at higher steam load levels. The current electrostatic precipitator installation is not adequate to meet emission limits at higher steam load levels. Construction has commenced on the installation of pollution control equipment to meet emission limits under higher operating load conditions.

# **External Gamma Radiation Monitoring**

External gamma radiation background measurements are made routinely at the perimeter air monitoring stations and at the remote monitoring stations using calcium fluoride thermoluminescent dosimeters suspended one meter above the ground. Dosimeters at the perimeter stations are collected and analyzed monthly. Those at the remote stations are collected and analyzed semiannually.

Data on the average external gamma radiation background are given in Table 10. A considerable variation in background levels is normally experienced in East Tennessee depending upon elevation, topography, and geological character of the surrounding soil.<sup>(3)</sup>

External gamma radiation measurements were made along the bank of the Clinch River from the mouth of White Oak Creek several hundred yards downstream to evaluate gamma radiation levels resulting from effluent releases and "sky shine" from an experimental cesium plot located near the river bank. Measurements were made using scintillation detectors and/or thermoluminescent dosimeters suspended one meter above the ground surface. The average background level determined at the remote stations was subtracted from the measured gamma radiation levels to determine the incremental increases resulting from plant operations.

The external gamma radiation levels along the bank of the Clinch River ranged from 2 to  $20 \mu R/h$  (0.5 E-09 to 5.2 E-09 C/kg/h) above background. Potential doses to individuals in the environment from these elevated gamma radiation levels were calculated and are included, where significant, in the dose assessment section of the report.

# Water Monitoring

Radioactive - Water samples are collected in the Clinch River for radioactivity analyses at Melton Hill Dam (Station C-2) 3.7 kilometers above White Oak Creek outfall, at the ORGDP sanitary water intake (Station C-3) 10 kilometers downstream from the entry of White Oak Creek, at the ORGDP recirculating water intake (Station C-4) downstream from the Poplar Creek outfall, and near Brashear Island (Station C-6). A sample is also collected from the Water Plant (Station C-5) near Kingston, Tennessee, Figure 3. Samples are collected continuously at Stations C-2, and C-3. A weekly 24-hour composite sample is collected at Station C-4 and a weekly grab sample is collected at Station C-5. Samples are composited for monthly or quarterly analysis depending upon location.

Water samples also are collected for radioactivity analyses at the mouth of White Oak Creek (Station W-1), at the outlet of New Hope Pond on East Fork Poplar Creek (Station E-1), in Bear Creek (Station B-1), and in Poplar Creek (Stations P-1 and P-2), Figure 3. The samples collected at Stations W-1, E-1, and B-1 are continuous samples. Grab samples are collected at Stations P-1 and P-2 on a weekly basis. Water samples are collected also at White Oak Dam. All samples are composited for monthly analysis.

The concentrations of fission product radionuclides present in detectably significant amounts are determined by specific radionuclide analysis and gamma spectrometry. Uranium analysis is by the fluorometric method. Transuranic alpha emitters are determined by ion exchange and alpha range analysis. The concentration of each radionuclide is compared with its respective concentration guide (CG) value as specified in the DOE Order 5480.1A and percent of concentration guide for a known mixture of radionuclides is calculated in accordance with the method given in the Order.

Data on the concentrations of radionuclides measured in the surface streams are given in Table 11. Data on the concentrations of uranium in surface streams and the quantities of radioactivity release to surface streams are given in Tables 12 and 13.




Figure 3
STREAM MONITORING LOCATIONS

Analysis of water samples collected in the mouth of White Oak Creek (Station W-1) indicated that the yearly average concentration of radionuclides was approximately 26 percent of the applicable concentration guide for uncontrolled areas. The calculated average concentration of radionuclides in the Clinch River, based on the analysis of water samples collected at White Oak Dam and the dilution afforded by the river, assuming complete mixing, was determined to be 0.3 percent of the applicable concentration guide for uncontrolled areas. The average dilution factor for 1982, based on the flow of White Oak Creek and the Clinch River, was 463. The measured average concentrations of radionuclides in the Clinch River upstream and downstream of White Oak Creek outfall were less than one percent of the applicable concentration guide.

The calculated average concentration of transuranic alpha emitters in the Clinch River resulting from effluent releases was 0.86 E-11  $\mu$ Ci/mL (0.33 mBq/L), which is about 0.03 percent of the concentration guide for water containing a known mixture of radionuclides.

Trends in water discharges and calculated percent concentration guide levels in the Clinch River are presented in Figures 4 and 5. Discharges of <sup>90</sup>Sr and <sup>3</sup>H are shown in Figure 4 as these nuclides contribute the majority of the radiological dose downstream.

Rainwater - The gross beta activity in rainwater was analyzed; the results are shown in Table 14. The fluctuations among the stations for both the perimeter and remote networks are due to statistical random variation. It is noted that the average radioactivity is greater for the remote stations than the perimeter stations.

Nonradioactive - Water samples are collected for the analysis of nonradioactive substances at the same locations discussed previously under radioactive water sampling. All samples are composited for monthly analysis. Samples are analyzed for a variety of water quality parameters related to process release potential and background information needs by analytical procedures recommended by the Environmental Protection Agency. (4) Samples from Station C-2 were not analyzed for nonradioactive pollutants during 1982.

Data on chemical concentrations in surface streams are given in Tables 15 through 22. The average concentrations of all substances analyzed were in compliance with Tennessee stream guidelines<sup>(5, 6)</sup> except for fluoride at Station E-1 and nitrate at Station B-1 which were 110 and 100 percent of the guidelines, respectively.

National Pollution Discharge Elimination System (NPDES) permits were issued by the Environmental Protection Agency (EPA) for each of the Oak Ridge facilities operated by Union Carbide Corporation - Nuclear Division in 1975. The permits established a number of discharge locations at each installation and listed specific concentration limits and/or monitoring requirements for a number of parameters at each discharge location. Table 23 shows the discharge locations at each installation, the parameters at each location for which limits have been established, the permit limits for each parameter, and the percentage compliance experienced.

# **Biological Monitoring**

Milk - Raw milk is monitored for <sup>13</sup>I and <sup>36</sup>Sr by the collection and analysis of samples from 10 sampling stations located within a radius of 80 kilometers of Oak Ridge. Samples are normally collected weekly at each of six stations located near the Oak Ridge area. Four stations, located more remotely with respect to Oak Ridge operations, are sampled at a rate of one station each week. Milk sampling locations for all stations are shown in Figures 6 and 7. Samples are analyzed by ion exchange and gamma spectrometry; results are compared to intake guides specified by the Federal Radiation Council (FRC).<sup>(7)</sup>




Figure 4
CURIES DISCHARGED OVER WHITE OAK DAM




Figure 5
PERCENTAGE CONCENTRATION GUIDE LEVELS IN THE CLINCH RIVER
(VALUES GIVEN ARE CALCULATED VALUES BASED ON THOSE
CONCENTRATIONS MEASURED AT WHITE OAK DAM AND DILUTION
AFFORDED BY THE CLINCH RIVER




Figure 6
IMMEDIATE ENVIRONS MILK SAMPLING LOCATIONS




Figure 7
REMOTE ENVIRONS MILK SAMPLING LOCATIONS

The average concentrations of <sup>131</sup>I and <sup>90</sup>Sr in raw milk are given in Tables 24 and 25, respectively. If one assumes the average intake of milk per individual to be one liter per day, the average concentrations of <sup>131</sup>I in milk in both the immediate environs of the Oak Ridge area and in the environs remote from Oak Ridge were below the detection limit for <sup>131</sup>I, 0.45 E-09  $\mu$ Ci/mL (0.017 Bq/L). The average concentrations of <sup>90</sup>Sr in milk from both the immediate and remote environs were within the FRC Range 1.

Fish Sampling - Several species of fish which are commonly caught are taken from the Clinch River each year. The scales, head, and entrails are removed from the fish before ashing. Ten fish of each species are composited for each sample, and the samples are analyzed by gamma spectrometry and radiochemical techniques for the critical radionuclides which may contribute significantly to the potential radiation dose to man.

Data on the concentration of radionuclides in Clinch River fish are given in Tables 26 and 27. Consumption of 16.8 kilograms of bluegill per year<sup>(8)</sup> taken from the river near White Oak Creek outfall results in approximately 0.6 percent of the maximum permissible intake, which represents the highest dose potential to the public from fish consumption. The maximum permissible intake is calculated to be equal to a daily intake of 2.2 liters of water, over a period of one year, containing the concentration guide of the radionuclides in question. Mercury concentrations in the fish samples collected were less than the Food and Drug Administration (FDA) proposed action level (Table 28).

Deer - Frequently, deer are killed by automobiles on the DOE Reservation. Forty-eight deer samples were analyzed during 1982. Summary data of the <sup>137</sup>Cs content in deer samples are presented in Table 29. The deer with the highest concentration of <sup>137</sup>Cs would result in a dose of 0.1 millirem (one microsievert) to the total body and 0.14 millirem (1.4 microsieverts) to the liver (critical organ) if one assumes the consumption of one kilogram of meat. It should be noted that no hunting is allowed on the Reservation.

Vegetation - Samples of pine needles and grass are collected semiannually from 14 areas (Figure 1) and analyzed for uranium and fluoride content. Fluorometric analysis is used for the determination of uranium and colorimetric analysis is used for the determination of fluorides.

Data on the uranium and fluoride content in vegetation are presented in Table 30. The fluoride concentration in grass at all sampling points was below the 30  $\mu$ g/g level considered to produce no adverse effects when ingested by cattle.<sup>(9)</sup> Uranium concentrations were below levels of environmental concern.

Additionally, samples of grass were collected semiannually from the perimeter and annually from the remote air-sampling stations (see Figures 1 and 2). At each station, all the grass from five 1/5 meter-squared plots was collected. One plot was taken beside the station, and the other four were taken at 15 m from the station at 90° directions from each other. The grass from each station was then composited and analyzed by gamma spectrometry and radiochemical techniques for a variety of radionuclides. Data on the radionuclide concentrations in grass are presented in Table 31.

## Soil and Sediment Monitoring

Soil - Soil samples are also collected semiannually from near the perimeter and annually from the remote stations. The same five 1/5 meter-squared plots used for grass analysis were also used for soil determinations. Two cores, 8 cm in diameter and 5 cm in depth, were taken from each plot; a composite of 10 cores was used for each station. These samples were also analyzed by gamma spectrometry and radiochemical techniques.

Data on specific radionuclide concentrations in soil are given in Table 32. The plutonium concentrations found were comparable to the value of 0.05 pCi/g (0.002 Bq/g) considered to be a representative concentration of plutonium in U.S. surface soil.<sup>(10)</sup>

Sediment - A sediment sampling program was initiated at ORGDP in 1975 to determine the concentrations of various metallic ions in the sediment of Poplar Creek. The current sampling program consists of 8 sampling locations (Figure 8) which should be generally representative of plant effluents. Samples are collected twice during the year and analyzed by atomic absorption.

The concentrations of metals in the stream sediment samples, Table 33, generally exceed background levels for metals in remote streams. An examination of the effluent sources indicates that only very small quantities of any of these metals are currently being released, suggesting that present concentrations found in sediment samples are residual metals from earlier Oak Ridge plant operations.

# Calculation of Potential Radiation Dose to the Public

Potential radiation doses resulting from plant effluents were calculated for a number of dose reference points within the Oak Ridge environs. All significant sources and modes of exposure were examined, and a number of general assumptions were used in making the calculations.

The site boundary for the Oak Ridge Complex was defined as the perimeter of the DOE controlled area.

Gaseous effluents are discharged from several locations within each of the three Oak Ridge facilities. For calculational purposes, the gaseous discharges are assumed to occur from only one vent from each site. Since the release points at ORGDP and the Y-12 Plant do not physically approximate an elevated stack, their discharges are assumed to be from 10 meters above ground level; releases from ORNL are through elevated stacks. The meteorological data collected at the ORNL site were used for dispersion calculations. Concentrations of radionuclides contained in the air and deposited on the ground were estimated at distances up to 80 kilometers from the Oak Ridge facilities with the Gaussian plume model developed by Pasquill<sup>(11)</sup> and Gifford<sup>(12)</sup> incorporated in a computer program.<sup>(13)</sup> The concentration has been averaged over the crosswind direction to give the estimated ground level concentration downwind of the source of emission.<sup>(14)</sup> The deposition velocities used in the calculations were 0.0 cm/s for krypton and xenon, 0.2 cm/s for iodine, and 0.1 cm/s for particulates.<sup>(15)</sup> Meteorological data are shown in Figure 9; the length of the bars indicates the percentage of time the wind is blowing in that direction.

Potential pathways of exposure to man from radioactive effluents released by the Oak Ridge operations that are considered in the dose estimates are presented in Figure 10. The pathways shown in the figure are not exhaustive, but they include the principal pathways of exposure based on experience.

Exposures to radionuclides that originate in the effluents released from the Oak Ridge facilities were converted to estimates of radiation dose to individuals using models and data presented in publications of the International Commission on Radiological Protection, (16-21) other recognized literature on radiation protection, (22-24) personal communication, (25) and computer programs incorporating some of these models and data. (26, 27) Radioactive material taken into the body by inhalation or ingestion will continuously irradiate the body until removed by processes of metabolism and radioactive decay; thus the estimates for internal dose are called "dose commitments," they are obtained by integrating over the assumed remaining lifetime (50 years) of the exposed individual.




Figure 8
OAK RIDGE GASEOUS DIFFUSION PLANT SEDIMENT SAMPLING LOCATIONS





Figure 9
METEOROLOGICAL DATA FOR THE OAK RIDGE RESERVATION

ORNL-DWG 82-143146






Figure 10 EXPOSURE PATHWAYS

The radiation doses to the total body and to internal organs from external exposures to penetrating radiation are approximately equal, but they may vary considerably for internal exposures because some radionuclides concentrate in certain organs of the body. For this reason, estimates of radiation dose to the total body, thyroid, lungs, bone, liver, kidneys, and gastrointestinal tract were considered for various pathways of exposure. These estimates were based on parameters applicable to an average adult. (16, 21) The population dose estimate in man-rem (man-sieverts) is the sum of the total body doses to exposed individuals within an 80-kilometer radius of the Oak Ridge facilities.

Maximum Potential Exposure - The point of maximum potential ("fence-post" dose) on the site boundary is located along the bank of the Clinch River adjacent to a cesium field experimental plot and is due primarily to "sky-shine" from the plot. A maximum potential total body exposure of 178 millirem/yr (1780 microsieverts/yr) was calculated for this location assuming that an individual remained at this point for 24 hours/day for the entire year. The calculated maximum potential exposure is 36 percent of the allowable standard. (1) This is an atypical exposure location and the probability of an exposure of the magnitude calculated is considered remote since access is only by boat.

The total body dose to a "hypothetical maximum exposed individual" at the same location was calculated using a more realistic residence time of 240 hours/yr. The calculated dose under these conditions was 4.9 millirem/yr (49 microsieverts) which is one percent of the allowable standard<sup>(1)</sup> and represents what is considered a probable upper limit of exposure.

A more probable exposure might be considered to occur at other locations beyond the site boundary as a result of airborne or liquid effluent releases.

The dose commitment to an individual continuously occupying the residence nearest the site boundary would result from inhalation and is based on an inhalation rate for the average adult of 2 E+04 liters/day. The calculated dose commitments at this location were 8.7 millirem (87 microsieverts) to the lung (the critical organ) and 1.9 millirem (19 microsieverts) to the total body; <sup>234</sup>U is the important radionuclide contributing to this dose. These levels are 0.6 percent and 0.4 percent, respectively, of the allowable annual standard. Due to inherent uncertainties in the meteorological data, <sup>(28)</sup> stack sampling data and calculational techniques, the calculated doses may be in error as much as 300 percent.

An important contribution to dose from radioactivity within the terrestrial food-chain is by the atmosphere-pasture-cow-milk food-chain pathway. Measurements of the two principal radionuclides entering into this pathway, <sup>131</sup>I and <sup>36</sup>Sr (see Tables 24 and 25), indicate that the maximum dose to an individual in the immediate environs from ingestion of one liter of milk per day is less than 0.02 millirem (0.2 microsieverts) to the thyroid and 1.2 millirem (12 microsieverts) to the bone. The average concentrations for the remote stations were assumed to be background and were subtracted from the perimeter station data in making the calculations.

The public water supply closest to the liquid discharges from the Oak Ridge facilities is located approximately 26 kilometers downstream at Kingston, Tennessee. The intake to the water filtration plant is located on the Tennessee River approximately one-half mile upstream from the confluence of the Clinch and Tennessee Rivers. Normally, Tennessee River water is used for the Kingston water supply but under certain conditions of power generation backflow can occur. Under backflow conditions, Clinch River water may move upstream in the Tennessee River and be used as the source of water for the Kingston filtration plant. Measurements of treated river water samples taken at the Kingston filtration plant indicate that the maximum dose commitment resulting from

the ingestion of the daily adult requirement (about two liters per day) is 6.7 millirem (67 microsieverts) to the bone and 0.13 millirem (1.3 microsieverts) to the total body. Treated water from Melton Hill Lake (background) contained about the same levels of radioactivity as the Kingston treated water.

Estimates of the 50-year dose commitment to an adult were calculated for consumption of 16.8 kilograms of fish per year from the Clinch River. The consumption of 16.8 kilograms<sup>(8)</sup> is about 2.5 times the national average fish consumption<sup>(29)</sup> and is used because of the popularity of fishing-in East Tennessee. From the analysis of edible parts of the fish examined (see Table 26 and 27), the maximum possible organ dose commitment to an individual from the highest quarterly bluegill sample taken from Clinch River Mile (CRM) 20.8 is estimated to be 21 millirem (210 microsieverts) to the bone from \*Sr. The maximum total body dose to an individual was calculated to be 0.43 millirem (4.3 microsieverts).

A more probable dose commitment, based on the annual average concentration of \*Sr in bluegill samples taken from CRM 20.8, was calculated to be 9.6 millirem (96 microsieverts) to the bone and 0.4 millirem (4 microsieverts) to the total body. These dose commitments are about 0.6 percent and 0.08 percent, respectively, of the allowable annual standards. Fish samples taken from Melton Hill Lake were analyzed to determine background conditions. Fish caught and consumed from other locations in the Clinch River would result in significantly less dose than the maximum calculated for CRM 20.8, see Tables 26 and 27.

Summaries are given in Table 34 of the potential radiation doses to adult members of the general public at the points of highest potential exposure from gaseous and liquid effluents from the Oak Ridge facilities.

Dose to the Population - The Oak Ridge population received the largest average individual total body dose as a population group. The average total body dose to an Oak Ridge resident was estimated to be 0.09 millirem (0.9 microsieverts) as compared to approximately 100 millirem/yr (1000 microsieverts/yr) from natural background radiation; the average dose commitment to the lung of an Oak Ridge resident was 0.44 millirem (4.4 microsieverts). The maximum potential dose commitment to an Oak Ridge resident was calculated to be 8.7 millirem (87 microsieverts) to the lung. This calculated dose is 0.6 percent of the allowable annual standard. (1)

The cumulative total body dose to the population within an 80-kilometer radius of the Oak Ridge facilities resulting from 1982 plant effluents was calculated to be 50.2 man-rem (0.5 man-sieverts). This cumulative dose was calculated using the population distribution given in Table 1 for ORNL atmospheric effluents; similar population distributions were used for the Y-12 and ORGDP releases. This dose may be compared to an estimated 87,000 man-rem (870 man-sieverts) to the same population resulting from natural background radiation. About 10 percent of the collective dose from the effluents of the Oak Ridge facilities is estimated to be to the Oak Ridge population.

Table 1
INCREMENTAL POPULATION TABLE IN THE VICINITY OF ORNL\*

DISTANCE, MILES	1-0	1-2	2-3	3-4	4-5	9-10	10-20	20-30	30-40	40-50
DISTANCE, KM	0-1.6	1.6-3.2	3.2-4.8	4.8-6.4	6.4-8.0	8-16	16-32	32-48	48-64	64-80
Direction										
· H	0	0	0	0	0	2,615	50,183	113,337	16,826	16,354
ENE	0	0	0	0	0	0	39,418	19,791	18,513	15,796
ZE	0	0	0	0	0	7,336	13,865	9,518	7,239	7,152
NNE	0	0	0	0	874	14,789	7,922	11,412	16,554	9,100
z	0	0	0	0	1,887	4,793	1,971	3,732	901'5	6,545
<b>≯</b> ZZ	0	0	0	0	0	3,187	2,426	2,246	6,830	6,156
×z	0	0	0	0	0	1,964	2,717	2,340	3,303	6,315
WNW	0	0	0	0	<b>•</b>	1,364	4,559	2,336	3,385	4,431
≱	0	0	0	0	0	1,804	13,807	5,707	10,627	9,922
WSW	0	0	0	0	•	2,078	9,447	6,387	808'9	4,690
SW	0	0	0	0	0	1,066	2,257	3,422	6,691	13,983
SSW	0	0	0	0	0	1,307	3,321	10,843	24,040	13,900
S	0	0	<b>•</b>	0	0	4,704	1,719	7,810	6,861	3,750
SSE	0	0	•	0	329	4,554	5,451	4,180	1,461	2,590
SE	0	0	0	0	0	3,519	6,739	20,096	000,	689'1
ESE	0	0	0	0	0	3,740	12,447	37,001	6,319	10,958
TOTAL	0	0	0	0	3.090	58.820	184.249	320.158	141.563	133,331
CUMULATIVE TOTAL	0	0	0	0	3,090	61,910	246,159	566,317	707,880	841,211

<sup>a</sup>Based on 1980 Census Data.

Table 2
CONTINUOUS AIR MONITORING DATA
Long-Lived Gross Beta Activity of Particulates in Air
1982

CT ATTOR	NUMBER	UNI	TS OF E-13 μCi/mi	$L (mBq/m^3)$	_
STATION NUMBER	OF SAMPLES	MAXIMUM <sup>a</sup>	MINIMUM	AVERAGE	% CG
		Perime	ter Area <sup>d</sup>		
HP-31	52	0.62 (2.3)	0.01 (0.03)	$0.23 (0.85) \pm 0.03$	0.02
HP-32	52	1.1 (4.2)	0.03 (0.10)	$0.30(1.1) \pm 0.05$	0.03
HP-33	52	0.86 (3.2)	0.02 (0.07)	$0.30(1.1) \pm 0.04$	0.03
HP-34	52	0.49 (1.8)	0.06 (0.22)	$0.24 (0.88) \pm 0.02$	0.02
HP-35	52	0.43 (1.6)	0.03 (0.12)	$0.24 (0.88) \pm 0.02$	0.02
HP-36	51	0.49 (1.8)	0.01 (0.03)	$0.19 (0.70) \pm 0.02$	0.02
HP-37	52	0.38 (1.4)	0.01 (0.03)	$0.20 (0.75) \pm 0.02$	0.02
HP-38	52	0.54 (2.0)	0.01 (0.03)	$0.25 (0.92) \pm 0.02$	0.03
HP-39	52	0.43 (1.6)	0.05 (0.19)	$0.20 \ (0.75) \ \pm \ 0.02$	0.02
Average				$0.24 (0.88) \pm 0.01$	0.02
,		Remo	te Area		
HP-51	36	0.38 (1.4)	0.11 (0.42)	$0.24 (0.90) \pm 0.02$	0.02
HP-52	43	0.32 (1.2)	0.01 (0.03)	$0.19 (0.70) \pm 0.02$	0.02
HP-53	51	0.41 (1.5)	0.01 (0.03)	$0.22 (0.81) \pm 0.02$	0.02
HP-55	51	0.49 (1.8)	0.01 (0.03)	$0.21 (0.77) \pm 0.02$	0.02
HP-56	50	0.46 (1.7)	0.01 (0.03)	$0.22 (0.81) \pm 0.02$	0.02
HP-57	52	0.43 (1.6)	0.02 (0.07)	$0.26 (0.95) \pm 0.02$	0.03
HP-58	38	0.41 (1.5)	0.08 (0.30)	$0.20 \ (0.75) \ \pm \ 0.02$	0.02
Average				$0.22 (0.81) \pm 0.01$	0.02

<sup>&</sup>lt;sup>a</sup>Maximum weekly average concentration.

<sup>&</sup>lt;sup>b</sup>Minimum weekly average concentration-minimum detectable level is 1 E-15 μCi/mL (0.037 mBq/m<sup>3</sup>).

<sup>&</sup>lt;sup>c</sup>CG is 1 E-10 μCi/mL (3.7 E+03 mBq/m³) for unidentified radionuclides (DOE Order 5480.1A, Chapter XI, Attachment XI-1, Table II).

<sup>&</sup>lt;sup>d</sup>See Figure 1.

<sup>&#</sup>x27;See Figure 2.

Table 3
CONTINUOUS AIR MONITORING DATA
Long-Lived Gross Alpha Activity of Particulates in Air
1982

	NUMBER	UNI	ΓS OF E-15 μCi/mL	$(\mu Bq/m^3)$	~
STATION NUMBER	OF SAMPLES	MAXIMUM <sup>a</sup>	MINIMUM	AVERAGE	CG'
		Perimet	er Area <sup>d</sup>		
HP-31	52	2.1 (78)	0.27 (10)	$0.92(34) \pm 0.14$	0.02
HP-32	52	3.8 (140)	0.35 (13)	$1.1  (41) \pm 0.19$	0.03
HP-33	52	3.2 (120)	0.32 (12)	$1.1  (41) \pm 0.21$	0.03
HP-34	52	3.8 (140)	0.30 (11)	$0.97(36) \pm 0.20$	0.02
HP-35	52	4.3 (160)	0.22 (8.1)	$1.0 (37) \pm 0.22$	0.03
HP-36	51	4.6 (170)	0.24 (8.9)	$0.81(30) \pm 0.23$	0.02
HP-37	52	3.2 (120)	0.30 (11)	$0.78(29) \pm 0.19$	0.02
HP-38	52	3.0 (110)	0.27 (10)	$1.4 (52) \pm 1.1$	0.04
HP-39	52	2.3 (86)	0.27 (10)	$0.86 (32) \pm 0.17$	0.02
Average				0.99 (37) ± 0.06	0.02
		Remot	e Area <sup>e</sup>		
HP-51	36	2.7 (100)	0.26 (9.5)	$0.95(35) \pm 0.22$	0.02
HP-52	43	2.1 (78)	0.25 (9.3)	$0.81 (30) \pm 0.15$	0.02
HP-53	51	3.2 (120)	0.32 (12)	$0.97(36) \pm 0.22$	0.02
HP-55	51	3.2 (120)	0.30 (11)	$1.1  (41) \pm 0.24$	0.03
HP-56	50	3.0 (110)	0.32 (12)	$1.0 (37) \pm 0.21$	0.03
HP-57	52	3.0 (110)	0.27 (10)	$1.1  (41) \pm 0.18$	0.03
HP-58	58	2.3 (86)	0.30 (11)	$0.68 (25) \pm 0.15$	0.02
Average				$0.94(35) \pm 0.06$	0.02

<sup>&</sup>lt;sup>a</sup>Maximum weekly average concentration.

<sup>&</sup>lt;sup>b</sup>Minimum weekly average concentration-minimum detectable level is 1 E-16  $\mu$ Ci/mL (3.7  $\mu$ Bq/m<sup>3</sup>)

<sup>°</sup>CG is 40 E-13  $\mu$ Ci/mL (1.48 E+05  $\mu$ Bq/m³) for a mixture of uranium isotopes (DOE Order 5480.1A, Chapter XI, Attachment XI-1, Table II).

<sup>&</sup>lt;sup>d</sup>See Figure 1.

eSee Figure 2.

Table 4
CONTINUOUS AIR-MONITORING DATA
Specific Radionachides in Air
(Composite Samples)
1982
Units of E-15 μCl/mL (μBq/m²)

		PE	RIMETE	PERIMETER STATIONS	SNO			<b>L</b>	EMOTE	REMOTE STATIONS	SS	
	Qua	Quarterly	Quar	Quarterly	Yea	Yearty	Qua	Quarterly	Quarterly	terly	Yearly	rly
NUCLIDE	Max	Maximum	Miai	mura -	Ave	rage	Max	Maximum	Mini	mnm	Average	386
*Mn	0.050		0.014			(1.11)	0.043	(1.58)	0.017	(0.63)		(1.19)
Ş	0.244		0.065			(5.56)	0.537	(19.86)	0.041	(1.51)		(9.17)
å Ž	0.132		0.015			(2.81)	6.109	(4.05)	0.024	(0.89)		(3.60)
1Z,,	0.052		0.046			(1.81)	0.048	(1.78)	0.035	(1.30)		(1.54)
M. Ku	0.031		0.031			(1.13)	0.024	(0.89)	0.024	(0.89)		(0.89)
·*Ru	0.893		0.080			(14.94)	0.651	(24.09)	0.135	(4.98)		(14.17)
9S <sub>81</sub>	0.179		0.046			(3.78)	0.120	(4.44)	0.048	(1.78)		(2.94)
သူ့	0.487		0.043			(8.73)	0.407	(15.06)	0.043	(1.58)		(7.22)
g Se	0.031		0.031			(1.13)	0.048	(1.78)	0.048	(1.78)		(1.78)
÷,	1.36		0.147			(29.67)	0.997	(36.89)	0.096	(3.56)		(24.01)
41.m	0.100	(3.70)	0.027	(1.02)	0.060	(2.22)	0.043	(1.58)	0.026	(1.07)	0.036	(1.32)
¶L <sub>x</sub>	0.057		910.0			(1.33)	0.029	(1.08)	0.019	(0.70)		(0.84)
¶L <sub>trt</sub>	0.080		0.024			(1.86)	0.036	(1.33)	0.026	(1.07)		(1.10)
Эm	0.304		0.053			(7.81)	0.381	(14.11)	0.047	(1.73)		(5.89)
Ωsα	0.033		0.003			(0.74)	0.025	(0.93)	9000	(0.21)		(0.44)
Ωm	0.214	(7.91)	0.045			(5.82)	0.404	(14.95)	0.038	(1.42)		(4.83)
<sup>134</sup> Pu	0.003		0.0002			(0.035)	0.001	(0.04)	0.0002	(0.007)	_	(0.025)
nden	0.005		0.0007			(0.078)	0.003	(0.11)	0.0004	(0.014)		(0.068)

Table 5 CONCENTRATION OF "'I IN AIR MEASURED BY THE PERIMETER AIR MONITORING STATIONS" 1982

z ~	100		UNITS OF E-14 #CI/IIIL (µbq/III)	L (#pd/m.)	8
11 di	SAMPLES	MAXIMUM	MINIMUM	AVERAGE	CG.
11.31	52			37) ± (	<0.01
HP-32	52			41) ± (	<0.01
HP-33	52			44) + (	<b>10</b> .0>
HP-34	52			$(33) \pm ($	<0.0
HP-35	52	0.16 (59)	0.02 (7.4)	$0.09(33) \pm 0.01$	<0.01
HP-36	52			$(37) \pm ($	<0.0
HP-37	52			$(37) \pm ($	<0.01
HP-38	52			$(37) \pm ($	<0.01
HP-39	52		0.02 (7.4)	37) ± (	<0.01
AVERAGE				$0.10(37) \pm 0.01$	<0.01

"See Figure 1.

<sup>b</sup>Maximum weekly average concentration.

<sup>c</sup>Minimum weekly average concentration-minimum detectable amount of <sup>13</sup>I is 1 E-16  $\mu$ Ci/mL (3.7  $\mu$ Bq/m<sup>3</sup>).

<sup>d</sup>CG is 1 E-10  $\mu$ Ci/mL (3.7 E+06  $\mu$ Bq/m²) (DOE Order 5480.1A, Chapter XI, Attachment XI-1, Table II).

Table 6
DISCHARGES OF RADIOACTIVITY TO THE ATMOSPHERE
1982

	QUANTIT	QUANTITY DISCHARGED
RADIONUCLIDE	C	UNITS OF E+10 Bq
Uranium4	0.11	0.4
. In	< 0.13	< 0.5
Ĭ,	19,000	70.300
υχe <sup>φ</sup>	<57,100	<211,300
*;Krb	<11,700	< 43,300
"Tc	0.03	0.11
Alpha <sup>c</sup>	< 2.7 E-06	< 1.0 E-05

<sup>4</sup>Uranium of varying enrichments - curie quantities calculated using the appropriate specific activity for material released,

<sup>b</sup>Upper limit values based on direct radiation measurements in the stack gas stream and an assumed mix-ture of noble gases.

Unidentified alpha.

Table 7
AIR MONITORING DATA - FLUORIDES
1982

Location <sup>a</sup>	Number of Samples	Concent Averagii	kimum tration for ng Interval t/m³		of Times Exceeded <sup>b</sup>	Annual Average µg/m³
	6 Day	6 Day	30 Day	7 Day	30 Day	
F-1	48	0.1	< 0.1	0	0	< 0.1 ± 0.01
F-2	48	0.2	0.1	Ö	Ö	$< 0.1 \pm 0.02$
F-3	49	0.3	0.2	0	0	$< 0.1 \pm 0.02$
F-4	48	0.2	< 0.1	0	0	$< 0.1 \pm 0.01$
F-5	49	0.1	< 0.1	0	0	$< 0.1 \pm 0.01$
F-6°	48	0.1	< 0:1	0,	0	$< 0.1 \pm 0.01$

<sup>&</sup>lt;sup>a</sup>See Figure 1.

All values are maximum--not to be exceeded more than once per year.

NOTE: Data not amendable to comparison with 12-hour or 24-hour standard. Six-day sample compared to 7 day averaging interval.

<sup>&</sup>lt;sup>b</sup>Tennessee Air Pollution Control Regulations -

<sup>3.7</sup> µg/m<sup>3</sup> for 12 hour averaging interval

<sup>2.9</sup>  $\mu$ g/m³ for 24 hour averaging interval

 $<sup>1.6 \</sup>mu g/m^3$  for 7 day averaging interval

<sup>1.2</sup> μg/m<sup>3</sup> for 30 day averaging interval

Station F-6 approximately 8 kilometers from ORGDP upwind of the predominant prevailing wind direction, thus may be considered representative of general ambient background concentration.

Table 8
AIR MONITORING DATA - SUSPENDED PARTICULATES
1982

	NUMBER	ŽOO	CONCENTRATION, µg/m³)	/m³)	ŧ
OCATION"	SAMPLES	MAXIMUM	MINIMUM	AVERAGE	STD.
SP.1	46	83	-	34 ± 6	45
SP-2	53	88	7	34 ± 6	45
SP-3	47	103	~	32 ± 8	43
SP-4	20	119	_	28 ± 8	37

"See Figure 1.

<sup>b</sup>Tennessee Ambient Air Standards - Primary Standard.

Maximum 24 hr. Average — 260 μg/m³ Annual Geometric Mean — 75 μg/m³

Table 9
SULFUR DIOXIDE MONITORING DATA
1982

	MAXIMUM 24	HR. AVERAGE (ppm)	MONTHLY A	VERAGE (ppm)
MONTH	STATION S-1	STATION S-2	STATION S-1	STATION S-2
<b>J</b> a=a=	0.045	0.022	0.013	0.006
January February	0.043	0.022	0.013	0.000
reoruary March	0.028	0.015	0.013	0.009
April	0.030	0.013	0.012	0.009
лрш Мау	0.021	0.007	0.006	0.003
June	0.014	0.008	0.006	0.003
July	0.017	0.002	0.008	0.002
August	0.017	0.006	0.009	0.002
September	0.018	0.006	0.009	0.003
October	0.018	0.003	0.008	0.002
November	0.021	0.012	0.012	0.005
December	0.021	0.010	0.004	0.003
Annual Arith	metic Mean	•	0.009	0.005

Tennessee Ambient Standards

Maximum 24 hr. Average — 0.14 ppm Annual Arithmetic Mean — 0.03 ppm

Minimum Detectable Limit - 0.002 ppm

Table 10 EXTERNAL GAMMA RADIATION MEASUREMENTS 1982

	NUMBER	BACKO	ROUND
STATION NUMBER	OF MEASUREMENTS	UNITS OF μR/h	UNITS OF E-09 C/kg/h
u	Perimeter Star	tions <sup>a</sup>	
···· · · · · · · · · · · · · · · · · ·	. # 2		
HP-31	12	$8.0 \pm 1.0$	$2.1 \pm 0.2$
الم HP-32	10	$12.5 \pm 2.8$	$3.3 \pm 0.8$
mP-33	12	$10.0 \pm 1.7$	$2.6 \pm 0.4$
HP-34	12	$17.3 \pm 4.0$	$4.5 \pm 1.0$
HP-35	12	$10.3 \pm 4.0$	$2.7 \pm 1.0$
HP-36	12	$9.5 \pm 2.6$	$2.4 \pm 0.6$
HP-37	12	$9.6 \pm 2.2$	$2.5 \pm 0.6$
HP-38	12	$10.6 \pm 4.0$	$2.7 \pm 1.0$
HP-39	12	$12.1 \pm 4.2$	$3.1 \pm 1.0$
Average		11.1 ± 1.9	2.9 ± 0.5
	Remote Stati	ons <sup>b</sup>	
HP-51	2	5.8 ± 1.6	1.5 ± 0.4
HP-52	2 2	$7.3 \pm 1.8$	$1.9 \pm 0.4$
HP-53	2	$7.5 \pm 2.0$	$1.9 \pm 0.6$
HP-55	2 2	$6.8 \pm 2.0$	$1.7 \pm 0.6$
HP-56	1	5.2	1.3
HP-57		$7.2 \pm 3.0$	1.9 ± 0.8
HP-58	2 2	$10.9 \pm 2.6$	$2.8 \pm 0.6$
Average	,	7.2 ± 1.4	1.9 ± 0.4

<sup>&</sup>lt;sup>a</sup>See Figure 1.

<sup>&</sup>lt;sup>b</sup>See Figure 2.

Table 11
RADIONUCLIDES OF PRIMARY CONCERN IN SURFACE STREAMS
1982

	NUMBER		UNITS	UNITS OF E-09 µCi/mL (Bq/L)	nL (Bq/L)		UNITS	UNITS OF E-06	
LOCATION	SAMPLES	RANGE	1S <sub>06</sub>	τη.Cs	"Co		] [ ] [ ] [ ] [ ] [ ] [ ] [ ] [ ] [ ] [	H.	CG
C-2	4	Max. Min.	3.2 (0.12) 0.6 (0.02)	0.43 (0.016)	0.27	(0.010)	2.20	(0.001)	ę
ਹੌ	4	Avg. Max,	1.4 (0.05)	0.22 (0.008)		(0.060)	7.60	(0.281)	4. 0
		Min. Avg.	0.5 (0.02) 1.8 (0.07)	0.19 (0.007) 0.67 (0.025)	0.11	(0.004)	0.62 3.40	(0.023) (0.126)	17.
C-5¢	4	Max. Min. Avg.	1.6 (0.06) 0.8 (0.03) 1.1 (0.04)	0.32 (0.012) 0.05 (0.002) 0.17 (0.006)	0.27 0.08 0.16	(0.010) (0.003) (0.006)	1.30 0.23 0.71	(0.050) (0.008) (0.026)	.39
W-1°	2	Max. Min. Avg.	250 (9.25) 1.1 (0.04) 67 (2.48)	49 (1.81) -0.3 (0.01) 15 (0.55)	540 (2 0.3 55	(20) (0.01) (2)	280 30 100	(H) (L.1) (3.7)	26

"Most restrictive concentration guide for each isotope used for calculating percent concentration guide. The method for calculating percent of concentration guide for a known mixture of radionuclides is given in DOE Order 5480.1A, Chapter XI, Attachment XI-1.(1)

<sup>&</sup>lt;sup>b</sup>Kingston Water Plant (treated water).

<sup>&#</sup>x27;Mouth of White Oak Creek.

Table 12
URANIUM CONCENTRATION IN SURFACE STREAMS
1982

I COLD 4 DO	NUMBER	_	n	UNITS OF E-08 µCi/mL (Bq/L)	E-08 µCi,	/wF (Bq/	(T)		
NUMBER"	SAMPLES	MAX	MAXIMUM	MINIMUM	MUM		AVERAGE	買	* <sup>3</sup> 5
P-1	13	0.67	(0.25)	< 0.07	(0.03)	< 0.2		+ 0.1	٧
P-2	12	0.67	(0.25)	< 0.07	(0.03)	< 0.3°		± 0.1	٧
င်း	12	09.0	(0.23)	< 0.07	(0.03)	× 0.1		± 0.1	٧
C-4	12	0.40	(0.15)	< 0.07	(0,03)	× 0.E		± 0.0	٧
C-6	12	0.27	(0.10)	< 0.07	(0.03)	V 0.1		0.0 ∓	٧
<u>고</u>	12	4.1	(1.5)	0.5	(0.19)	2.1	(0.8)	± 1.0	3.5
B-1	12	8.9	(2.5)	1.3	(0.48)	4.		± 1.6	

"See Figure 3.

<sup>&</sup>lt;sup>b</sup>CG used 6 E-07 μCi/mL (22.2 Bq/L) for soluble <sup>238</sup>U (DOE Order 5480.1A, Chapter XI, Attachment XI-1, Table II).

Table 13
DISCHARGES OF RADIOACTIVITY TO SURFACE STREAMS
1982.

RADIONUCLIDE  17 Cs	5	UNITS OF E+10 Bq
17Cs	• ,	
<u>ئ</u>	1.45	5.37
3	96'0	3.55
H	5,370	19,870
I tet	0.06	0.22
JS.	2.74	10.14
"Le	1.70	6.29
Uranium"	0.67	2.48
T.u.	0.00	0.03
Transuranics <sup>b</sup>	0.034	0.13
d'Alex	0.002	0.007

\*Uranium of varying enrichments - curic quantities calculated using the appropriate specific activity for material released.

bUpper limit values based on alpha emitter analysis.

Table 14 LONG-LIVED GROSS BETA ACTIVITY IN RAINWATER 1982

STATION	NUMBER OF	UNIT	SOF
NUMBER	SAMPLES	E-08 μCi/mL <sup>a</sup>	Bq/L
	Perin	neter Area <sup>b</sup>	
HP-31	44	$0.51 \pm 0.11$	$0.19 \pm 0.04$
HP-32	43	$0.43 \pm 0.13$	$0.16 \pm 0.05$
HP-33	47	$0.65 \pm 0.15$	$0.24 \pm 0.06$
HP-34	46	$0.45 \pm 0.13$	$0.17 \pm 0.05$
HP-35	42	$0.57 \pm 0.26$	$0.21 \pm 0.10$
HP-36	43	$0.42 \pm 0.11$	$0.16 \pm 0.04$
HP-37	43	$0.25 \pm 0.07$	$0.09 \pm 0.03$
HP-38	45	$0.70 \pm 0.13$	0.26 ± 0.05
HP-39	44	$1.5 \pm 2.3$	$0.56 \pm 0.08$
Average		$0.61 \pm 0.12$	0.23 ± 0.05
	Ren	note Area <sup>c</sup>	
HP-51	43	1.1 ± 0.27	$0.41 \pm 0.10$
HP-52	29	$0.74 \pm 0.22$	$0.27 \pm 0.08$
HP-53	43	$0.99 \pm 0.17$	$0.37 \pm 0.06$
HP-55	40	$0.79 \pm 0.19$	$0.29 \pm 0.07$
HP-56	41	$0.95 \pm 0.23$	$0.35 \pm 0.09$
HP-57	43	$0.94 \pm 0.22$	$0.35 \pm 0.08$
HP-58	37	$0.77 \pm 0.18$	$0.28 \pm 0.07$
Average		$0.90 \pm 0.24$	$0.33 \pm 0.02$

<sup>&</sup>lt;sup>4</sup>Weekly average concentration.

<sup>&</sup>lt;sup>b</sup>See Figure 1.

<sup>&</sup>lt;sup>c</sup>See Figure 2.

Tabe 15
CHEMICAL WATER QUALITY DATA - WHITE OAK DAM
1982

	NUMBER		CONCENT	CONCENTRATION, mg/L		•	8
SUBSTANCE	SAMPLES	SAMPLES MAXIMUM MINIMUM	MINIMOM	AVERAGE	Ħ	STD.	STD.
<u>ئ</u>	1	0.03	< 0.01	< 0.01 ± 0.002	0.002	9.05	> 20
Zn	11	0.04	< 0.02	< 0.02 ± 0.004	0.004	0.1	> 20
NO <sub>3</sub> (N)	10	81	0.07	7.2 ±	+ 1.8	9	72
<b>3</b>	13	< 0.001	< 0.001	< 0.001		0.005	> 30

"Tennessee Stream Guidelines.

Table 16
CHEMICAL WATER QUALITY DATA - ORGDP SANITARY WATER
PUMPING STATION
(Location C-3, Figure 3)
1982

	NUMBER			0	CONCENTRATION, mg/L	RAT	ION, mg	1/1			
SUBSTANCE	S	MA	MUMIX	MIL	NIMUM		AVERAGE	9	G-T	STD."	STD.
కా	12	٧	< 0.002 < 0.002	٧	0.003	٧	< 0.002				V
Ċ	12		0.03	٧	0.01	٧	0.01	H	0.004		V
CS	12	٧	0.002	٧	0.002	٧	0.002				97 V
NO <sub>3</sub> (N)	13		8.0		0.3		9.5	H	<b>6.1</b>		w)
Pb	12	٧	0.01	٧	0.01	٧	0.01				> 20
$\mathbf{SO}_{4}^{=}$	17		25		m		21	+1	4		
T.D.S.	13		154	,,	130		142	Ħ	45		78
Zn	13		0.05	٧	0.05	٧	0.03	+1	0.007		× 30
_	12		0.2	٧	0.1	٧	0.1	+I	0.01	-	v.
Hg	12	٧	0.001	٧	0.001	٧	0.001				<b>%</b>
Ž	13	٧	0.01	٧	0.01	٧	0.01				. <b>V</b> .

"Tennessee Stream Guidelines.

Table 17
CHEMICAL WATER QUALITY DATA - ORGDP RECIRCULATING
WATER PUMPING STATION
(Location C-4, Figure 3)
1982

	NUMBER				CONCENTRATION, mg/L	rat	TON, III	E/L			8
SUBSTANCE	SAMPLES	ΨW	MAXIMUM	ME	MINIMUM		AVERAGE	YC	<u>ن</u>	STD."	STD.
3	11	٧		V	< 0.002		0.007		< 0.062		> 20
ر ن	12		0.03	٧	0.01	V	0.01	#	0.004		< 25
CN	12	¥	0.007	٧	0.002	٧	0.003				<b>97</b>
NO <sub>3</sub> (N)	12				0.3		9.0	+I	0.1		•
Pb	1.2		0.03	٧	0.01	V	0.01	+I	0.007		< 20
SO4¯	11		34		21		76	+I	7		9
T.D.S.	12		194		<b>8</b>		146	+I	20		29
Zn	12		0.04	٧	0.07	٧	0.04	+1	0.03		^ <del>\$</del>
[ <b></b>	12		0.2	٧	0.1	٧	<b>0</b> .1	H	0.03	-	<b>9 9</b>
Hg	12	٧	0.001	٧	0.001	٧	0.00				<b>97</b> ×
Ź	12		0.02	<b>v</b>	0.01	<b>v</b>	0.0	+1	0.007		<b>=</b> ×

"Tennessee Stream Guidelines.

Table 18
CHEMICAL WATER QUALITY DATA - CLINCH RIVER DOWNSTREAM OF ORGDP
(Location C-6, Figure 3)
1982

	NUMBER			_	CONCENTRATION, mg/L	ľRA.	TION, m	8/F			
SUBSTANCE	SAMPLES	MA	MAXIMUM	M	MINIMUM		AVERAGE	AG.		STD.4	STD.
C <sub>d</sub>	12	<b>v</b>	0.007	<b>v</b>	0.003	٧	0.007			0.01	<b>7</b>
ڻ ٽ	12		0.03	٧	0.01	٧	0.01	+1	0.00	0.05	<b>97</b> ×
S	12	٧	0.007	٧	0.007	٧	0.003			0.01	< 20 < 20
NO <sub>3</sub> (N)	12		_		0.3		9.5	+1	<b>1.</b> 0	10	
<b>a</b>	12		0.07	٧	0.01	٧	0.01	₩	0.003	0.05	<b>7</b> 0
$SO_4^=$	13		42		4		24	+I	40	250	2
T.D.S.	12		091		79		134	+I	7	200	77
Zn	12		0.1	٧	0.07	V	0.03	+1	0.05	0.1	<b>₹</b>
1	12		0.2	٧	6.1	٧	0.1	н	0.07	-	2
Hg	12	V	0.001	V	0.001	٧	0.001			0.005	> 20
Z	13		0.04	v	< 0.01	٧	0.01	+1	9.000	0.1	<b>01</b> ×

"Tennessee Stream Guidelines,

Table 19
CHEMICAL WATER QUALITY DATA - EAST FORK POPLAR CREEK
(Location E-1, Figure 3)
1982

	NUMBER				CONCENTRATION, mg/L	RA	FION, m	g/L	_			8
SUBSTANCE	SAMPLES	MA	MAXIMUM	MI	MINIMOM		AVERAGE	AG	<b>9</b>	STD."	જ	STD.
r <sub>2</sub>	13	<b>v</b>	0.00	٧	< 0.002	٧	< 0.002			0.01	٧	20
CI-	H		15	٧	7	٧	< 12	H	4	250	y	S
Ċ	12		0.01	٧	0.01	٧	0.01			90.0	٧	20
_ _	12		1.3		8.0		=	+1	0.2	-		110
Hg	12		0.007	<b>v</b>	0.001	٧	0.002	+i	$0.002 \pm 0.002$	0.003	٧	<b>\$</b>
NO <sub>3</sub> (N)	13		6.4		2.6		4.3	+1	1.1	10		43
Pb	12	٧	0.01	<b>v</b>	0.01	٧	0.01			0.05	٧	70
SO4	=		74		<b>\$</b>		54	+1	± 10	250		22
T.D.S.	17		370		180		239	+1	56	200		₩
Zn	12		0.00	٧	0.03	٧	< 0.03	<del>+</del> I	± 0.02	0.1	<b>v</b>	30

Tennessee Stream Guidelines.

Table 20
CHEMICAL WATER QUALITY DATA - BEAR CREEK
(Location B-1, Figure 3)
1982

	NUMBER		9	CONCENTRATION, mg/L	TIO	Z, ang/					
SUBSTANCE	SA	MAXIMUM		MINIMUM		AVERAGE	2AG	<b>3</b>	STD.4	જ	STD.
2	12	0.002	٧	< 0.002	٧	< 0.002			0.01		> 20
- <b>[</b> ]	12	6	٧	7	٧	+1	+I	7	250	٧	~
<b>.</b>	12	6.4		0.1		0.3	<del>+</del> I	0.1	-		8
NO <sub>3</sub> (N)	12	23		<b>30</b>		2	+1	9	9		3
Zn	11	0.03	٧	0.07	٧	0.07	+1	0.003	0.1	٧	70
_ <sup>*</sup> OS	12	31	<b>v</b>	> 10	<b>v</b>	91 >	+1	± 7	250	٧	9

"Tennessee Stream Guidelines.

Table 21
CHEMICAL WATER QUALITY DATA - POPLAR CREEK ABOVE BLAIR BRIDGE
(Location P-1, Figure 3)
1982

	NUMBER				CONCENTRATION, mg/L	RAI	ION, m	g/L			8
SUBSTANCE	SAMPLES	MA	MAXIMUM	l 1	MINIMOM		AVERAGE	AG	63	STD."	STD.
2	17	٧	0.00	V	0.002	V	0.002			0.01	<b>97</b>
Ç	12		0.03	٧	< 0.01	٧	10'0	+I	4 0.002	0.05	> 20
3	12	٧	0.00	٧	0.00	٧	0.007			0.01	> 20
NO <sub>3</sub> (N)	12		6.5		0.2		0.3	H		10	6
Pb	12		0.03	V	0.01	<b>v</b>	0.01	+1		0.05	<b>7</b>
- <u>'0s</u>	12		*		53		9	+I	<b>6</b>	250	16
T.D.S.	12		961		88		132	+I	22	200	76
Zn	12		0.04	٧	0.03	<b>v</b>	0.03	+1	0.004	0.1	× 20
	12		0.2	٧	0.1	<b>v</b>	1.0	#1	0.03	-	2 >
Hg	12	٧	0.001	٧	< 0.001	<b>v</b>	0.001			0.005	<b>26</b>
Ż	13		0.3	v	0.01	V	0.07	+1	0.03	. 0.1	> 50

Tennessee Stream Guidelines.

Table 22
CHEMICAL WATER QUALITY DATA - POPLAR CREEK NEAR CLINCH RIVER
(Location P-2, Figure 3)
1982

	NUMBER				CONCENTRATION, mg/L	IRA	TION, m	1/8	_		8
SUBSTANCE	SAMPLES	MA	MAXIMUM	ΨI	MINIMIN		AVERAGE	5 ₹	3	STD.	STD.
2	12	v	0.002	٧	0.002	٧	0.007			0.01	> 30
Ç	12	<b>v</b>	0.01	<b>v</b>	0.01	٧	< 0.01			9.05	> 20
S	12		0.003	٧	0.002	٧	0.002	#	± 0.0002	0.01	<b>27</b>
NO <sub>3</sub> (N)	12		<b>-</b>		0.3		0.7	+	0.3	2	1
Pb	12	٧	0.01	٧	0.01	٧	0.01			0.05	<b>27</b>
SO₄¯	12		45		20		ऋ	+	4	250	7
T.D.S.	12		132		16		146	+1	24	200	23
Zn	12		0.0	٧	0.02	٧	0.07	#	0.009	0.1	> 20
_ 	12		0.3		0.1		0.3	+1	9.05	=	20
Hg	13	٧	0.001	٧	0.001	٧	0.001			0.005	% V
Z	12		0.04	٧	< 0.01	٧	< 0.01	+1	900'0	0.1	<b>10</b>

"Tennessee Stream Guidelines.

Table 23
NATIONAL POLLUTANT DISCHARGE ELIMINATION
SYSTEM (NPDES) EXPERIENCE
1982

	*****	EFFLUE)	NT LIMITS	
DISCHARGE POINT	EFFLUENT PARAMETERS	DAILY AVERAGE mg/L	DAILY MAXIMUM mg/L	PERCENTAGE OF MEASUREMENTS IN COMPLIANCE
ORNL				
001				•
(White Oak Creek)	Dissolved Oxygen (min.)	5	**	100
	Dissolved Solids		2000	100
	Oil and Grease	10	15	85
	Chromium (Total)		0.05	100
	pH (pH units)		6.0 - 9.0	99
002				
(Melton Branch)	Chromium (Total)		0.05	100
	Dissolved Solids		2000	100
	Oil and Grease	10	15	100
	pH (pH units)		6.0 - 9.0	99
003				•
(Main Sanitary	Ammonia (N)		5	35
Treatment Facility)	BOD		20	73
	Chlorine Residual		0.5 - 2.0	97
	Fecal Coliform Bact. (No/100 mL)	2006	400°	83
	pH (pH units)		6.0 - 9.0	100
	Suspended Solids		30	98
	Settleable Solids (mL/L)	-	0.5	96
004	•			-
(7900 Area Sanitary	BOD		30	No Discharges
Treatment Facility)	Chlorine Residual		0.5 - 2.0	From This
	Fecal Coliform Bact. (No/100 mL)	200 <sup>b</sup>	400°	Facility
	pH (pH units)		6.0 - 9.0	
	Suspended Solids	_	30	
	Settleable Solids (mL/L)	-	0.5	
Y-12 PLANT 001	·			
(Kerr Hollow	Dissolved Solids		2000	100
Quarry)	Lithium		5	100
<b>4</b> )	pH (pH units)		6.0 - 9.0	100
	Suspended Solids	-	50	100
	Zirconium		3	100

Table 23 (CONTINUED)

		<b>EFFL</b> U	ENT LIMITS	
DISCHARGE POINT	EFFLUENT PARAMETERS	DAILY AVERAGE mg/L	DAILY MAXIMUM mg/L	PERCENTAGE OF MEASUREMENTS IN COMPLIANCE
092	· · · · · · · · · · · · · · · · · · ·			
(Rogers Quarry)	pH (pH units)	_	6.0 - 9.0	100
	Suspended Solids <sup>a</sup>	30	50	100
	Settleable Solids (mL/L) <sup>a</sup>	***	0.5	100
003				
(New Hope Pond)	Ammonia (N)		1.6	100
	Chromium	0.05	0.08	100
	Dissolved Oxygen (min.)	5	<b>=</b> 0	99
	Dissolved Solids		2000	100
	Fluoride	1.5	2.0	96
	Lithiam	_	5	100
	Oil and Grease	10	15	92
	pH (pH units)	-	6.0 - 9.0	100
	Phosphate (as MBAS)	5	8	100
	Suspended Solids <sup>a</sup>	-	20	100
	Settleable Solids (mL/L) <sup>a</sup>	-	0.5	100
	Total Nitrogen (N)		20	100
	Zinc	0.1	0.2	96
004				
(Bear Creek)	Oil and Grease	10	15	100
	pH (pH units)	60	6.0 - 8.5	100
ORGDP 001				
(K-1700 Discharge)	Aluminum	D-D	1.0	99
_	Chromium (Total)	0.05	0.08	1 <b>00</b> i
	Nitrate		20	100
	Suspended Solids	30	50	100
	Oil and Grease	10	15	100
	pH(pH units)		6.0 - 9.0	99
002				
(K-1410 Metal	Cyanide		None Detectable	Did Not
Plating Facility)	Oil and Grease	10	15	Operate In
	pH (pH units)		6.0 - 9.0	1982
004				
(K-1131) Steam	pH (pH units)		6.0 - 9.0	100
Condensate Discharge)	Flow (MGD)	0.005	0.008	100

Table 23 (CONTINUED)

-		EFFLUE	NT LIMITS	
		DAILY	DAILY	PERCENTAGE OI
DISCHARGE	EFFLUENT	AVERAGE	MAXIMUM	MEASUREMENT:
POINT	PARAMETERS	mg/L	mg/L	IN COMPLIANCE
005		, , , , , , , , , , , , , , , , , , , ,		<u> </u>
(K-1203 Sanitary	Ammonia (N)	5 <sup>b</sup>	<b>7</b> °	190
Treatment Facility)	BOD	15 <sup>b</sup>	20°	100
	Chlorine Residual	-	0.5 - 2.0	99
	Dissolved Oxygen (min.)	5	-	100
	Fecal Coliform Bact. (No/100mL)	200 <sup>b</sup>	400°	100
	pH (pH units)	-	6.0 - 9.0	100
	Suspended Solids	30 <sup>b</sup>	45°	99
	Settleable Solids (mL/L)	_	0.5	99
006	,,			
(K-1007B Holding	COD	20	25	100
Pond)	Chromium	-	0.05	100
,	Dissolved Oxygen (min.)	5	_	1 <b>0</b> 0
	Fluoride	1.0	1.5	100
	Oil and Grease .	10	15	100
	pH (pH units)	-	6.0 - 9.0	100
	Suspended Solids <sup>a</sup>	30	50	100
007	-			
(K-901A Holding	Chromium (Total)	-	0.05	99
Pond)	Fluoride	1.0	1.5	100
	Oil and Grease	10	15	100
	pH (pH units)		6.0 - 10	100
	Suspended Solids	30	50	100
008 <sup>d</sup>				
(K-710 Sanitary	BOD	30 <sup>b</sup>	45°	No Discharges
Treatment Facility)	Suspended Solids	30 <sup>6</sup>	45°	From This
	Fecal Coliform Bact. (No/100 mL)	200 <sup>6</sup>	400°	Facility
	pH (pH units)	-	6.0 - 9.0	
	Chlorine Residual	_	0.5 - 2.0	
	Settleable Solids (mL/L)		0.1	
009				
(Sanitary Water	Suspended Solids <sup>a</sup>	30	50	100
Plant)	Aluminum	-	250	100
,	Sulphate	_	1400	100
	pH (pH units)		6.0 - 9.0	100

<sup>&</sup>lt;sup>a</sup>Limit applicable only during normal operations. Not applicable during periods of increased discharge due to surface run-off resulting from precipitation.

<sup>&</sup>lt;sup>b</sup>Monthly Average.

<sup>&</sup>lt;sup>c</sup>Weekly Average.

<sup>&</sup>lt;sup>d</sup>Due to the small flow rates at the K-710 Sanitary Treatment Facility, a rapid sand filter was installed May 1, 1978 eliminating the surface discharge and monitoring requirements.

Table 24
CONCENTRATION OF 131 IN MILK<sup>2</sup>
1982

STATION	NUMBER OF	UNITS	OF E-09 μCi/mL	(Bq/L)	COMPARISON
NUMBER	SAMPLES	MAXIMUM	MINIMUM <sup>b</sup>	AVERAGE	WITH STANDARD
		Imme	diate Environs <sup>d</sup>		
2	46	<0.45 (0.017)	<0.45 (0.017)	<0.45 (0.017)	Range I
3	45	<0.45 (0.017)	<0.45 (0.017)	<0.45 (0.017)	Range I
4	45	<0.45 (0.017)	<0.45 (0.017)	<0.45 (0.017)	Range I
5	27	<0.45 (0.017)	<0.45 (0.017)	<0.45 (0.017)	Range I
6	39	<0.45 (0.017)	<0.45 (0.017)	<0.45 (0.017)	Range I
7	45	<0.45 (0.017)	<0.45 (0.017)	<0.45 (0.017)	Range I
Average				<0.45 (0.017)	
		Rem	ote Environs		
51	4	<0.45 (0.017)	<0.45 (0.017)	<0.45 (0.017)	Range I
52	3	<0.45 (0.017)	<0.45 (0.017)	<0.45 (0.017)	Range I
53	5	<0.45 (0.017)	<0.45 (0.017)	<0.45 (0.017)	Range I
56	3	<0.45 (0.017)	<0.45 (0.017)	<0.45 (0.017)	Range I
Average				<0.45 (0.017)	

<sup>&</sup>quot;Raw milk samples, except for Station 2 which is a dairy.

cApplicable FRC standard, assuming 1 liter per day intake:

Range I 0 to 1 E-08 μCi/mL (0.37 Bq/L)

—Adequate surveillance required to confirm calculated intakes.

Range II 1 E-08 μCi/mL (0.37 Bq/L) to 1 E-07 μCi/mL (3.7 Bq/L)

Range III 1 E-07 μCi/mL (3.7 Bq/L) to 1 E-06 μCi/mL (37 Bq/L)

—Positive control action required.

Note: Upper limit of Range II can be considered the concentration guide.

<sup>&</sup>lt;sup>b</sup>Minimum detectable concentration of <sup>13</sup>I is 0.45 E-09  $\mu$ Ci/mL (0.017 Bq/L).

<sup>&</sup>lt;sup>d</sup>See Figure 6.

<sup>&</sup>quot;See Figure 7.

Table 25
CONCENTRATION OF \*Sr IN MILK<sup>a</sup>
1982

STATION	NUMBER OF	UN	ITS OF E-09 μCi/	mL (Bq/L)	COMPARISON WITH
NUMBER	SAMPLES	MAXIMUM	MINIMUM <sup>b</sup>	AVERAGE	STANDARD <sup>c</sup>
		Im	mediate Environs	ı	
2	46	1.6 (0.059)	0.8 (0.030)	$1.1 (0.042) \pm 0.08$	Range I
3	44	1.9 (0.070)	0.5 (0.019)	$1.2 (0.044) \pm 0.11$	Range I
4	44	3.0 (0.110)	0.8 (0.030)	$1.7 (0.063) \pm 0.14$	Range I
5	27	1.9 (0.070)	0.5 (0.019)	$1.3 (0.047) \pm 0.11$	Range I
6	38	2.7 (0.100)	0.8 (0.030)	$1.6 (0.059) \pm 0.13$	Range I
7	44	2.7 (0.100)	0.5 (0.019)	$1.4 (0.052) \pm 0.14$	Range I
Average		<u> </u>		1.4 (0.052) ± 0.03	
		F	Remote Environs		
51	4	1.9 (0.070)	0.8 (0.030)	$1.5 (0.055) \pm 0.47$	Range I
52	3	2.2 (0.080)	0.8 (0.030)	$1.4 (0.052) \pm 0.78$	Range I
53	5	4.9 (0.180)	0.5 (0.019)	$1.7 (0.063) \pm 1.61$	Range I
56	3	0.8 (0.030)	0.5 (0.019)	$0.6 (0.023) \pm 0.18$	Range I
Average				$1.4 (0.052) \pm 0.56$	

<sup>&</sup>quot;Raw milk samples, except for Station 2 which is a dairy.

capplicable FRC standard, assuming 1 liter per day intake:

Range I 0 to 2 E-08 μCi/mL (0.74 Bq/L)

Range II 2 E-08 μCi/mL (0.74 Bq/L) to 2 E-07 μCi/mL (7.4 Bq/L) —Active surveillance required.

Range III 2 E-07 μCi/mL (7.4 Bq/L) to 2 E-06 μCi/mL (74 Bq/L)

Note: Upper limit of Range II can be considered the concentration guide.

<sup>&</sup>lt;sup>b</sup>Minimum detectable concentration of <sup>so</sup>Sr is 0.5 E-09 μCi/mL (0.019 Bq/L).

<sup>&</sup>lt;sup>d</sup>See Figure 6.

<sup>&#</sup>x27;See Figure 7.

Table 26
RADIONUCLIDE CONTENT IN CLINCH RIVER FISH
ALPHA EMITTERS
1982
pC//kg (mBq/kg) Wet Weight

OCATION	Species	J. J.	ا چ	u dw.	ا ۾	¥	<b>1</b>	H	n <sub>m</sub>	Á	<u> </u>
CRM 5.0	Bass	0.021	(0.8)	0.027	(0:1)	0.87		0.15	(9)	0.39	(14)
	Blue Gill	0.030	Ξ	0.027	(O:E)	66.9		0.70	Ξ	1.3	(48)
	Carp	0.014	(0.5)	0.024	(0.9)	0.88		0.35	<u>(E)</u>		(63)
	Shad	0.005	(0.5)	0.032	(1.2)	<b>4</b> .	_	0.32	(13)	7.0	(259)
	Crappie	0.019	(0.7)	0.011	(0.4)	0.30		0.14	(2)	0.79	(53)
CRM 10.0	Bass	0.035	(1.3)	0.035	(1.3)	0.42		0.21	(8)	0.81	(30)
	Blue Gill	0.073	(2.1)	0.017	(0.6)	0.97		91.0	9	1.9	2
	Carp	0.024	(0.9)	0.021	(0.8)	0.93		0.0	3	1.0	(33)
	Shad	0.1	<b>€</b>	0.26	(9.6)	7.6	_	0.92	3	9.5	(340)
	Crappie	0.027	(1:0)	0.00	(e. E.	0.35		0.35	<u>(3)</u>	0.88	(33)
CRM 12.0	Bass	0.021	(0.8)	0.014	(0.5)	0.70		0.31	Ξ	1.3	(63)
	Blue Gill	0.027	(T.0)	0.019	(0.7)	2.3		0.57	(5)	3.6	(130)
	Carp	0.024	(0.9)	0.021	(0.8)	2.5		0.18	3	4.2	991
	Shad	0.027	(O:T)	0.024	(0.9)	31	_	9.0	(180	33	(1220)
	Crappie	0.019	(0.7)	0.004	(O.)	0.57	(21)	0.25	3	0.83	(33)
CRM 20.8	Bass	0.027	(0:1)	0.036	(1.3)	19.0		0.20	3	1.3	(48)
	Blue Gill	0.036	(1.3)	0.031	(1.2)	0.67		0.20	3	1.2	<u>4</u>
	Carp	0.014	(0.5)	0.014	(0.5)	0.61		0.28	9	<u></u>	(48)
	Shad	0.57	(21)	0.17	(6.3)	3.5	_	0.58	(5]	5.5	(500)
	Crappie	0.032	(1.2)	0.027	(1.0)	0.61		0.13	ઉ	4.	(52)
CRM 25.0	Bass	0.030	(E.E.)	0.008	(0.3)	0.49		0.034	(1)	0.64	(54)
	Blue Gill	0.023	(0.9)	0.033	(0.9)	Ξ.		0.46	(13)	2.4	(68)
	Carp	0.017	(9.0)	0.017	(0.6)	0.55		0.32	(13)	=	(4)
	Shad	0.017	(9.0)	0.034	(E U	1,0		0.63	(23)	3.0	(100)

\*Composite of ten fish in each species.

<sup>b</sup>Average of quarterly samples.

'Average of three quarterly samples. Crappie were not collected in the second quarter.

Table 27
RADIONUCLIDE CONTENT IN CLINCH RIVER FISH
BETA-GAMMA EMITTERS
1982
pCI/kg (Bg/kg) Wet Weight

LOCATION	Species	5	11.Cs		"Co	•	"Sr	% MPI
CRM 5.0	Bass Blue Gill Carp Shad Crappie	£ 6 6 5 5 5 5 5 5 5 5 5 5 5 5 5 5 5 5 5	(1.2) (2.3) (2.3) (2.6) (2.7)	0.7 0.7 0.7 4.2 1.0	(0.026) (0.072) (0.026) (0.16) (0.038)	9.1 26 26 4.5	(0.71) (0.34) (0.46) (0.96)	0.14 0.07 0.21 0.04
CRM 10.0	Bass Blue Gill Carp Shad Crappie	330 69 53 86	(12) (26) (3.2) (3.1)	4.2.2. 2.7.4.80 = 5.6.4.80	(0.16) (0.21) (0.089) (0.32) (0.065)	1.4 16 20 38 7.0	(0.052) (0.60) (0.75) · (1.4) (0.26)	0.05 0.12 0.15 0.30 0.06
CRM 12.0	Bass Blue Gill Carp Shad Crappie	77 8 4 4 4 8 8 8 8 9 8 9 8 9 8 9 8 9 9 8 9 9 9 9	(2.9) (1.7) (1.6) (3.2)	2.5 2.3 1.4 3.8 1.5	(0.091) (0.084) (0.052) (0.14)	4.6 2.6 16 2.8 2.8	(0.17) (0.098) (0.60) (0.10) (0.098)	0.04 0.03 0.13 0.03
CRM 20.8°	Bass Blue Gill Carp Shad Crappie	1000 1100 400 340	35 23 38 3 5 5 3 3 3 3 3 3 3 3 3 3 3 3 3 3 3 3 3	19 41 33 7.5	(0.71) (1.5) (1.1) (0.28)	13 24 13	(0.49) (2.6) (0.94) (0.49)	0.20 0.61 0.22 0.23 0.13
CRM 25.0	Bass Blue Gill Carp Shad	27	(0.2) (1.0) (0.1) (0.3)	1.1 0.9 0.7 1.1	(0.042) (0.034) (0.026) (0.042)	3.4 [13 9.6 9.6	(0.13) (0.49) (0.18) (0.36)	0.03 0.10 0.04 0.08

"Composite of ten fish in each species.

<sup>b</sup>Percent maximum permissible intake for all radionuclides in both Table 26 and 27. See text for definition of maximum permissible intake.

Average of quarterly samples.

<sup>4</sup>Average of three quarterly samples. Crappie were not collected in the second quarter.

Table 28
MERCURY CONTENT IN CLINCH RIVER FISH
1982

LOCATION	Species <sup>a</sup>	CONCENTRATION ng/g - Wet Weight	% A.L.
CRM 5.0	Bass	120	12
	Blue Gill	170	17
	Carp	280	28
	Shad	30	3
	Crappie	59	6
CRM 10.0	Bass	200	20
	Blue Gill	150	15
	Carp	210	21
	Shad	29	3
	Crappie	<sub>.</sub> 99	10
CRM 12.0	Bass	220	22
	Blue Gill	560	56
	Carp	530	53
	Shad	190	19
	Crappie	180	18
CRM 20.8°	Bass	99	10
	Blue Gill	160	16
	Carp	240	24
	Shad	19	2
	Crappie <sup>d</sup>	43	4
CRM 25.0	Bass	13	1
	Blue Gill	34	3
	Сагр	97 <sup>*</sup>	10
	Shad	7	1

<sup>&</sup>lt;sup>a</sup>Composite of ten fish in each species.

<sup>&</sup>lt;sup>b</sup>Percent of proposed FDA mercury in fish action level of 1000 ng/g.

Average of quarterly samples.

 $<sup>^</sup>d$ Average of three quarterly samples. Crappie were not collected in the second quarter.

Table 29

157Cs CONCENTRATION IN DEER SAMPLES
1982

pCi/g (Bq/kg) - Wet Weight

SAMPLE NUMBER	MUSCLE	LIVER	SAMPLE NUMBER	MUSCLE	LIVER
_					0.001 (0.00)
D-1	0.054 (2.0)	0.010 (0.37)	D-54	0.029 (1.1)	0.021 (0.78)
D-2	0.10 (3.7)	0.27 (10.0)	D-55	1.9 (70.3)	0.64 (23.7)
D-3	0.062 (2.3)		D-56	0.46 (17.0)	0.094 (3.5)
D-6	0.19 (7.0)	0.078 (2.9)	D-60	0.32 (11.8)	0.13 (4.8)
D-7	0.17 (6.3)	0.076 (2.8)	D-61	1.2 (44.4)	0.26 (9.6)
D-8			D-62	0.76 (28.1)	0.20 (7.4)
D-20	0.059 (2.2)	0.046 (1.7)	D-63	0.024 (0.89)	0.087 (3.2)
D-21	0.011 (0.41)		D-66 <sup>b</sup>	0.79 (29.2)	0.16 (5.9)
D-22	0.05 (1.9)	0.030 (1.1)	D-67	0.071 (2.6)	0.037 (1.4)
D-24	0.038 (1.4)	0.032 (1.2)	D-70	0.29 (10.7)	0.11 (4.1)
D-28	0.014 (0.5)	0.010 (0.37)	D-73	0.029 (1.1)	
D-30	0.062 (2.3)	0.035 (1.3)	D-75°	2.4 (88.8)	0.56 (20.7)
D-31	0.023 (0.85)	0.008 (0.30)	D-77	0.66 (24.4)	0.17 (6.3)
D-32	0.057 (2.1)	0.038 (1.4)	D-80	0.31 (11.5)	0.073 (2.7)
D-34	0.012 (0.44)		D-81	0.32 (11.8)	0.057 (2.1)
D-35	0.020 (0.74)	0.016 (0.59)	D-82	0.047 (1.74)	0.13 (4.8)
D-40	0.030 (1.1)	0.014 (0.52)	D-88	0.089 (3.3)	0.028 (1.0)
D-41	0.036 (1.3)	0.029 (1.1)	D-89 <sup>d</sup>	0.42 (15.5)	0.14 (5.2)
D-45	0.010 (0.37)	0.005 (0.19)	D-93	0.23 (8.5)	0.075 (2.8)
D-47	0.022 (0.81)	0.008 (0.30)	D-94	0.24 (8.9)	0.074 (2.7)
D-49	0.011 (0.41)		D-95	0.18 (6.7)	0.043 (1.6)
D-51	0.028 (1.0)	0.090 (3.3)	D-98	0.13 (4.8)	0.054 (2.0)
D-52	0.29 (10.7)	0.11 (4.1)	D-105	0.31 (11.5)	0.064 (2.4)
D-53	0.73 (27.0)	0.32 (11.8)	D-108	0.054 (2.0)	0.025 (0.93)

<sup>&</sup>lt;sup>a</sup>Entries with a dash (-) indicate a concentration level <0.01 pCi/g (<0.4 Bq/kg).

 $<sup>^{</sup>b}$ Cobalt-60 (Liver) = 0.021 pCi/g (0.78 Bq/kg).

<sup>&</sup>lt;sup>c</sup>Cobalt-60 (Liver) = 0.18 pCi/g (6.7 Bq/kg).

 $<sup>^{</sup>d}$ Cobalt-60 (Liver) = 0.0004 pCi/g (0.014 Bq/kg).

Table 30 VEGETATION SAMPLING DATA 1982

STATION			CENTRATIO g/g (ppm)	)N <sup>6</sup>	τ		CONCENTRATION <sup>b</sup> <sup>2</sup> g/g (ppm)
NUMBER <sup>a</sup>	G	RASS	PINE N	EEDLES	(	GRASS	PINE NEEDLES
1		6		<b>6</b>		0.2	
5		3		4		0.3	0.1
8		5		7		0.2	0.2
9		3		8		0.1	0.05
10		6.0	<	4		0.2	0.4
11		10.0		5		0.4	1.0
13		5.0		в.		0.6	-
15		4.0		•	<	0.1	-
16	<	4.0	<	4		0.2	0.08
17.		4.0	<	4		0.1	0.09
18		9.0				0.1	_
19		9.0		-		8.2	·
20		8.0		as.		4.1	•
21		4.0		-		0.03	_

<sup>&</sup>lt;sup>4</sup>See Figure 1.

NOTE: Applicable guides for flora have not been established. However, for comparison the American Industrial Hygiene Association Journal for January-February 1969 (pp. 98-101) states that dairy cattle is the species of livestock most sensitive to fluorides in grasses. For comparative purposes the following fluoride concentrations and their effect on dairy cattle are given.

30 ppm - no adverse effects
30 to 40 ppm - borderline chronic
40 to 60 ppm - moderate chronic
60 to 110 ppm - severe chronic
above 250 ppm - acute

<sup>&</sup>lt;sup>b</sup>Average concentration of two sample collections, January and July. Analytical results are on a dry weight basis.

Table 31

RADIOACTIVITY IN GRASS SAMPLES FROM PERIMETER AND REMOTE MONITORING STATIONS
1982

Units of pCl/g (Bq/kg) - Dry Weight

SAMPLING LOCATION	'Su		<b>)</b>	"Cs	n.d.u	2	u-Pu	اج	£	n	33	O <sub>se</sub>	<b>.</b> .	n D
						<u>~</u>	Perimeter <sup>6</sup>							
HP-31	0.30	Ξ	90.0	(2.2)	0.0003	(0.01)	0.0013	(0.05)	0.092	(3.4)	0.018	(0.67)	0.16	(0.9)
HP-32	0.23	6)	0.10	(3.7)	0.0006	(0.03)	0.0005	(0.03)	0.100	(3.7)	0.018	(0.67)	0,23	(8.5)
HP-33	0.15	9	9.16	(0.9)	0.0013	(0.03)	0.0019	(0.07)	0.038	( <del>1</del> .4)	900.0	(0.21)	0.0	(1.5)
HP-34	0.35	(13)	0.12	( <del>4</del> .4)	0.0007	(0.03)	0.0004	(0.03)	0.035	(1.3)	0.005	(0.19)	0.04	(1.5)
HP-35	0.1	3	0.08	(3.0)	0.0005	(0.03)	0.0004	(0.03)	0.020	(0.75)	900.0	(0.23)	0.03	(1.2)
HP-36	0.51	(6)	0.07	(5.6)	0.0005	(0.05)	90000	(0.03)	0.035	(1.3)	0.00	(0.33)	0.04	(1.5)
HP-37	0.22	<b>æ</b>	0.13	(4.8)	0.0011	(0.04)	0.0004	(0.03)	0.019	(0.70)	0.003	(0.10)	0.03	(6.0)
HP-38	0.26	(01)	0.10	(3.7)	0.0008	(0.03)	0.0009	(0.03)	0.051	(6.1)	0.005	(0.20)	0.04	(1.5)
HP-39	0.30	Ξ	0.10	(3.7)	0.0003	(0.01)	0.0004	(0.02)	0.27	(10)	9000	(0.21)	0.10	(3.7)
Average	0.27	(01)	0.10	(3.7)	0.0006	(0.02)	0.0007	(0.03)	0.074	(2.7)	0.008	(0.30)	0.08	(3.0)
						_	Remote							
HP-51	1.5	(99)	0.20	(7.4)	0.0005	(0.03)	0.0003	(0.02)	0.012	(0.44)	0.013	(0.48)	0.043	(1.6)
HP-52	0.49	(18)	0.05	(8: (8:	0.0005	(0.03)	0.0005	(0.03)	0.002	(0.20)	0.010	(0.37)	0.026	(O)
HP-53	0.22	8	0.08	(3.0)	0.0008	(0.03)	0.0008	(0.03)	0.008	(0.31)	0.00	(0.04)	0.01	<del>(0.4)</del>
HP-55	0.26	<u>(e</u>	0.0	(5.1)	0.0003	(0.01)	0.000	(0.03)	0.019	(0.70)	0.012	(0.44)	0,008	(0.3)
HP-56	0.38	(14)	0.15	(9.6)	0.0019	(0.07)	0.0008	(0.03)	0.017	(0.63)	0.008	(0.30)	0.041	(1.5)
HP-57	0.14	<u>S</u>	0.05	(2.0)	0.0003	(0.01)	0.0003	(0.01)	0.008	(0.28)	0.00	(0.04)	0.026	(1.0)
HP-58	0.51	(13)	0.14	(2.2)	0.0003	(0.01)	0.0013	(0.03)	900'0	(0.23)	900.0	(0.23)	0.021	(0.8)
Average	0.50	(61)	0.10	(3.7)	0.0006	(0.03)	0.0007	(0.03)	0.011	(0.40)	0.007	(0.27)	0.025	(0.9)

"See Figures 1 and 2.

<sup>&</sup>lt;sup>b</sup>Average of two samples.

One sample.

Table 32
RADIOACTIVITY IN SOIL SAMPLES FROM PERIMETER AND REMOTE MONITORING STATIONS
1982 Units of pCl/g (Bq/kg) - Dry Weight

SAMPLING LOCATION	ğ.	ž	2	"C	D	اد	R	) Dm	A	ndea	2	<sup>24</sup> Pu	8	O <sub>m</sub>
						- <b></b>	Pcrimeter							
HP-31	0.68	(25)	9.	(33)	Ξ	€	0.13	(4.8)	0.020	(0.73)	0.0003	(0.011)	0.62	(23)
HP-32	0.17	9	0.0	(33)	0.43	9	0.043	(9·E)	0.018	(0.67)	0.0014	(0.052)	0.35	(13)
HP-33	0.15	9	9.1	( <u>9</u>	0.35	<u> </u>	0.043	9:	0.032	(1.2)	0.0014	(0.052)	0.24	<u> </u>
HP-34	0.41	(15)	1.5	(95)	0.24	<b>6</b>	0.027	(O:1)	0.025	(0.93)	0.0017	(0.063)	0.17	9
HP-35	0.09	Ξ	1.2	<del>4</del>	0.43	9	0.068	(2.5)	0.026	(0.96)	0.000	(0.015)	0.30	Ξ
HP-36	0.32	(13)	1.2	<del>4</del>	0.38	<b>£</b>	0.049	(8:E)	0.023	(0.82)	0.0007	(0.025)	0.30	Ξ
HP-37	0.22	8	9.0	(22)	0.27	9	0,076	(3.8)	0.014	(0.52)	0.0003	(0.011)	0.18	Ē
HP-38	0.35	<u>(3</u>	Ξ	<b>€</b>	0.26	9	0.022	(0.8)	0.022	(0.81)	0.0003	(0.011)	0.19	3
HP-39	0.13	(S)	<u></u>	(48)	0.89	(33)	0.21	(7.8)	0.030	(E.)	0.0009	(0.033)	0,73	(23)
Average	0.28	(01)	1.2	<del>4</del>	0.48	(18)	0.074	(2.7)	0.023	(0.85)	0.0008	(0.029)	0.34	(13)
							Remote							
HP-51	0.0	€	0.7	(25)	0.22	€	0.092	3.4	0.014	(0.52)	0.0004	(0.015)	0.22	3
HP-52	0.30	Ξ	<u>-</u>	(25)	0.54	<del>2</del>	180'0	(3.0)	0.022	(0.81)	0.0004	(0.015)	0.51	(16)
HP-53	0.24	6	0.7	(52)	0.62	(23)	0.081	(3.0)	0.010	(0.37)	0.0007	(0.025)	0.57	(51)
HP-55	0.43	(91)	9.	( <u>9</u> 9	0.43	(9 <u>1</u>	0.041	<u>(</u> .5	0.023	(0.85)	0.0003	(0.011)	0.38	<del>(</del>
HP-56	0.27	( <u>1</u> 0	9.1	( <u>09</u> )	0.43	(18)	0.011	(0.4)	0.035	(1.3)	0.0076	(0.28)	0.38	<u>=</u>
HP-57	0.12	€	6:	(20	0.54	(30)	0.046	(i.)	0.032	(1.20)	0.0010	(0.037)	0.46	(11)
HP-58	0.16	9	0.1	(31)	0.38	<b>3</b>	0.086	(3.2)	0.014	(0.52)	0.0003	(0.011)	0.35	(13)
Average	0.23	6	<u></u>	(47)	0.45	(11)	0.063	(2.3)	0.021	(0.79)	0.0015	(0.055)	0.41	(15)
									:					
											İ			

"See Figures I and 2.

Average of two samples.

One sample.

Table 33
STREAM SEDIMENT SAMPLES
August/December 1982
Average Concentration (µg/g dry weight basis)

STATION	n	Hg	£	Z	3	Zn	ت	Mn	VIV.
CSI	-	m	81	78	<b>\$</b>	59	39	1301	26,500
PS6	•	=	11	73	£	21	102	442	38,000
PS10	9	19	11	92	62	%	\$2	418	26,000
PS17	29	6	42	186	105	691	98	731	44,500
PS18	13	6	28	3	104	<b>50</b>	<b>%</b>	473	29,500
PS19	2	∞	200	58	73	76	53	445	51,000
PS21	<b>90</b>	51	<b>e</b> e	113	77	129	98	899	38,500
CS20	-	*	1.1	13	35	67	97	522	24.000

Table 34
SUMMARY OF THE ESTIMATED RADIATION DOSE TO AN ADULT INDIVIDUAL DURING 1982 AT LOCATIONS OF MAXIMUM EXPOSURE

Gaseous Effluents Inhalation plus direct radiation from air, ground, and food chains  Terrestrial food chain (milk only)  Liquid Effluents Aquatic food chain (fish)  Drinking water <sup>a</sup> White Oak Creek White Oak Creek			DOSE IN MILLIREM (µSv)	REM ("Sv	
direct tir, ground, chain ain (fish) tong	LOCATION	TOTAL	TOTAL BODY	CRIT	CRITICAL ORGAN
fish)		6:1	(61)	8.7	(87) (lung)
(fish)	Milk sampling stations ("Sr)	0.02	(0.2)	1.2	(12) (bone)
		0.43	(4.3)	21	(210) (bone)
	Kingston, Tennessee (**Sr.)	0.13	(1.3)	6.7	(67) (bone)
	Downstream from White Oak Creek near experimental Cs field plots	4.9	(49)	4.9	(49) (total body)

"Based on the analysis of treated water.

NOTE: Average background total body dose in the U.S. (30) is 106 mrem/yr (1060 µSv/yr).

<sup>&</sup>lt;sup>b</sup>Assuming a residence time of 240 h/yr.

## REFERENCE

- DOE Manual Chapter 5480.1A.
- (2) Tennessee Air Pollution Control Regulations, Department of Public Health, Division of Air Pollution, Nashville, Tennessee, June 1974 and amendments.
- (3) T. W. Oakes, K. E. Shank, and C. E. Easterly, "Natural and Man-Made Radionuclide Concentrations in Tennessee Soil" in Proceedings of the Health Physics Society Tenth Midyear Topical Symposium, Saratoga Springs, New York, October 11-13, 1976, pp. 322-333.
- (4) Methods for Chemical Analysis of Water and Wastes, EPA Methods Development and Quality Assurance Laboratory, NERC, Cincinnati, Ohio.
- (5) Guidelines for Effluent Criteria for Sewage and Industrial Wastewater, Tennessee Department of Public Health, Division of Water Quality Control, January 1973.
- (6) General Water Quality Criteria for the Definition and Control of Pollution in the Waters of Tennessee, Tennessee Water Quality Control Board, Department of Public Health, Nashville, Tennessee, as amended December 1971.
- (7) Background Material for the Development of Radiation Protection Standards, Staff Report of the Federal Radiation Council, Report No. 2, U.S. Government Printing Office, Washington, September 1961.
- (8) P. Bryan and C. E. White, "An Economic Evaluation of the Commercial Fishing in the TVA Lakes of Alabama during 1956," Proc. Twelfth Annual Conference Southeastern Assoc. of Game and Fish Commissioners, 1958 (pp. 128-132).
- (9) American Industrial Hygiene Association Journal, January February 1969 (pp. 98-101).
- (10) Plutonium and Other Transuranium Elements; Sources, Environmental Distribution and Biomedical Effects, U.S. AEC, WASH-1359, December 1974.
- (11) F. Pasquill, Atmospheric Diffusion, D. V. Nostrand Co., Ltd., London, 1962.
- (12) F. A. Gifford, Jr., The Problem of Forecasting Dispersion in the Lower Atmosphere, U.S. AEC, DTI, 1962.
- (13) R. E. Moore et al., AIRDOS-EPA: A Computerized Methodology for Estimating Environmental Concentrations and Dose to Man from Airborne Releases of Radionuclides, EPA 520/1-79-009, December 1979.
- (14) F. T. Binford, T. P. Hamrick, and B. H. Cope, Some Techniques for Estimating the Results of the Emission of Radioactive Effluent from ORNL Stacks, ORNL-TM-3187, Oak Ridge National Laboratory, 1970.
- (15) (a) P. Voilleque, D. R. Adams, and J. B. Echo, "Transfer of Krypton-85 from Air to Grass," Health Physics, 19, 1970 (p. 835).
  - (b) D. F. Bunch (ed.), Controlled Environmental Radioiodine Tests, Progress Report 2, IDO-12053, August 1966.
- (16) Recommendations of the International Commission on Radiological Protection, ICRP Publication 2, Report of Committee II on Permissible Dose for Internal Radiation, Pergamon Press, London, 1959.
- (17) Recommendations of the International Commission on Radiological Protection, ICRP Publication 6, Pergamon Press, London, 1964.

- (18) Recommendations of the International Commission on Radiological Protection, ICRP Publication 10, Report of Committee IV on Evaluation of Radiation Doses to Body Tissues from Internal Contamination due to Occupational Exposure, Pergamon Press, London, 1968.
- (19) Recommendations of the International Commission on Radiological Protection 10A, Report of Committee II on the Assessment of Internal Contamination Resulting from Recurrent or Prolonged Uptakes, Pergamon Press, London, 1971.
- (20) Metabolism of Plutonium and Other Actinides, ICRP Publication 19, Report of Committee II, Pergamon Press, London, 1972.
- (21) Report on Reference Man, ICRP Publication 23, Report of ICRP Task Group, W. S. Snyder, Chairman, Pergamon Press, London, 1975.
- (22) G. J. Hine ad G. L. Brownell (eds.), Radiation Dosimetry, Academic Press, New York, 1956.
- (23) K. Z. Morgan and J. E. Turner (eds.), *Principles of Radiation Protection*, Wiley, New York, 1967.
- (24) W. S. Snyder, L. T. Dillman, M. R. Ford, and J. W. Poston, "Calculations of Absorbed Dose to a Man Immersed in an Infinite Cloud of Krypton-85," Noble Gases Symposium, Las Vegas, Nevada, September 24-28, 1973.
- (25) M. R. Ford, Metabolism and Dosimetry Group, Oak Ridge National Laboratory, personal communication, March 1978.
- (26) W. D. Turner, S. V. Kaye, and P. S. Rohwer, EXREM and INREM Computer Codes for Estimating Radiation Doses to Populations from Construction of a Sea-Level Canal With Nuclear Explosives, K-1752, CTC and ORNL, Oak Ridge, Tennessee, September 1968.
- (27) D. K. Trubey and S. V. Kaye, The EXREM III Computer Code for Estimating External Radiation Doses to Populations from Environmental Releases, ORNL-TM-4322, Oak Ridge National Laboratory, December 1973.
- (28) R. H. Strand and C. W. Miller, Meteorological Data Bases Available for the United States Department of Energy Oak Ridge Reservation, ORNL-TM-6358, Oak Ridge National Laboratory, 1978.
- (29) Agricultural Statistics 1969, U.S. Department of Agriculture, U.S. Government Printing Office, Washington, 1971 (p. 588).
- (30) The Effects on Populations of Exposures to Low Levels of Ionizing Radiation, Report of the Advisory Committee on the Biological Effects of Ionizing Radiations, U.S. National Academy of Sciences, National Research Council, Washington, 1972.

## APPENDIX A QUALITY ASSURANCE

## Radiological

The Environmental Surveillance and Evaluation Section at Oak Ridge National Laboratory has initiated a quality assurance program to ensure that a high degree of accuracy and reliability is maintained in its surveillance activities. The program in effect at ORNL consists of quality control of techniques and procedures, and includes the establishment of a detailed written description of all activities pertaining to the Environmental Surveillance and Evaluation Section. This includes:

- 1. Operating procedures for each activity.
- 2. Inspection lists of operating and maintenance activities.
- 3. Check-off frequency lists for all quality assurance steps, such as schedules for equipment inspection and test control.
- 4. Documentation of compliance of quality assurance procedures.
- 5. Participation in intralaboratory and interlaboratory sample-exchange programs.
- 6. Evaluation of the adequacy of sample preparation work and data analysis.
- 7. Identification of the role, responsibilities, and authority of each staff member as related to quality assurance.

A schematic diagram showing a flow chart of this quality assurance program is given in Figure A1. A more detailed discussion of the ORNL QA program is given in Ref. (A1) and (A2).

## Chemical

A Nuclear Division Committee on Environmental Analysis established an interlaboratory quality control program in 1977. The purpose of this program is to provide quality control data for environmental analysis within the Nuclear Division. A unified Environmental and Effluent Analysis Manual was issued in March of 1977 which currently contains 108 analytical procedures; EPA-certified analytical methods are used wherever possible.

All Nuclear Division analytical laboratories maintain internal measurement control programs that are part of planned and systematic actions taken to prevent incorrect results. Standard samples containing many parameters measured are purchased and submitted to the laboratories for analysis. Standard samples of known values are processed along with routine samples and the results are recorded and examined to determine if they fall within prescribed limits. Analytical results are transmitted to the Y-12 Plant Quality Division for satistical review and a semi-annual report is provided to the analytical laboratories.

A1. T. W. Oakes, K. E. Shank, and J. S. Eldridge, "Quality Assurance Applied to an Environmental Surveillance Program," Conference Proceedings of the 4th Joint Conference on Sensing of Environmental Pollutants, New Orleans, La., Nov. 6-11, 1977, p. 226.

A2. T. W. Oakes, K. E. Shank, and J. S. Eldridge, "Quality Assurance Procedures for Environmental Surveillance at ORNL," ORNL-5186, in preparation.

### ORNL-DWG. 77-18790 SAMPLE FLOW QUALITY ASSURANCE PROGRAM IDENTIFICATION, COLLECTION, PLANNING AND STORAGE PROCEDURES SAMPLE COLLECTION SAMPLE STORAGE SAMPLE PREPARATION PROCEDURES AND GUIDELINES FOR SAMPLE PREPARATION AND ANALYSIS ANALYTICAL PROCESSING Staff Documentation, ANALYSIS Training Inspection INTERCOMPARISONS Auditing and CROSS-CONTAMINATION CHECKS Feedback STANDARDS COUNTING BLIND SAMPLES EXCHANGE PROGRAMS DATA MANIPULATION APPROPRIATE STATISTICAL TREATMENT STATISTICAL DATA TREATMENT DATA INTERPRETATION

Figure A1
FLOW CHART OF QA PROGRAM

REPORTING

REPORTING AND TRANSFERS OF

INFORMATION CHECKS

# APPENDIX B UNITS, PREFIXES, AND ABBREVIATIONS

#### **Radiation Units**

Curie (Ci) and Becquerel (Bq)

Units of radioactivity which are a measure of those spontaneous, energy-emitting, atomic transformations that involve changes in the state of the nuclei of radioactive atoms.
 1 Ci = 3.7 E+10 Bq

Roentgen (R) and Coulombs per kilogram (C/kg) - Units of exposure to radioactivity.

Units of exposure to radioactivity.
 1 R = 2.58 E-04 C/kg

Rad (rad) and Gray (Gy)

Units of absorbed dose in an medium.
 1 rad = 1 E-02 Gy

Roentgen Equivalent Man (rem) and Sievert (Sv) - Units of dose equivalent which account

 Units of dose equivalent which account for the relative biological effectiveness of a given absorbed dose. 1 rem = 1 E-02 Sv

#### **Table of Unit Prefixes**

Factor	Prefix	Symbol
1015	peta	P
$10^{12}$	tera	T
10 <sup>9</sup>	giga	G
$10^{6}$	mega	M
10 <sup>3</sup>	kilo	k
$10^{2}$	hecto	h
10 <sup>1</sup>	deka	. da
10 <sup>-1</sup>	deci	d
10 <sup>-2</sup>	centi	· c
10 <sup>-2</sup> 10 <sup>-3</sup>	milli	m
10 <sup>-6</sup>	micro	μ
10 <sup>-9</sup>	папо	n
10 <sup>-12</sup>	pico	р
$10^{-15}$	femto	f

#### **Abbreviations**

Elements and Compounds			Radiation Units
<b>Al</b>	Aluminum	Bq	Becquerel
Cd	Cadmium	C/kg	Coulombs per kilogram
Ce	Cerium	Ci	Curie
Cl-	Chloride	R	Roentgen
CN	Cyanide	rem	Roentgen Equivalent Man
Co	Cobalt	Sv	Sievert
Cr	Chromium		<b>4-0</b> 101
Cs	Cesium		Other
Cu	Copper		<del></del>
F-	Fluoride		
3 <b>H</b>	Tritium	A.L.	Allowable limit
Hg	Mercury	BOD	Biological Oxygen Demand
1	Iodine	CG	Concentration Guide
Kr	Krypton	COD	Chemical Oxygen Demand
Mn	Manganese	cm	Centimeter
Nb	Niobium	CRM	Clinch River Mile
$NH_3(N)$	Ammonia Nitrogen	đ	day
Ni	Nickel	g	gram
Pb	Lead	h	hour
Pu	Plutonium	L	liter
Ru	Ruthenium	m	meter
Sb	Antimony	m³	cubic meter
SO₄⁻	Sulfate	MGD	Million gallons per day
Sr	Strontium	min	Minute
Te	Technetium	MPI	Maximum permissible intake
Th	Thorium	ppm	parts per million
U	Uranium	S	second
		STD	Standard
		T.S.D.	Total Dissolved Solids
		yr	year

#### **EXTERNAL DISTRIBUTION**

Director, Division of Industrial and Radiological Health,
Tennessee State Health Department
Director, Tennessee State Health Department
Federal Activities Coordinator, EPA Region IV
Associated Press - Knoxville Bureau
Clinton Courier News
Knoxville Journal
Knoxville News-Sentinel
Oak Ridge Department of Public Health
Oak Ridger
Roane County News
Tennessee Environmental Health Services - Knoxville Office
United Press International - Knoxville Bureau

#### INTERNAL DISTRIBUTION

Department of Energy, Oak Ridge Operations (100, including external distribution)

Technical Information Center - 27


Union Carbide Corporation - Nuclear Division

- R. C. Baker 2
- H. I. Cobert
- G. G. Fee 2
- R. F. Hibbs
- C. C. Hopkins 5
- G. W. Horde
- G. R. Jasny
- R. G. Jordan 10
- M. E. Mitchell 20
- T. W. Oakes 45
- H. Postma 2
- C. R. Richmond
- M. Sanders 35
- C. W. Weber 5
- Y-12 Plant Records 2
- Y-12 Technical Information Office

ž					
-, ,					
•					
		-			
V.					
· -			e		
•					

	7
	, <del>-</del>
	*
	u <sup>g</sup>
•	
•	
·	
	2

# UCC-ND



# ENVIRONMENTAL MONITORING REPORT **UNITED STATES** DEPARTMENT OF ENERGY OAK RIDGE FACILITIES

Calendar Year 1981

Printed in the United States of America. Available from National Technical Information Service
U.S. Department of Commerce
5285 Port Royal Road, Springfield, Virginia 22161

Price: Paper Copy A04; Microfiche A01 (domestic); A11 (foreign)

This report was prepared as an account of work sponsored by an agency of the United States Government. Neither the United States Government nor any agency thereof, nor any of their employees, makes any warranty, express or implied, or assumes any legal liability or responsibility for the accuracy, completeness, or usefulness of any information, apparatus, product, or process disclosed, or represents that its use would not infringe privately owned rights. Reference herein to any specific commercial product, process, or service by trade name, trademark, manufacturer, or otherwise, does not necessarily constitute or imply its endorsement, recommendation, or favoring by the United States Government or any agency thereof. The views and opinions of authors expressed herein do not necessarily state or reflect those of the United States Government or any agency thereof.

**Y/UB-16** 

Date of Issue: May 1, 1982

# ENVIRONMENTAL MONITORING REPORT UNITED STATES DEPARTMENT OF ENERGY OAK RIDGE FACILITIES

Calendar Year 1981

UNION CARBIDE CORPORATION - NUCLEAR DIVISION

Office of Health, Safety, and Environmental Affairs
Post Office Box Y
Oak Ridge, Tennessee 37830

				ζ
				•
				-

## TABLE OF CONTENTS

	PAGE
INTRODUCTION	. 1
SUMMARY	. 3
MONITORING DATA - COLLECTION, ANALYSIS, AND EVALUATION	
Air Monitoring External Gamma Radiation Monitoring Water Monitoring Biological Monitoring Soil and Sediment Monitoring Calculation of Potential Radiation Dose to the Public	. 8 . 10 . 15
REFERENCES	. 59
APPENDIX A	. 61

•		:
		·
		e e
	•	•

## LIST OF FIGURES

FIGURE	1	PAGE
1	Air, Vegetation, and Soil Sampling Locations	5
2	Remote Air Monitoring Locations	6
3	Stream Monitoring Locations	9
4	Curies Discharged Over White Oak Dam	11
5	Percentage Concentration Guide Levels in The Clinch River	12
6	Immediate Environs Milk Sampling Locations	13
7	Remote Environs Milk Sampling Locations	14
8	Oak Ridge Gaseous Diffusion Plant Sediment	
	Sampling Locations	17
9	Meteorological Data for the Oak Ridge Reservation	
10	Exposure Pathways	19
Al	Flow Chart of QA Program	02
	LIST OF TABLES	
TABLE		PAGE
1	Incremental Population Table In The Vicinity of ORNL	22
2	Continuous Air Monitoring Data (Gross Beta Activity)	23
3	Continuous Air Monitoring Data (Gross Alpha Activity)	24
4	Continuous Air Monitoring Data (Specific Radionuclides)	25
5	Concentration of <sup>131</sup> I in Air Measured by the Perimeter	
•	Air Monitoring Stations	26
6	Discharges of Radioactivity to the Atmosphere	. 27
7	Air Monitoring Data - Fluorides	. 28
8	Air Monitoring Data - Suspended Particulates	. 29
9	Sulfur Dioxide Monitoring Data	. 30
10	External Gamma Radiation Measurements	. 31
11	Radionuclides of Primary Concern in Surface Streams	. 32
12	Uranium Concentration in Surface Streams	. 33
13	Discharges of Radioactivity to Surface Streams	. 34
14	Long-Lived Gross Beta Activity in Rainwater	. 35
15	Chemical Water Quality Data - White Oak Dam	. 36
16	Chemical Water Quality Data - Melton Hill Dam	. 37
17	Chemical Water Quality Data - ORGDP Sanitary	10
	Water Pumping Station	. 38
18	Chemical Water Quality Data - ORGDP Recirculating	70
	Water Pumping Station	. 39
19	Chemical Water Quality Data - Clinch River	40
	Downstream of ORGDP	. 40
20	Chemical Water Quality Data - East Fork Poplar Creek	. 41 47
21	Chemical Water Quality Data - Bear Creek	. <del>4</del> 2
22	Chemical Water Quality Data - Poplar Creek Above Blair Bridge	. 43
23	Chemical Water Quality Data - Poplar Creek Near Clinch River	. **

-
-
-
-
-
-
-
-
,

<b>TABLE</b>	(contd.)	AGE
24	National Pollutant Discharge Elimination System	
	(NPDES) Experience	45
25	Concentration of <sup>131</sup> I in Milk	48
26	Concentration of *Sr in Milk	49
27	Radionuclide Content in Clinch River Fish - Alpha Emitters	50
28	Radionuclide Content in Clinch River Fish - Beta Emitters	51
29	Mercury Content in Clinch River Fish	
30	<sup>137</sup> Cs Concentration in Deer Samples	53∙
31	Vegetation Sampling Data	54
32	Radioactivity in Grass Samples from Perimeter and Remote	
J.	Monitoring Stations	55
33	Radioactivity in Soil Samples from Perimeter and Remote	
J. <b>J</b>	Monitoring Stations	56
34	Stream Sediment Samples	57
35	Summary of the Estimated Radiation Dose	58
"	Designation of the Section of the Control of the Co	

		. 4
		,
·		

#### INTRODUCTION

Oak Ridge is located in East Tennessee in a broad valley which lies between the Cumberland Mountains on the northwest and the Great Smoky Mountains on the southeast. The Department of Energy (DOE) Reservation is located in the Valley and Ridge physiographic province which is characterized by parallel ridges of sandstone, shale, and cherty dolomite, separated by valleys of less weather-resistant limestone and shale. The ridges are oriented southwest-northeast. Topography of the area is due to differential erosion of severely folded and faulted rocks ranging in age from Early Cambrian to Early Mississippian. Elevations range from 226 to 415 meters above mean sea level with a maximum relief of 189 meters. The area includes gently sloping valleys and rolling to steep slopes and ridges. The Tennessee Valley Authority's (TVA) Melton Hill and Watts Bar Reservoirs on the Clinch River form the southern and western boundaries of the Reservation while the City of Oak Ridge (approximately 28,000 population) is on the northern boundary.

The local climate is noticeably influenced by topography. Prevailing winds are usually either upvalley, from west to southwest, or down-valley, from east to northeast. During periods of light winds, daytime winds are usually southwesterly and nighttime winds usually northeasterly. Wind velocities are somewhat decreased by the mountains and ridges, and tornadoes rarely occur. In winter, the Cumberland Mountains have a moderating influence on the local climate by retarding the flow of cold air from the north and west. Temperatures of 38°C or higher and -18°C or below are unusual. Low-level temperature inversions occur during approximately 56 percent of the hourly observations. Winter and early spring are the seasons of heaviest precipitation with the monthly maximum normally occurring during January to March. The mean annual precipitation is approximately 137 centimeters.

The topography of the Oak Ridge area is such that all drainage from the DOE Reservation flows into the Clinch River which has its headwaters in southwestern Virginia and flows southwest to its mouth near Kingston, Tennessee. The Clinch River flow is regulated by several dams which provide reservoirs for flood control, electric power generation, and recreation. The principal tributaries through which liquid effluents from the plant areas reach the Clinch River are White Oak Creek, East Fork Poplar Creek, and Poplar Creek.

With the exception of the City of Oak Ridge, the land within 8 kilometers of the DOE Reservation is predominantly rural being utilized largely for residences, small farms, and pasturage for cattle. Fishing, boating, water skiing, and swimming are favorite recreational activities in the area. The approximate location and population of the towns nearest the DOE Reservation are: Oliver Springs (pop. 3600) 11 kilometers to the northwest; Clinton (pop. 5400) 16 kilometers to the northeast; Lenior City (pop. 5400) 11 kilometers to the southeast; Kingston (pop. 4400) 11 kilometers to the southwest; and Harriman (pop. 8300) 13 kilometers to the west. Knoxville, the major metropolitan area nearest Oak Ridge, is located about 40 kilometers to the east and has a population of approximately 183,000. A directional 80-kilometer population distribution, which is used for population dose calculations later in this report, is shown in Table 1.

The DOE Reservation contains three major operating facilities: the Oak Ridge National Laboratory (ORNL), the Oak Ridge Gaseous Diffusion Plant (ORGDP), and the Y-12 Plant; all of which are operated by Union Carbide Corporation, Nuclear Division. In addition, two smaller DOE facilities are in the area: the Comparative Animal Research Laboratory, and the Oak Ridge Associated Universities, both of which are operated by Oak Ridge Associated Universities.

The Oak Ridge National Laboratory is a large multipurpose research laboratory whose basic mission is the discovery of new knowledge, both basic and applied, in all areas related to energy. To accomplish this mission, the Laboratory conducts research in all fields of modern science and technology. The Laboratory's facilities consist of nuclear reactors, chemical pilot plants, research laboratories, radioisotope production laboratories, and support facilities.

The Oak Ridge Gaseous Diffusion Plant (ORGDP) is a complex of production, research, development, and support facilities located west of the city of Oak Ridge. While the primary function of ORGDP is the enrichment of uranium hexafluoride (UF<sub>6</sub>) in the uranium-235 isotope, extensive efforts are also expended on research and development activities associated with both the gaseous diffusion and gas centrifuge processes. In addition, the barrier material used by all three Department of Energy-owned gaseous diffusion plants is manufactured at ORGDP. Numerous other activities (maintenance, nitrogen production, steam production, uranium recovery, fluorine production, water treatment, laboratory analysis, administration, etc.) lend support to these primary functions and are thus essential to the operation of this plant.

The Oak Ridge Y-12 Plant which is located immediately adjacent to the City of Oak Ridge has five major responsibilities: (1) production of nuclear weapon components, (2) processing of source and special nuclear materials, (3) support to the weapon design laboratories, (4) support to other UCC-ND installations, and (5) support to other government agencies. Activities associated with these functions include the production of lithium compounds, the recovery of enriched uranium from unirradiated scrap material, and the fabrication of uranium and other materials into finished parts and assemblies. Fabrication operations include vacuum casting, are melting, powder compaction, rolling, forming, heat treating, machining, inspection, and testing.

Operations associated with the DOE research and production facilities in Oak Ridge give rise to several types of waste materials.

Radioactive wastes are generated from nuclear research activities, reactor operations, pilot plant operations involving radioactive materials, isotope separation processes, uranium enrichment, and uranium processing operations. Nonradioactive wastes are generated by normal industrial-type support operations that include water demineralizers, air conditioning, cooling towers, acid disposal, sewage plant operations, and steam plant operations.

Nonradioactive solid wastes are buried in a centralized sanitary landfill or designated burial areas. Radioactive solid wastes are buried in solid waste storage areas and placed in retrievable storage either above or below ground depending upon the type and quantity of radioactive material present and the economic value involved.

Gaseous wastes generally are treated by filtration, electrostatic precipitation, and/or chemical scrubbing techniques prior to release to the atmosphere. The major gaseous waste streams are released through stacks to provide atmosphere dilution for materials which may remain in the stream following treatment.

Liquid radioactive wastes are not released but are concentrated and contained in tanks for ultimate disposal. Process water which may contain small quantities of radioactive or chemical pollutants is discharged, after treatment, to White Oak Creek, Poplar Creek, East Fork Poplar Creek, and Bear Creek, which are small tributaries to the Clinch River.

#### SUMMARY

The Environmental Monitoring Program for the Oak Ridge area includes sampling and analysis of air, water from surface streams, creek sediments, biota, and soil for both radioactive and nonradioactive materials. This report presents a summary of the results of the program for calendar year 1981.

Surveillance of radioactivity in the Oak Ridge environs indicates that atmospheric concentrations of radioactivity were not significantly different from other areas in East Tennessee. Concentrations of radioactivity in the Clinch River and in fish collected from the river were less than 2 percent of the permissible concentration and intake guides for individuals in the offsite environment. While some radioactivity was released to the environment from plant operations, the concentrations in all of the media sampled were well below established standards.

The total body dose to a "hypothetical maximum exposed individual" at the site boundary was calculated to be 5.9 millirem/yr (59 microsieverts) which is 1.1 percent of the DOE Manual Chapter 0524 standard. The maximum 50-year dose commitment to the critical organ of an individual from the aquatic food chain was calculated to be 71 millirem (710 microsieverts) to the bone which is 4.7 percent of the allowable annual standard. The maximum dose commitment to individuals living nearest the site boundary from airborne releases, assuming continuous residence, was 0.38 millirem (3.8 microsieverts) to the total body and 9.2 millirem (92 microsieverts) to the lung. These doses are 0.08 percent and 0.6 percent, respectively, of the annual standards. The average total body dose to an Oak Ridge resident was estimated to be 0.09 millirem (0.9 microsieverts) as compared to approximately 100 millirem/yr (1000 microsieverts/yr) from natural background radiation; the average dose commitment to the lung of an Oak Ridge resident was 0.55 The cumulative total body dose to the population within an millirem (5.5 microsieverts). 80-kilometer radius of the Oak Ridge facilities resulting from 1981 effluents was calculated to be 31.5 man-rem (0.3 man-sieverts). This dose may be compared to an estimated 87,000 man-rem (870 man-sieverts) to the same population resulting from natural background radiation.

Surveillance of nonradioactive materials in the Oak Ridge environs shows that established limits were not exceeded for those materials possibly present in the air as a result of plant operations.

The chemical water quality data in surface streams obtained from the water sampling program indicated that average concentrations resulting from plant effluents were in compliance with State stream guidelines with the exception of fluoride at monitoring Station E-1 which was 120 percent of the guideline and nitrate at Station B-1 which was 150 percent of the guideline.

National Pollutant Discharge Elimination System (NPDES) permit compliance information has been included in this report.

During 1981 there were no spills of oil and/or hazardous materials from the Oak Ridge installations reported to the National Response Center.

#### MONITORING DATA COLLECTION, ANALYSIS, AND EVALUATION

Environmental monitoring data for calendar year 1981 are summarized in Table 2 through 35. In general, the data tables show the number of samples collected at each location, the maximum concentration, the minimum concentration, the average concentration, the relevant standard, and percent of standard for the average of each parameter. Averages are usually accompanied by plusor-minus (±) values which represent the 95 percent confidence limits. The 95 percent confidence

limits which are calculated from the standard deviation of the average, assuming a normal frequency distribution, are predictions of the variability in the range of concentrations based on a limited number of measurements. They do not represent the conventional error in the average of repeated measurements on identical samples. Data which are below the minimum detectable limit are expressed as less than (<) the minimum detectable value. In computing average values, sample results below the detection limit are assigned the detection limit value with the resulting average value being expressed as less than (<) the computed value.

Average environmental concentrations are compared with applicable standards where such standards have been established as a means of evaluating the impact of effluent releases. In some cases, for lack of an official standard, stream concentrations of nonradioactive pollutants have been compared with Tennessee State Health Department stream guidelines.

Liquid effluent monitoring data have been compared to the limits specified in the National Pollutant Discharge Elimination System (NPDES) permits issued to the Oak Ridge facilities by the Environmental Protection Agency (EPA).

There is a movement currently in some scientific communities to use the International System of Units (SI) for radioactive measurements. This report will be converted to SI units for radioactive measurements following a familiarization and transition period. During the transition period the report will contain data in both units; the non-SI units used previously followed by the SI units in parentheses.

#### Air Monitoring

Radioactive - Atmospheric concentrations of radioactive materials occuring in the general environment of East Tennessee are monitored by two systems of monitoring stations. One system consists of nine stations (HP-31 through HP-39) which encircle the perimeter of the Oak Ridge area and provides data for evaluating releases from Oak Ridge facilities to the immediate environment, Figure 1. A second system consists of seven stations (HP-51 through HP-53 and HP-55 through HP-58) encircling the Oak Ridge area at distances of from 19 to 121 kilometers, Figure 2. This system provides background data to aid in evaluating local conditions. Sampling for radioactive particulates is carried out by passing air continuously through filter papers. Filter papers are evaluated weekly by gross beta and gross alpha counting techniques and composited by system quarterly for specific radionuclide analysis. More frequent detailed analyses are performed if concentrations in the environment are significantly above normal. Airborne radioactive iodine is monitored in the immediate environment at the perimeter stations by passing air continuously through cartridges containing activated charcoal. Charcoal cartridges are evaluated for radioactive iodine by gamma spectrometry.

Data on the concentrations of radioactive materials in air and the quantities of radioactive materials released to the atmosphere in the Oak Ridge and surrounding areas are given in Tables 2 through 6.

The average gross beta concentrations of radioactivity from particulates in air measured by both the perimeter and remote monitoring systems were 0.07 and 0.07 percent, respectively, of the applicable concentration guide (CG) as specified in the DOE Manual, Appendix 0524<sup>(1)</sup> for individuals in uncontrolled areas (Table 2). The increase in activity levels compared to 1980 measurements was attributed to the presence of weapons test debris in the atmosphere during the first half of 1981.

The average gross alpha concentrations in the perimeter and remote monitoring systems were 0.02 and 0.03 percent, respectively, of the CG for a mixture of uranium isotopes (Table 3).




Figure 1
AIR, VEGETATION, AND SOIL SAMPLING LOCATIONS




Figure 2
REMOTE AIR MONITORING LOCATIONS

The results of specific radionuclide analyses of composited filters are given in Table 4. The environmental concentrations tabulated are all at least a thousand times less than the applicable DOE concentration guides for the radionuclides detected.

The concentration of <sup>131</sup>I as measured by the perimeter air monitoring system was <0.01 percent of the inhalation concentration guide for individuals in uncontrolled areas (Table 5).

While some radioactivity was released to the atmosphere (Table 6), measurements in the Oak Ridge area show that environmental levels were well below established standards.

Nonradioactive - Environmental air samples are taken for the determination of fluorides, suspended particulates, and sulfur dioxide.

Sampling locations for fluorides are indicated by F-1 through F-6, Figure 1. The current sampling procedure is to obtain six-day samples collected on potassium carbonate treated paper and to analyze weekly by specific ion electrode. The six-day analyses are then averaged to obtain 30-day values.

Suspended particulates are measured at locations SP-1 through SP-4, Figure 1. The method for the determination of suspended particulates is the high volume method recommended by EPA. Particulates are collected by drawing air through weighed filter paper. The filter paper is allowed to equilibrate in a humidity controlled atmosphere and the filter is reweighed. From the weight of particulates, the sampling time, and the air flow rate, the particulate concentration in micrograms per cubic meter is calculated. The sampling period is 24 hours.

The two continuous monitoring stations (S-1 and S-2) in the Y-12 Plant are used for measurement of ambient sulfur dioxide concentrations. Each station consists of a pulsed ultraviolet fluorescence analyzer and recorder with associated equipment located in a temperature-controlled shelter. Sulfur dioxide concentrations are interpreted on an hourly basis and averaged for 24-hour, monthly, and annual periods.

Air monitoring data for fluorides, suspended particulates, and sulfur dioxide are presented in Tables 7 through 9. The data indicate that measured environmental concentrations of fluorides, suspended particulates, and sulfur dioxide were in compliance with applicable standards.<sup>(2)</sup>

The Y-12 steam plant is being upgraded to operate more efficiently at higher steam load levels. The current electrostatic precipitator installation is not adequate to meet emission limits at higher steam load levels. Funds have been approved and preliminary design has been commenced for the installation of pollution control equipment to meet emission limits under higher operating load conditions.

#### **External Gamma Radiation Monitoring**

External gamma radiation background measurements are made routinely at the perimeter air monitoring stations and at the remote monitoring stations using calcium fluoride thermoluminescent dosimeters suspended one meter above the ground. Dosimeters at the perimeter stations are collected and analyzed monthly. Those at the remote stations are collected and analyzed semiannually.

Data on the average external gamma radiation background are given in Table 10. A considerable variation in background levels is normally experienced in East Tennessee depending upon elevation, topography, and geological character of the surrounding soil.<sup>(3)</sup>

External gamma radiation measurements were made along the bank of the Clinch River from the mouth of White Oak Creek several hundred yards downstream to evaluate gamma radiation levels resulting from effluent releases and "sky shine" from an experimental cesium plot located near the river bank. Measurements were made using scintillation detectors and/or thermoluminescent dosimeters suspended one meter above the ground surface. The average background level determined at the remote stations was subtracted from the measured gamma radiation levels to determine the incremental increases resulting from plant operations.

The external gamma radiation levels along the bank of the Clinch River ranged from 4 to 25  $\mu$ R/hr (1 E-09 to 6.5 E-09 C/kg/h) above background. Potential doses to individuals in the environment from these elevated gamma radiation levels were calculated and are included, where significant, in the dose assessment section of the report.

#### Water Monitoring

Radioactive - Water samples are collected in the Clinch River for radioactivity analyses at Melton Hill Dam (Station C-2) 3.7 kilometers above White Oak Creek outfall, at the ORGDP sanitary water intake (Station C-3) 10 kilometers downstream from the entry of White Oak Creek, at the ORGDP recirculating water intake (Station C-4) downstream from the Poplar Creek outfall, and near Brashear Island (Station C-6). A sample is also collected from the Tennessee River at the Water Plant (Station C-5) near Kingston, Tennessee, Figure 3. Samples are collected continuously at Stations C-2, C-3, and C-5. A weekly 24-hour composite sample is collected at Station C-4 and a weekly grab sample is collected at Station C-6. Samples are composited for monthly or quarterly analysis depending upon location.

Water samples also are collected for radioactivity analyses at the mouth of White Oak Creek (Station W-1), at the outlet of New Hope Pond on East Fork Poplar Creek (Station E-1), in Bear Creek (Station B-1), and in Poplar Creek (Stations P-1 and P-2), Figure 3. The samples collected at Stations W-1, E-1, and B-1 are continuous samples. Grab samples are collected at Stations P-1 and P-2 on a weekly basis. Water samples are collected also at White Oak Dam. All samples are composited for monthly analysis.

The concentrations of fission product radionuclides present in detectably significant amounts are determined by specific radionuclide analysis and gamma spectrometry. Uranium analysis is by the fluorometric method. Transuranic alpha emitters are determined by ion exchange and alpha range analysis. The concentration of each radionuclide is compared with its respective concentration guide (CG) value as specified in the DOE Manual, Appendix 0524, and percent of concentration guide for a known mixture of radionuclides is calculated in accordance with the method given in Appendix 0524.

Data on the concentrations of radionuclides measured in the surface streams are given in Table 11. Data on the concentrations of uranium in surface streams and the quantities of radioactivity release to surface streams are given in Tables 12 and 13.

Analysis of water samples collected in the mouth of White Oak Creek (Station W-1) indicated that the yearly average concentration of radionuclides was approximately 28 percent of the applicable concentration guide for uncontrolled areas. The calculated average concentration of radionuclides in the Clinch River, based on the analysis of water samples collected at White Oak Dam and the




Figure 3
STREAM MONITORING LOCATIONS

dilution afforded by the river, assuming complete mixing, was determined to be 0.6 percent of the applicable concentration guide for uncontrolled areas. The average dilution factor for 1981, based on the flow of White Oak Creek and the Clinch River, was 371. The measured average concentrations of radionuclides in the Clinch River upstream and downstream of White Oak Creek outfall were less than I percent of the applicable concentration guide.

The calculated average concentration of transuranic alpha emitters in the Clinch River resulting from effluent releases was 3.7 E-11  $\mu$ Ci/mL (1.4 mBq/L), which is about 0.12 percent of the concentration guide for water containing a known mixture of radionuclides.

Trends in water discharges and calculated percent concentration guide levels in the Clinch River are presented in Figures 4 and 5. Discharges of "Sr and 'H are shown in Figure 4 as these nuclides contribute the majority of the radiological dose downstream. While the discharges of "Sr and 'H were essentially the same in 1980 and 1981, the percent MPCw calculated for the Clinch River increased significantly in 1981 (Figure 5). This increase was attributed to low flow in the Clinch River with the resulting dilution being about a factor of three less than last year.

Rainwater - The gross beta activity in rainwater was analyzed; the results are shown in Table 14. The fluctuations among the stations for both the perimeter and remote networks are due to statistical random variation. It is noted that the average radioactivity is greater for the remote stations than the perimeter stations.

Nonradioactive - Water samples are collected for the analysis of nonradioactive substances at the same locations discussed previously under radioactive water sampling. All samples are composited for monthly analysis. Samples are analyzed for a variety of water quality parameters related to process release potential and background information needs by analytical procedures recommended by the Environmental Protection Agency. (4)

Data on chemical concentrations in surface streams are given in Tables 15 through 23. The average concentrations of all substances analyzed were in compliance with Tennessee stream guidelines<sup>(5, 6)</sup> except for fluoride at Station E-1 and nitrate at Station B-1 which were 120 and 150 percent of the guidelines, respectively.

National Pollution Discharge Elimination System (NPDES) permits were issued by the Environmental Protection Agency (EPA) for each of the Oak Ridge facilities operated by Union Carbide Corporation - Nuclear Division in 1975. The permits established a number of discharge locations at each installation and listed specific concentration limits and/or monitoring requirements for a number of parameters at each discharge location. Table 24 contains the discharge locations at each installation, the parameters at each location for which limits have been established, the permit limits for each parameter, and the percentage compliance experienced.

#### **Biological Monitoring**

Milk - Raw milk is monitored for <sup>131</sup>I and <sup>40</sup>Sr by the collection and analysis of samples from 12 sampling stations located within a radius of 80 kilometers of Oak Ridge. Samples are normally collected weekly at each of seven stations located near the Oak Ridge area. Five stations, located more remotely with respect to Oak Ridge operations, are sampled at a rate of one station each week. Milk sampling locations for all stations are shown in Figures 6 and 7. Samples are analyzed by ion exchange and gamma spectrometry; results are compared to intake guides specified by the Federal Radiation Council (FRC).<sup>(7)</sup>

#### ORNL-DWG 79-10233AR2




Figure 4
CURIES DISCHARGED OVER WHITE OAK DAM




Figure 5
PERCENTAGE CONCENTRATION GUIDE LEVELS IN THE CLINCH RIVER
(VALUES GIVEN ARE CALCULATED VALUES BASED ON THOSE
CONCENTRATIONS MEASURED AT WHITE OAK DAM AND DILUTION
AFFORDED BY THE CLINCH RIVER




Figure 6
IMMEDIATE ENVIRONS MILK SAMPLING LOCATIONS




Figure 7
REMOTE ENVIRONS MILK SAMPLING LOCATIONS

The average concentrations of <sup>131</sup>I and <sup>30</sup>Sr in raw milk are given in Tables 25 and 26, respectively. If one assumes the average intake of milk per individual to be one liter per day, the average concentration of <sup>131</sup>I in milk in both the immediate environs of the Oak Ridge area and in the environs remote from Oak Ridge were within FRC Range 1. The average concentrations <sup>30</sup>Sr in milk from both the immediate and remote environs were within the FRC Range 1.

Fish Sampling - Several species of fish which are commonly caught are taken from the Clinch River each year. The scales, head, and entrails are removed from the fish before ashing. Ten fish of each species are composited for each sample, and the samples are analyzed by gamma spectrometry and radiochemical techniques for the critical radionuclides which may contribute significantly to the potential radiation dose to man.

Data on the concentration of radionuclides in Clinch River fish are given in Tables 27 and 28. Consumption of 16.8 kilograms of bluegill per year<sup>(8)</sup> taken from the river near White Oak Creek outfall results in approximately 2 percent of the maximum permissible intake, which represents the highest dose potential to the public from fish consumption. The maximum permissible intake is calculated to be equal to a daily intake of 2.2 liters of water, over a period of one year, containing the concentration guide of the radionuclides in question. Mercury concentrations in the fish samples collected were less than the FDA proposed action level (Table 29), except for the carp collected at Clinch River Mile 12.0 which was 115 percent of the action level.

Deer - Frequently, deer are killed by automobiles on the DOE Reservation. Thirty nine deer samples were analyzed during 1981. Summary data of the <sup>137</sup>Cs content in deer samples are presented in Table 30. The deer with the highest concentration of <sup>137</sup>Cs would result in a dose of 0.04 millirem (0.4 microsieverts) to the total body and 0.07 millirem (0.7 microsieverts) to the liver (critical organ) if one assumes the consumption of 1 kilogram of meat. It should be noted that no hunting is allowed on the Reservation.

Vegetation - Samples of pine needles and grass are collected semiannually from 17 areas (Stations VS-1 through VS-17, Figure 1) and analyzed for uranium and fluoride content. Fluorometric analysis is used for the determination of uranium and colorimetric analysis is used for the determination of fluorides.

Data on the uranium and fluoride content in vegetation are presented in Table 31. The fluoride concentration in grass at all sampling points was below the 30  $\mu$ g/g level considered to produce no adverse effects when ingested by cattle. (9) Uranium concentrations were below levels of environmental concern.

Additionally, samples of grass were collected semiannually from the perimeter and annually from the remote air-sampling stations (see Figure 1 and 2). At each station, all the grass from five 1/5 meter-squared plots was collected. One plot was taken beside the station, and the other four were taken at 15 m from the station at 90° directions from each other. The grass from each station was then composited and analyzed by gamma spectrometry and radiochemical techniques for a variety of radionuclides. Data on the radionuclide concentrations in grass are presented in Table 32.

#### Soil and Sediment Monitoring

Soil - Soil samples are also collected semiannually from near the perimeter and annually from the remote stations. The same five 1/5 meter-squared plots used for grass analysis were also used for soil determinations. Two cores, 8 cm in diameter and 5 cm in depth, were taken from each plot; a composite of 10 cores was used for each station. These samples were also analyzed by gamma spectrometry and radiochemical techniques.

Data on specific radionuclide concentrations in soil are given in Table 33. The plutonium concentrations found were comparable to the value of 0.05 pCi/g (0.002 Bq/g) considered to be a representative concentration of plutonium in U.S. surface soil. (10)

Sediment - A sediment sampling program was initiated at ORGDP in 1975 to determine the concentrations of various metallic ions in the sediment of Poplar Creek. The current sampling program consists of 14 sampling locations (Figure 8) which should be generally representative of plant effluents. Samples are collected twice during the year and analyzed by atomic absorption.

The concentrations of metals in the stream sediment samples, Table 34, generally exceed background levels for metals in remote streams. An examination of the effluent sources indicates that only very small quantities of any of these metals are currently being released, suggesting that present concentrations found in sediment samples are residual metals from earlier Oak Ridge plant operations.

#### Calculation of Potential Radiation Dose to the Public

Potential radiation doses resulting from plant effluents were calculated for a number of dose reference points within the Oak Ridge environs. All significant sources and modes of exposure were examined, and a number of general assumptions were used in making the calculations.

The site boundary for the Oak Ridge Complex was defined as the perimeter of the DOE controlled area.

Gaseous effluents are discharged from several locations within each of the three Oak Ridge facilities. For calculational purposes, the gaseous discharges are assumed to occur from only one vent from each site. Since the release points at ORGDP and the Y-12 Plant do not physically approximate an elevated stack, their discharges are assumed to be from 10 meters above ground level; releases from ORNL are through elevated stacks. The meteorological data collected at the ORNL site were used for dispersion calculations. Concentrations of radionuclides contained in the air and deposited on the ground were estimated at distances up to 80 kilometers from the Oak Ridge facilities with the Gaussian plume model developed by Pasquill<sup>(11)</sup> and Gifford<sup>(12)</sup> incorporated in a computer program.<sup>(13)</sup> The concentration has been averaged over the crosswind direction to give the estimated ground level concentration downwind of the source of emission.<sup>(14)</sup> The deposition velocities used in the calculations were 0.0 cm/sec for krypton and xenon, 0.2 cm/sec for iodine, and 0.1 cm/sec for particulates.<sup>(15)</sup> Meteorological data are shown in Figure 9; the length of the bars indicates the percentage of time the wind is blowing in that direction.

Potential pathways of exposure to man from radioactive effluents released by the Oak Ridge operations that are considered in the dose estimates are presented in Figure 10. The pathways shown in the figure are not exhaustive, but they include the principal pathways of exposure based on experience.

Exposures to radionuclides that originate in the effluents released from the Oak Ridge facilities were converted to estimates of radiation dose to individuals using models and data presented in publications of the International Commission on Radiological Protection, (16-21) other recognized literature on radiation protection, (22-24) personal communication, (25) and computer programs incorporating some of these models and data. (26, 27) Radioactive material taken into the body by inhalation or ingestion will continuously irradiate the body until removed by processes of metabolism and radioactive decay; thus the estimates for internal dose are called "dose commitments," they are obtained by integrating over the assumed remaining lifetime (50 years) of the exposed individual.




Figure 8
OAK RIDGE GASEOUS DIFFUSION PLANT SEDIMENT SAMPLING LOCATIONS





Figure 9
METEOROLOGICAL DATA FOR THE OAK RIDGE RESERVATION






Figure 10 EXPOSURE PATHWAYS

The radiation doses to the total body and to internal organs from external exposures to penetrating radiation are approximately equal, but they may vary considerably for internal exposures because some radionuclides concentrate in certain organs of the body. For this reason, estimates of radiation dose to the total body, thyroid, lungs, bone, liver, kidneys, and gastrointestinal tract were considered for various pathways of exposure. These estimates were based on parameters applicable to an average adult. (16, 21) The population dose estimate in man-rem (man-sieverts) is the sum of the total body doses to exposed individuals within an 80-kilometer radius of the Oak Ridge facilities.

Maximum Potential Exposure - The point of maximum potential ("fence-post" dose) on the site boundary is located along the bank of the Clinch River adjacent to a cesium field experimental plot and is due primarily to "sky-shine" from the plot. A maximum potential total body exposure of 215 millirem/yr (2150 microsieverts/yr) was calculated for this location assuming that an individual remained at this point for 24 hours/day for the entire year. The calculated maximum potential exposure is 43 percent of the allowable standard. (1) This is an atypical exposure location and the probability of an exposure of the magnitude calculated is considered remote since access is only by boat.

The total body dose to a "hypothetical maximum exposed individual" at the same location was calculated using a more realistic residence time of 240 hours/yr. The calculated dose under these conditions was 5.9 millirem/yr (59 microsieverts) which is 1.1 percent of the allowable standard<sup>(1)</sup> and represents what is considered a probable upper limit of exposure.

A more probable exposure might be considered to occur at other locations beyond the site boundary as a result of airborne or liquid effluent releases.

The dose commitment to an individual continuously occupying the residence nearest the site boundary would result from inhalation and is based on an inhalation rate for the average adult of 2 E+04 liters/day. The calculated dose commitments at this location were 9.2 millrem (92 microsieverts) to the lung (the critical organ) and 0.38 millirem (3.8 microsieverts) to the total body; <sup>234</sup>U is the important radionuclide contributing to this dose. These levels are 0.6 percent and 0.08 percent, respectively, of the allowable annual standard. Due to inherent uncertainties in the meteorological data, <sup>(28)</sup> stack sampling data and calculational techniques, the calculated doses may be in error as much as 300 percent.

The most important contribution to dose from radioactivity within the terrestrial food-chain is by the atmosphere-pasture-cow-milk food-chain pathway. Measurements of the two principal radionuclides entering into this pathway, "I and "Sr (see Tables 25 and 26), indicate that the maximum dose to an individual in the immediate environs from ingestion of one liter of milk per day is 0.02 millirem (0.2 microsieverts) to the thyroid and 2.7 millirem (27 microsieverts) to the bone. The average concentrations for the remote stations were assumed to be background and were subtracted from the perimeter station data in making the calculations.

The public water supply closest to the liquid discharges from the Oak Ridge facilities is located approximately 26 kilometers downstream at Kingston, Tennessee. The intake to the water filtration plant is located on the Tennessee River approximately one-half mile upstream from the confluence of the Clinch and Tennessee Rivers. Normally, Tennessee River water is used for the Kingston water supply but under certain conditions of power generation, backflow can occur. Under backflow conditions, Clinch River water may move upstream in the Tennessee River and be used as the source of water for the Kingston filtration plant. Measurements of untreated river water samples taken at the Kingston filtration plant intake indicate that the maximum dose commitment

resulting from the ingestion of the daily adult requirement (about two liters per day) is 10.9 millirem (109 microsieverts) to the bone and 0.22 millirem (2.2 microsieverts) to the total body. The average concentrations in Melton Hill Dam water (background) were subtracted from the values obtained at Kingston.

Estimates of the 50-year dose commitment to an adult were calculated for consumption of 16.8 kilograms of fish per year from the Clinch River. The consumption of 16.8 kilograms<sup>(8)</sup> is about 2.5 times the national average fish consumption<sup>(29)</sup> and is used because of the popularity of fishing in East Tennessee. From the analysis of edible parts of the fish examined (see Table 27 and 28), the maximum possible organ dose commitment to an individual from the highest quarterly bluegill sample taken from CRM 20.8 is estimated to be 71 millirem (710 microsieverts) to the bone from °Sr. The maximum total body dose to an individual was calculated to be 2.9 millirem (29 microsieverts).

A more probable dose commitment, based on the annual average concentration of <sup>50</sup>Sr in bluegill samples taken from CRM 20.8, was calculated to be 23 millirem (230 microsieverts) to the bone and 1 millirem (10 microsieverts) to the total body. These dose commitments are about 1.5 percent and 0.2 percent, respectively, of the allowable annual standards. Fish samples taken from Melton Hill Lake were analyzed to determine background conditions. Fish caught and consumed from other locations in the Clinch River would result in significantly less dose than the maximum calculated for CRM 20.8, see Tables 27 and 28.

Summaries are given in Table 35 of the potential radiation doses to adult members of the general public at the points of highest potential exposure from gaseous and liquid effluents from the Oak Ridge facilities.

Dose to the Population - The Oak Ridge population received the largest average individual total body dose as a population group. The average total body dose to an Oak Ridge resident was estimated to be 0.09 millirem (0.9 microsieverts) as compared to approximately 100 millirem/yr (1000 microsieverts/yr) from natural background radiation; the average dose commitment to the lung of an Oak Ridge resident was 0.55 millirem (5.5 microsieverts). The maximum potential dose commitment to an Oak Ridge resident was calculated to be 9.2 millirem (92 microsieverts) to the lung. This calculated dose is 0.6 percent of the allowable annual standard. (1)

The cumulative total body dose to the population within an 80-kilometer radius of the Oak Ridge facilities resulting from 1981 plant effluents was calculated to be 31.5 man-rem (0.3 man-sieverts). This cumulative dose was calculated using the population distribution given in Table 1 for ORNL atmospheric effluents; similar population distributions were used for the Y-12 and ORGDP releases. This dose may be compared to an estimated 87,000 man-rem (870 man-sieverts) to the same population resulting from natural background radiation. About 7.6 percent of the collective dose from the effluents of the Oak Ridge facilities is estimated to be to the Oak Ridge population.

	INCRE	MENTAL	POPULA	Table FION TABL	e 1 SLE IN TI	IE VICIN	Table 1 INCREMENTAL POPULATION TABLE IN THE VICINITY OF ORNL"	INT.		
DISTANCE, MILES DISTANCE, KM	0-1 0-1.6	1-2	2-3	3-4	4-5	5-10 8-16	10-20	20-30 32-48	30-40	40-50
Direction										
ď	0	0	0	0	0	3,059	44,880	100,500	11,790	12,390
ENE	0	0	0	0	•	•	27,460	74,690	18,720	13,870
Ä	0	0	0	0	0	9,713	12,480	7,167	4,392	7,476
ZNE	0	0	0	0	1,461	13,780	4,362	11,190	12,670	6,119
7	0	0	0	0	1,490	5,578	2,177	1,441	2,223	4,508
NZ.	0	•	0	0	0	1,495	0	1,152	4,559	4,67
M.Z.	0	0	0	0	0	1,073	4,804	1,538	1,896	7,552
WNW	0	0	0	0	0	587	2,971	1,543	0	4,151
*	0	0	0	0	0	999	13,100	4,595	9,038	7,318
WSW	0	0	0	0	0	622	9,862	3,495	4,562	4,204
AS.	0	0	0	0	0	733	1,840	1,909	3,962	8,578
SSW	0	0	0	0	0	721	2,055	7,897	21,580	10,530
7.0	0	0	0	0	0	943	8,742	7,309	6,560	1,222
SSE	0	0	0	0	1,374	7,277	1,290	4,091	469	_
3E	0	<b>Φ</b>	0	0	0	1,167	4,304	15,010	46	_
ESE	0	0	0	0	0	960'9	5,343	36,020	4,132	6,840
rotal	0	0	0	0	4,325	53,510	145,670	279,547	106,599	99,434
CUMULATIVE TOTAL	0	0	0	0	4,325	57,835	203,505	483,052	159,685	689,085

"Based on 1970 Census Data.

Table 2
CONTINUOUS AIR MONITORING DATA
Long-Lived Gross Beta Activity of Particulates in Air
1981

	NUMBER	UNI	rs of E-13 μCi/mL	(mBq/m³)	. %
STATION NUMBER	OF SAMPLES	MAXIMUM <sup>a</sup>	MINIMUM <sup>b</sup>	AVERAGE	СĞ
		Perime	ter Area <sup>d</sup>		
HP-31	52	3.3 (12)	0.11 (0.42)	$0.68 (2.5) \pm 0.19$	0.07
HP-32	52	3.0 (11)	0.06 (0.21)	$0.73 (2.7) \pm 0.18$	0.07
HP-33	51	3.1 (12)	0.09 (0.34)	$0.68 (2.5) \pm 0.19$	0.07
HP-34	52	3.8 (14)	0.13 (0.47)	$0.85 (3.2) \pm 0.22$	0.09
HP-35	52	3.2 (12)	0.08 (0.31)	$0.72(2.7) \pm 0.18$	0.07
HP-36	51	2.6 (10)	0.05 (0.18)	$0.59(2.2) \pm 0.16$	0.06
HP-37	52	2.6 (10)	0.05 (0.17)	$0.60(2.2) \pm 0.16$	0.06
HP-38	52	3.6 (13)	0.11 (0.40)	$0.81 (3.0) \pm 0.21$	0.08
HP-39	52	2.7 (10)	0.04 (0.15)	$0.57 (2.1) \pm 0.17$	0.06
Average				$0.69 (2.6) \pm 0.17$	0.07
		Remo	te Area <sup>e</sup>		
HP-51	52	3.7 (14)	0.16 (0.58)	$0.73 (2.7) \pm 0.19$	0.07
HP-52	52	3.4 (13)	0.06 (0.21)	$0.74(2.7) \pm 0.18$	0.07
HP-53	52	3.7 (14)	0.07 (0.26)	$0.68 (2.5) \pm 0.19$	0.07
HP-55	52	1.9 (7)	0.04 (0.15)	$0.55 (2.0) \pm 0.12$	0.05
HP-56	52	2.2 (8)	0.03 (0.11)	$0.64 (2.4) \pm 0.15$	0.06
HP-57	52	4.0 (15)	0.15 (0.57)	$0.86(3.2) \pm 0.22$	0.09
HP-58	50	2.9 (11)	0.04 (0.15)	$0.64 (2.4) \pm 0.18$	0.06
Average				$0.70 (2.6) \pm 0.18$	0.07

<sup>&</sup>lt;sup>a</sup>Maximum weekly average concentration.

<sup>&</sup>lt;sup>b</sup>Minimum weekly average concentration-minimum detectable level is 1 E-15  $\mu$ Ci/mL (0.037 mBq/m<sup>3</sup>).

<sup>°</sup>CG is 1 E-10  $\mu$ Ci/mL (3.7 E+3 mBq/m³) for unidentified radionuclides (DOE Manual, Appendix 0524, Annex A, Table II).

<sup>&</sup>lt;sup>d</sup>See Figure 1.

eSee Figure 2.

Table 3
CONTINUOUS AIR MONITORING DATA
Long-Lived Gross Alpha Activity of Particulates in Air
1981

	NUMBER	UNI	rs of E-15 μCi/mL	$(\mu \text{Bq/m}^3)$	~
STATION NUMBER	OF SAMPLES	MAXIMUM <sup>a</sup>	MINIMUM	AVERAGE	% CGʻ
		Perimet	er Area <sup>d</sup>		
HP-31	52	2.5 (93)	0.1 (4)	$0.79(29) \pm 0.17$	0.02
HP-32	52	3.5 (130)	0.1 (4)	$1.1  (41) \pm 0.23$	0.03
HP-33	51	2.8 (100)	0.1 (4)	$0.85(31) \pm 0.17$	0.03
HP-34	52	3.2 (120)	0.1 (4)	$0.92(34) \pm 0.20$	0.03
HP-35	52	2.4 (89)	0.1 (4)	$0.89(33) \pm 0.15$	0.03
HP-36	51	2.4 (89)	0.1 (4)	$0.82(30) \pm 0.15$	0.02
HP-37	52	2.7 (100)	0.1 (4)	$0.92(34) \pm 0.18$	0.03
HP-38	52	2.9 (110)	0.1 (4)	$0.86(32) \pm 0.19$	0.0
HP-39	52	3.2 (120)	0.1 (4)	$0.84(31) \pm 0.18$	0.0
Average		,		$0.89 (33) \pm 0.18$	0.0
· · · · · · · · · · · · · · · · · · ·		Remot	e Area <sup>e</sup>		
HP-51	52	4.1 (150)	0.1 (4)	$1.0 (37) \pm 0.21$	0.0
HP-52	52	3.2 (120)	0.1 (4)	$0.96(36) \pm 0.21$	0.0
HP-53	52	2.7 (100)	0.1 (4)	$1.1 (41) \pm 0.21$	0.0
HP-55	52	5.6 (210)	0.1 (4)	$1.3 (48) \pm 0.29$	0.0
HP-56	52	4.4 (160)	0.1 (4)	$1.2 (44) \pm 0.24$	0.0
HP-57	52	2.9 (110)	0.1 (4)	$0.99 (37) \pm 0.19$	0.0
HP-58	50	2.7 (100)	0.1 (4)	$0.84 (31) \pm 0.16$	0.0
Average				$1.1  (41) \pm 0.22$	0.0

<sup>&</sup>lt;sup>a</sup>Maximum weekly average concentration.

<sup>&</sup>lt;sup>b</sup>Minimum weekly average concentration-minimum detectable level is 1 E-16 μCi/mL (3.7 μBq/m³)

<sup>&</sup>lt;sup>c</sup>CG is 40 E-13  $\mu$ Ci/mL (1.48 E+05  $\mu$ Bq/m<sup>2</sup>) for a mixture of uranium isotopes (DOE Manual, Appendix 0524, Annex A, Table II).

<sup>&</sup>lt;sup>d</sup>See Figure 1.

<sup>\*</sup>See Figure 2.

Table 4
CONTINUOUS AIR-MONITORING DATA
Specific Radionuclides in Air
(Composite Samples)
1981
Units of E-15 μCI/mL (μBq/m³)

_		PER	IMETER	RIMETER STATIONS	NS			RE	MOTE (	REMOTE STATIONS		
NUCLIDE	Qua	Quarterly Maximum	Quai	Quarterly Minimum	Ye	Yearly Average	Max	Quarterly Maximum	Qua	Quarterly Minimum	Ye. Ave	Yearly Average
"Mn			90.0	(2.2)	0.43	(91)	1:1	(41)		(1.5)	4.0	(15)
ıS.	0.84		0.15	(9.6)	0.46	(11)	0.95	(32)		(1.9)	<b>9</b> .0	(13)
_	99	(2020)	0.41	(15)	23	(860)	49	(1830)		(14)	21	(190)
	27	(1000)	0.17	(6.3)	=	(410)	25	(930)		(3.0)	=	(420)
103Ru	20	(720)	0.03	(1.1)	7.1	(260)	27	(1000)		(1.1)	6.8	(330)
	7.4	(270)	0.83	(31)	4.4	(160)	5.4	(200)		(21)	3.3	(120)
	<del></del>	(67)	0.11	(4.1)	97.0	(38)	1.5	(55)		(3.7)	9.0	(22)
	3.0	(110)	0.24	(8.9)	1.2	(44)	2.9	(110)		(8.5)	_	(41)
	39	(1440)	0.03	(1.1)	=	(410)	33	(1210)		(1.5)	9.2	(340)
	8.9	(330)	1.3	(49)	5.5	(200)	8.9	(330)		(44)	4.6	(170)
4Test	0.07	(5.6)	0.04	(1.5)	0.05	(6.1)	80.0	(3.0)	0.03	(1.1)	0.04	(1.5)
	0.07	(5.6)	0.02	(0.1)	0.04	(1.5)	0.05	(0.1)		(0.4)	0.02	(0.1)
	0.04	(1.5)	0.02	(0.7)	0.03	(1.1)	0.05	(0.7)		(0.7)	0.02	(0.1)
	0.47	(11)	0.26	(9.6)	0.40	(15)	0.09	(3.3)		(6.1)	90:0	(2.2)
O <sub>m</sub>	0.07	(5.6)	0.009	(0.3)	0.04	(1.5)	0.03	(0.7)		(0.2)	10'0	(0.4)
	0.35	(13)	0.18	(6.7)	0.28	(01)	90.0	(2.2)		(1.1)	0.05	(1.9)
	0.0009	(0.03)	0.0002	(0.007)	0.0004	(0.014)	0.0008	(0.03)		(0.007)	0.0006	(0.03)
ոժա	0.03	(1.1)	0.002	(0.07)	10:0	(0.4)	0.03	(1.1)		(0.11)	0.01	(0.4)

CONCENTRATION OF 111 IN AIR MEASURED BY THE PERIMETER AIR MONITORING STATIONS 1981

	NUMBER	TINO	UNITS OF E-14 µCi/mL (µBq/m²)	(μBq/m')	
STATION NUMBER	OF SAMPLES	MAXIMUM <sup>6</sup>	MINIMUM	AVERAGE	, b
HP-31	52			(48) ±	<0.01
HP-32	52		-	(48) <b>±</b>	<b>10</b> '0>
HP-33	52		_	(52) ±	<0.01
HP-34	52		_	(48) ±	<0.01
HP-35	52	0.22 (81)	0.03 (11)	$0.13 (48) \pm 0.02$	<b>&lt;0</b> .01
HP-36	52		_	(44) ±	<0.01
HP-37	52		_	(44) ±	<0.01
HP-38	52		_	(48) ±	<0.01
HP-39	52	0.33 (122)	_	(48) ±	<0.01
AVERAGE				$0.13 (48) \pm 0.02$	<0.01

"See Figure 1.

<sup>b</sup>Maximum weekly average concentration.

'Minimum weekly average concentration-minimum detectable amount of  $^{134}$  is 1 E-16  $\mu$ Ci/mL (3.7  $\mu$ Bq/m').

 $^d$ CG is 1 E-10  $_\mu$ Ci/mL (3.7 E+06  $_\mu$ Bq/m<sup>3</sup>) (DOE Manual, Appendix 0524, Annex A, Table II).

Table 6
DISCHARGE OF RADIOACTIVITY TO THE ATMOSPHERE
1981

	LILNAUD .	QUANTITY DISCHARGED
RADIONUCLIDE	Ci	UNITS OF E+10 Bq
Uranium"	0.13	0.5
	< 0.5	6.1
H <sub>c</sub>	11,300	41,800
133Xeb	<32,400	<119,900
$^{87}\mathrm{K}_{\Gamma}{}^{\phi}$	001'9 >	< 24,800
*Tc	0.04	0.15
Alphac	< 7.8 E-08	< 2.9 E-07

\*Uranium of varying enrichments - curie quantities calculated using the appropriate specific activity for material released.

 $^{b}$ Upper limit values based on direct radiation measurements in the stack gas stream and an assumed mixture of noble gases.

Unidentified alpha.

Table 7
AIR MONITORING DATA - FLUORIDES
1981

Location <sup>a</sup>	Number of Samples	Concent Averagin	kimum tration for ng Interval ng/m <sup>3</sup>		of Times Exceeded <sup>b</sup>	Annual Average µg/m³
	6 Day	6 Day	30 Day	7 Day	30 Day	
F-1	53	0.2	0.1	0	0	< 0.1 ± 0.01
F-2	51	0.4	0.3	0	0	$< 0.1 \pm 0.03$
F-3	53	0.2	0.2	0	0	$< 0.1 \pm 0.02$
F-4	53	0.2	< 0.1	0	0	$< 0.1 \pm 0.01$
F-5	52	0.1	< 0.1	0	0	$< 0.1 \pm 0.01$
F-6°	52	0.1	< 0.1	0	0	< 0.1 ± 0.01

<sup>&</sup>quot;See Figure 1.

- 3.7  $\mu$ g/m³ for 12 hour averaging interval
- 2.9 µg/m3 for 24 hour averaging interval
- 1.6 µg/m³ for 7 day averaging interval
- $1.2 \mu g/m^3$  for 30 day averaging interval

All values are maximum--not to be exceeded more than once per year.

NOTE: Data not amenable to comparison with 12-hour or 24-hour standard. Six-day sample compared to 7 day averaging interval.

<sup>&</sup>lt;sup>b</sup>Tennessee Air Pollution Control Regulations -

Station F-6 approximately 8 kilometers from ORGDP upwind of the predominant prevailing wind direction, thus may be considered representative of general ambient background concentration.

Table 8
AIR MONITORING DATA - SUSPENDED PARTICULATES
1981

	NUMBER	NOO	CONCENTRATION, µg/m²)	/m <sup>,</sup> )	. 8
LOCATION	SAMPLES	MAXIMUM	MINIMUM	AVERAGE	STD.
SP-1	49	86	<b>-</b>	29 ± 8	39
SP-2	55	96	2	30 ± 7	40
SP-3	53	130		37 ± 8	49
SP-4	53	110	-	$32 \pm 8$	43

"See Figure 1.

<sup>b</sup>Tennessee Ambient Air Standards - Primary Standard.

Maximum 24 hr. Average — 260 μg/m² Annual Geometric Mean — 75 μg/m³

Table 9
SULFUR DIOXIDE MONITORING DATA
1981

	MAXIMUM 24	HR. AVERAGE (PPM)	MONTHLY A	VERAGE (PPM)
MONTH	STATION S-1	STATION S-2	STATION S-1	STATION S-2
_			0.007	0.011
January	0.030	0.042	0.007	0.011
February	0.033	0.026	0.009	0.009
March	. 0.024	0.016	0.005	0.005
April	0.029	0.006	0.013	0.003
May	0.019	0.016	0.008	0.003
June	0.013	0.013	0.005	0.005
July	0.015	0.013	0.004	0.007
August	0.016	0.002	0.004	0.002
September	0.007	0.134	0.002	0.021
October	0.005	0.010	0.002	0.007
November	0.024	0.043	0.008	0.005
December	0.032	0.019	0.011	0.006
Annual Arith	nmetic Mean		0.007	0.007

Tennessee Ambient Standards

Maximum 24 hr. Average — 0.14 ppm Annual Arithmetic Mean — 0.03 ppm

Minimum Detectable Limit - 0.002 ppm

Table 10
EXTERNAL GAMMA RADIATION MEASUREMENTS
1981

	NUMBER	BACK	GROUND
STATION NUMBER	OF MEASUREMENTS	UNITS OF	UNITS OF E-09 C/kg/h
	Perimeter Sta	tions <sup>a</sup>	
HP-31	12	9.7 ± 0.5	$2.5 \pm 0.1$
HP-32	12	$11.7 \pm 0.6$	$3.0 \pm 0.2$
HP-33	12	$.7 \pm 0.6$	$2.5 \pm 0.2$
HP-34	12	$17.8 \pm 2.5$	$4.6 \pm 0.7$
HP-35	12	$8.5 \pm 0.5$	$2.2 \pm 0.1$
HP-36	12	$8.1 \pm 0.6$	$2.1 \pm 0.1$
HP-37	12	$7.9 \pm 1.0$	$2.0 \pm 0.3$
HP-38	12	$8.5 \pm 0.6$	$2.2 \pm 0.2$
HP-39	12	$9.0 \pm 0.7$	$2.3 \pm 0.2$
Average		10.1 ± 2.0	$2.6 \pm 0.5$
	Remote Stat	ions <sup>b</sup>	
<b>HP-</b> 51	2	$5.8 \pm 0.9$	$1.5 \pm 0.2$
HP-52	2 2	$7.3 \pm 1.7$	$1.9 \pm 0.4$
HP-53	2	$7.7 \pm 1.1$	$2.0 \pm 0.3$
H <b>P-</b> 55	2	$6.5 \pm 1.0$	$1.7 \pm 0.4$
HP-56	2 2 2	$7.3 \pm 0.1$	$1.9 \pm 0.1$
HP-57	2	$7.7 \pm 1.2$	$2.0 \pm 0.3$
HP-58	2	$10.9 \pm 0.5$	$2.8 \pm 0.1$
Average		$7.6 \pm 1.1$	$2.0 \pm 0.3$

<sup>&</sup>lt;sup>4</sup>See Figure 1.

<sup>&</sup>lt;sup>b</sup>See Figure 2.

Table 11
RADIONUCLIDES OF PRIMARY CONCERN IN SURFACE STREAMS
1981

SAMPLING O	ċ								(LBa/1)	ő
C3	AMPLES	RANGE	"Sr		υ'Cs	ď	"Co	Tr.	Hc./mc (vpg/ c)	ÇÇ
	4	Мах.	2.70 (0.10		11 (0,004)	<b>2</b> .	(0.020)	3.73	(0.14)	
		Min. Avg.	0.54 (0.02) 1.30 (0.05)		.05 (0.002) .07 (0.003)	5; 2; 6; 27;	.20 (0.008)	1.42	(0.05)	0.48
C-3	4	Max.	2.97 (0.1		22 (0.008)	4	(0.005)	3.62	(0.13)	
		Min.	0.27 (0.01)		(100.0) 60.	.05	.05 (0.002)	0.14		
		Avg.	1.44 (0.0		12 (0.004)	01.	(0.004)	1.64		0.54
C-St	4	Max.	5.41 (0.2)		(0.001)	.22	(0.008)	2.03	(80.0)	
,		Min.	0.54 (0.0		.05 (0.002)	.08	.08 (0.003)	0.68		
		Avg.	3.11 (0.12)		14 (0.005)	91.	(0.006)	1.20		1.08
W-1 <sup>4</sup>	12	Max.				6116	(3.40)	1080	(40)	
		Min.		5) 1.7	.7 (0.06)	10.8	(0.40)	91	(0.6)	
		Avg.	(2.29)			32.9	(1.22)	203	(7.5)	27.5

<sup>a</sup>Three tritium samples only from the river and Kingston Water Plant.

<sup>b</sup>Most restrictive concentration guide for each isotope used for calculating percent concentration guide. The method for calculating percent of concentration guide for a known mixture of radionuclides is given in DOE Manual, Appendix 0524, Annex A.<sup>(1)</sup>

<sup>c</sup>Kingston Water Plant.

dMouth of White Oak Creek.

Table 12
URANIUM CONCENTRATION IN SURFACE STREAMS
1981

	NUMBER		5	UNITS OF E-08 µCi/mL (Bq/L)	5-08 µCi/	mL (Bq/	()		-	8
STATION NUMBER"	SAMPLES	MAX	MAXIMUM	MINIMOM	MUM	₹	AVERAGE	띩		ÇÇ,
g-d	12	1.0	(0.37)	0.07	(0.03)	0.5		+	7	< 0.1
P-2	12	1:1	(0.41)	0.20	(0.01)	9.0		+ •	7	0.1
: :3	12	0.3	(0.11)	< 0.07	(0.03)	<ul><li>0.1</li></ul>		<del>0</del>	05	<b>&gt;</b> 0.1
4	12	0.4	(0.15)	< 0.07	(0.03)	< 0.1		+ <del>1</del>	90	<b>^</b> 0.1
C-6	12	0.4	(0.15)	< 0.07	(0.03)	< 0.2		H	98	<b>&gt;</b> 0.1
E-1	12	15	(2.6)	1.4	(0.52)	4.	(1.5)	#	4.1	0.1
B-1	12	5,5	(5.0)	1.6	(0.59)	3.6		<del></del>	~	0.1

"See Figure 3.

 $^{b}$ CG is 3 E-05  $_{\mu}$ Ci/mL (11 E+02 Bg/L) for a mixture of uranium isotopes (DOE Manual, Appendix 0524, Annex A, Table II).

Table 13
DISCHARGES OF RADIOACTIVITY TO SURFACE STREAMS
1981

	QUANT	QUANTITY DISCHARGED
RADIONUCLIDE	Ci	UNITS OF E+10 Bq
3) <sub>(1)</sub>	0.23	0,85
	99'0	2.44
;; <u> </u>	2,880	10,660
lia	0.04	0.15
150s	1.51	5.59
J. W.	3.54	13.1
Uranium <sup>a</sup>	0.87	3.21
13.Th	0.008	0.03
Transuranics <sup>b</sup>	0.043	0.16

<sup>4</sup>Uranium of varying enrichments - curie quantities calculated using the appropriate specific activity for material released.

<sup>&</sup>lt;sup>b</sup>Upper limit values based on alpha emitter analysis.

Table 14
LONG-LIVED GROSS BETA ACTIVITY IN RAINWATER
1981

Perimeter Area   Perimeter Area		NUMBER	UNI	TS OF
HP-31	STATION NUMBER	OF SAMPLES	E-08 μCi/mL <sup>4</sup>	Bq/L
HP-31 HP-32 HP-33 HP-34 HP-35 HP-36 HP-36 HP-37 HP-38 HP-39		Perime	eter Area <sup>b</sup>	
$\begin{array}{cccccccccccccccccccccccccccccccccccc$	HP-31	42	2.5 ± 0.6	
$\begin{array}{cccccccccccccccccccccccccccccccccccc$	HP-32	42	$2.3 \pm 0.7$	
HP-35	HP-33	44	<del>-</del> -	
HP-36	HP-34	41		
HP-37	HP-35	43		
HP-38 HP-39 Average $ \begin{array}{cccccccccccccccccccccccccccccccccc$	HP-36	44		
Remote Area <sup>c</sup> Remote Area <sup>c</sup> 1.1 $\pm$ 0.5  Remote Area <sup>c</sup> HP-51  HP-52  HP-53  HP-53  HP-53  HP-55  HP-55  HP-55  HP-55  HP-56  HP-56  HP-57  HP-57  HP-58  As a constant of the constant	HP-37	42		
Remote Area <sup>c</sup> HP-51  HP-52  HP-53  HP-53  HP-55  HP-55  HP-56  HP-56  HP-57  HP-57  HP-58  Average  2.7 $\pm$ 0.8  1.0 $\pm$ 0.3  1.0 $\pm$ 0.3  1.0 $\pm$ 0.3  1.0 $\pm$ 0.3  1.1 $\pm$ 0.3  1.2 $\pm$ 0.6  1.3 $\pm$ 0.3  1.4 $\pm$ 0.4  1.5 $\pm$ 0.4  1.6 $\pm$ 0.4  1.7 $\pm$ 0.5  1.8 $\pm$ 0.5  1.1 $\pm$ 0.3	HP-38			
Remote Area <sup>c</sup> HP-51  HP-52 $ 38 $ $ 3.7 \pm 0.9 $ $ 46 $ $ 46 $ $ 47 $ $ 37 $ $ 47 $ $ 37 $ $ 48 $ $ 48 $ $ 48 $ $ 49 $ $ 49 $ $ 49 $ $ 49 $ $ 49 $ $ 49 $ $ 49 $ $ 49 $ $ 49 $ $ 49 $ $ 49 $ $ 49 $ $ 49 $ $ 49 $ $ 49 $ $ 49 $ $ 49 $ $ 49 $ $ 49 $ $ 49 $ $ 49 $ $ 49 $ $ 49 $ $ 49 $ $ 49 $ $ 49 $ $ 49 $ $ 49 $ $ 49 $ $ 49 $ $ 49 $ $ 49 $ $ 49 $ $ 49 $ $ 49 $ $ 49 $ $ 49 $ $ 49 $ $ 49 $ $ 49 $ $ 49 $ $ 49 $ $ 49 $ $ 49 $ $ 49 $ $ 49 $ $ 49 $ $ 49 $ $ 49 $ $ 49 $ $ 49 $ $ 49 $ $ 49 $ $ 49 $ $ 49 $ $ 49 $ $ 49 $ $ 49 $ $ 49 $ $ 49 $ $ 49 $ $ 49 $ $ 49 $ $ 49 $ $ 49 $ $ 49 $ $ 49 $ $ 49 $ $ 49 $ $ 49 $ $ 49 $ $ 49 $ $ 49 $ $ 49 $ $ 49 $ $ 49 $ $ 49 $ $ 49 $ $ 49 $ $ 49 $ $ 49 $ $ 49 $ $ 49 $ $ 49 $ $ 49 $ $ 49 $ $ 49 $ $ 49 $ $ 49 $ $ 49 $ $ 49 $ $ 49 $ $ 49 $ $ 49 $ $ 49 $ $ 49 $ $ 49 $ $ 49 $ $ 49 $ $ 49 $ $ 49 $ $ 49 $ $ 49 $ $ 49 $ $ 49 $ $ 49 $ $ 49 $ $ 49 $ $ 49 $ $ 49 $ $ 49 $ $ 49 $ $ 49 $ $ 49 $ $ 49 $ $ 49 $ $ 49 $ $ 49 $ $ 49 $ $ 49 $ $ 49 $ $ 49 $ $ 49 $ $ 49 $ $ 49 $ $ 49 $ $ 49 $ $ 49 $ $ 49 $ $ 49 $ $ 49 $ $ 49 $ $ 49 $ $ 49 $ $ 49 $ $ 49 $ $ 49 $ $ 49 $ $ 49 $ $ 49 $ $ 49 $ $ 49 $ $ 49 $ $ 49 $ $ 49 $ $ 49 $ $ 49 $ $ 49 $ $ 49 $ $ 49 $ $ 49 $ $ 49 $ $ 49 $ $ 49 $ $ 49 $ $ 49 $ $ 49 $ $ 49 $ $ 49 $ $ 49 $ $ 49 $ $ 49 $ $ 49 $ $ 49 $ $ 49 $ $ 49 $ $ 49 $ $ 49 $ $ 49 $ $ 49 $ $ 49 $ $ 49 $ $ 49 $ $ 49 $ $ 49 $ $ 49 $ $ 49 $ $ 49 $ $ 49 $ $ 49 $ $ 49 $ $ 49 $ $ 49 $ $ 49 $ $ 49 $ $ 49 $ $ 49 $ $ 49 $ $ 49 $ $ 49 $ $ 49 $ $ 49 $ $ 49 $ $ 49 $ $ 49 $ $ 49 $ $ 49 $ $ 49 $ $ 49 $ $ 49 $ $ 49 $ $ 49 $ $ 49 $ $ 49 $ $ 49 $ $ 49 $ $ 49 $ $ 49 $ $ 49 $ $ 49 $ $ 49 $ $ 49 $ $ 49 $ $ 49 $ $ 49 $ $ 49 $ $ 49 $ $ 49 $ $ 49 $ $ 49 $ $ 49 $ $ 49 $ $ 49 $ $ 49 $ $ 49 $ $ 49 $ $ 49 $ $ 49 $ $ 49 $ $ 49 $ $ 49 $ $ 49 $ $ 49 $ $ 49 $ $ 49 $ $ 49 $ $ 49 $ $ 49 $ $ 49 $ $ 49 $	HP-39	45	$2.9 \pm 1.0$	1.1 ± 0.5
HP-51       42 $5.4 \pm 1.8$ $2.0 \pm 0.7$ HP-52       38 $3.7 \pm 0.9$ $1.4 \pm 0.3$ HP-53       46 $5.6 \pm 1.6$ $2.1 \pm 0.6$ HP-55       35 $3.4 \pm 0.9$ $1.3 \pm 0.3$ HP-56       47 $3.7 \pm 1.0$ $1.4 \pm 0.4$ HP-57       39 $4.8 \pm 1.3$ $1.8 \pm 0.5$ HP-58       37 $3.1 \pm 0.8$ $1.1 \pm 0.3$	Average		2.7 ± 0.8	1.0 ± 0.3
HP-52       38 $3.7 \pm 0.9$ $1.4 \pm 0.3$ HP-53       46 $5.6 \pm 1.6$ $2.1 \pm 0.6$ HP-55       35 $3.4 \pm 0.9$ $1.3 \pm 0.3$ HP-56       47 $3.7 \pm 1.0$ $1.4 \pm 0.4$ HP-57       39 $4.8 \pm 1.3$ $1.8 \pm 0.5$ HP-58       37 $3.1 \pm 0.8$ $1.1 \pm 0.3$		Reme	ote Area <sup>c</sup>	
HP-53       46 $5.6 \pm 1.6$ $2.1 \pm 0.6$ HP-55       35 $3.4 \pm 0.9$ $1.3 \pm 0.3$ HP-56       47 $3.7 \pm 1.0$ $1.4 \pm 0.4$ HP-57       39 $4.8 \pm 1.3$ $1.8 \pm 0.5$ HP-58       37 $3.1 \pm 0.8$ $1.1 \pm 0.3$	HP-51	42		
HP-55       35 $3.4 \pm 0.9$ $1.3 \pm 0.3$ HP-56       47 $3.7 \pm 1.0$ $1.4 \pm 0.4$ HP-57       39 $4.8 \pm 1.3$ $1.8 \pm 0.5$ HP-58       37 $3.1 \pm 0.8$ $1.1 \pm 0.3$	HP-52	38		
HP-56 HP-57 HP-58 3.7 $\pm$ 1.0 1.4 $\pm$ 0.4 4.8 $\pm$ 1.3 1.8 $\pm$ 0.5 HP-58 37 3.1 $\pm$ 0.8 1.1 $\pm$ 0.3	HP-53	46		
HP-57 HP-58 39 4.8 $\pm$ 1.3 1.8 $\pm$ 0.5 HP-58 37 3.1 $\pm$ 0.8 1.1 $\pm$ 0.3	HP-55			
HP-58 37 3.1 $\pm$ 0.8 1.1 $\pm$ 0.3	HP-56			
42 . 12	HP-57			
Average $4.2 \pm 1.2$ $1.6 \pm 0.4$	HP-58	37	$3.1 \pm 0.8$	1.1 ± 0.3
	Average		$4.2 \pm 1.2$	1.6 ± 0.4

<sup>&</sup>lt;sup>a</sup>Weekly average concentration.

<sup>&</sup>lt;sup>b</sup>See Figure 1.

<sup>&</sup>lt;sup>c</sup>See Figure 2.

Table 15
CHEMICAL WATER QUALITY DATA - WHITE OAK DAM
1981

	NUMBER	<u> </u>		CON	CENTRA	CONCENTRATION, mg/L			8
SUBSTANCE SAMPLES MAXIMUM MINIMUM	SAMPLES	MA	XIMUM	MI	MIMUM	AVERAGE		STD."	STD.
ڻ ر	4	٧	0.01	٧	0.01	< 0.01		0.05	> 20
Zn	٠,	٧	0.02	٧	0.02	< 0.02		0.1	> 20
NO <sub>3</sub> (N)	~		8.3		3.6	$6.1 \pm 1.7$	1.7	10	61
Hg	\$		0.002	٧	0.001	< 0.001		0.005	< 20

"Tennessee Steam Guidelines.

Table 16
CHEMICAL WATER QUALITY DATA - MELTON HILL DAM
(Location C-2, Figure 3)
1981

	NUMBER			CON	CENTRA	CONCENTRATION, mg/L		8
SUBSTANCE	SAMPLES	ΨW	XIMUM	MIN	NIMUM	SAMPLES MAXIMUM MINIMUM AVERAGE	STD.4	STD.
ن	4	٧	0.01	V	10:0 >	< 0.01	0.05	< 20
Zn	5	٧	0.02	٧	0.02	< 0.02	0.1	< 20
NO <sub>3</sub> (N)	5		0.98		0.63	$0.86 \pm 0.1$	10	8.6
Hg	9	<b>v</b>	0.001	٧	0.001	< 0.001	0.005	< 20

"Tennessee Steam Guidelines.

Table 17
CHEMICAL WATER QUALITY DATA - ORGDP SANITARY WATER
PUMPING STATION
(Location C-3, Figure 3)
1981

	NUMBER			ٽ ا	CONCENTRATION, mg/L	RAT	TON, m	g/L	_		찬
SUBSTANCE	SAMPLES	MA	MAXIMUM	MIN	MINIMUM		AVERAGE	AG.	н	STD.4	STD.
PO	12		0.002	٧	0.002	٧	0.007			0.01	> 20
ڻ	12	٧	0.01	٧	0.01	V	0.01			0.05	% V
CN	12	٧	0.007	v	0.002	v	0.002			0.01	> 20
NO <sub>3</sub> (N)	12		9.0	٧	0.1	v	0.3	+1	0.1	10	<b>v</b>
Pb	12	٧	0.01	٧	10.0	٧	0.01			0.05	> 20
SO <sub>4</sub>	12		36		19		25	+I	۳	250	10
T.D.S.	12		240	_	110	.—	170	+1	26	200	34
Zn	12		80.0	٧	0.02	٧	0.05	++	0.01	0.1	> 50
-1	12		0.1	<b>'</b>	> 0.1	٧	0.1			<del></del>	21 >
Hg	12		0.01	٧	0.001	V	0.002 ± 0	+1	0.005	0.005	<b>^</b>
ž	17	<b>v</b>	0.01	V	0.01	٧	0.01			0.1	01 >

<sup>a</sup>Tennessee Steam Guidelines.

Table 18
CHEMICAL WATER QUALITY DATA - ORGDP RECIRCULATING
WATER PUMPING STATION
(Location C-4, Figure 3)
1981

	NUMBER				CONCENTRATION, mg/L	FRA	TION, 1	/Bu	<b>1</b>		8
SUBSTANCE	SAMPLES	MA	MAXIMUM	MIN	MINIMUM		AVERAGE	\ }	3E	STD.	STD.
Cd	12		0.003	v	0.003	٧	0.002	H	< 0.002 ± 0.0002	0.01	< 20
č	13	٧	0.01	٧	0,01	٧	0.01			0.05	< 20
CN	13	٧	0.003	V	< 0.002	٧	0.002			0.01	> 20
NO <sub>3</sub> (N)	13		9.0		0.1		$0.32 \pm 0.08$	H	90'0	01	æ
Pb	12	٧	0.01	٧	0.01	V	0.01			0.05	> 20
SO.	12		32		21		27	H	2	250	=======================================
T.D.S.	12		250		150		180	H	21	200	36
Zn	13		0.1		0.03		0.01	H	0.02	0.1	70
<u>.</u>	12		0.3	٧	0.1	٧	0.1	++	0.04		< 13
Hg	17	٧	0.001	٧	0.001	٧	0.001			0.005	> 20
Z	13	٧	10.0	٧	0.01	٧	0.01			0.1	> 10

"Tennessee Stream Guidelines.

Table 19
CHEMICAL WATER QUALITY DATA - CLINCH RIVER DOWNSTREAM OF ORGDP
(Location C-6, Figure 3)
1981

	NUMBER			3	CONCENTRATION, mg/L	RA	TION, r	ng/]			8
SUBSTANCE	SAMPLES	MA	MAXIMUM	MIN	MINIMUM		AVERAGE	AG	Ë	STD."	STD.
S.	12		0.003	٧	< 0.002	٧	< 0.002			0.01	> 20
Ċ	12	٧	0.01	٧	0.01	٧	0.01			0.05	< 20
CN	12	٧	0.003	V	0.002	٧	0.00			0.01	> 20
NO <sub>3</sub> (N)	12		0.5	٧	0.1	٧	0.3	+1	60.0	10	<b>^</b>
Pb	12	٧	0.01	٧	0.01	٧	0.01			0.05	< 20
.tos	12		31		22		26	H	7	250	=
T.D.S.	13		210		110		170	+1		200	34
Zn	12		0.03	٧	0.02	٧	0.02	+I	0.003	0.1	< 20
7	12		0.2	٧	0,1	٧	0.1	+1	0.01	-	0. V
Hg .	12	٧	0.001	٧	0.001	٧	0.001			0.005	> 20
ž	12	<b>v</b>	0.01	٧	0.01	٧	0.01			0.1	9 V
				1							

<sup>4</sup>Tennessee Stream Guidelines.

Table 20
CHEMICAL WATER QUALITY DATA - EAST FORK POPLAR CREEK
(Location E-1, Figure 3)
1981

	NUMBER			٥	CONCENTRATION, mg/L	K¥	TION, II	1/g				
SUBSTANCE	SAMPLES	₩ ¥	MAXIMUM	WI	MINIMOM		AVERAGE	AG	E	STD.4	S	STD.
Cq Cq	12	٧	0.002	v	0.002	٧	< 0.002			0.01	٧	20
<u>G</u> -	12		17	٧	7	٧	< 10 ± 6	+1	9		٧	۸ 4
Ö	13		0.01	٧	0.01	٧	10.0				٧	20
<u>-</u>	12		1.7		9.0		1.2	+1	$1.2  \pm  0.3$			120
Hg	12		0.002	٧	0.001	٧	0.007	++	0.001		٧	<b>\$</b>
NO <sub>3</sub> (N)	12		3.6		0.5		3.0	H	8.0			30
Pb	12	v	0.01	٧	0.01	٧	0.01				٧	20
<b>20</b> 5	12		7.1		38		52	+1	9	250		21
T.D.S.	12	•	097		170		230	+I	30	200		46
Zn	13		0.01	٧	0.05	٧	0.04	+1	0.02	0.1	٧	4

"Tennessee Stream Guidelines.

Table 21 ·
CHEMICAL WATER QUALITY DATA - BEAR CREEK
(Location B-1, Figure 3)
1981

	NUMBER		Ó	CONCENTRATION, mg/L	ΛΤΙC	N, mg	7/				B
SUBSTANCE	SAMPLES	MAXIMUM MINIMUM	MII	MIMUM		AVERAGE	¥2	Ē	STD."	જ	STD.
Cd	12	0.005	٧	< 0.002	٧	< 0.002 ± 0.001	#	0.00	0.01	٧	> 20
CI-	12	12	٧	2	٧	5 + 4	+1	4	250	٧	7
1	12	0.5	٧	0.1	٧	< 0.3	+I	0.1	-	٧	30
NO <sub>3</sub> (N)	12	27		1.2		15	+1	9	10		150
Zn	12	0.08	٧	0.02	٧	< 0.03	+1	0.02	0.1	٧	30
-tos	12	28	٧	01 >	٧	9! >	+1	9	250	٧	9

<sup>4</sup>Tennessee Stream Guidelines.

Table 22
CHEMICAL WATER QUALITY DATA - POPLAR CREEK ABOVE BLAIR BRIDGE
(Location P-1, Figure 3)
1981

	NUMBER			0	CONCENTRATION, mg/L	FRA	FION, 1	/8u			8
SUBSTANCE	SAMPLES		MAXIMUM	MIN	MINIMUM		AVERAGE	S Y	3	STD.4	STD.
Cd	12		0.003	٧	0.002	v	$0.002 \pm 0.0002$	Ħ	0.0002	0.01	> 20
Cr	12	٧	0.01	٧	0.01	٧	0.01			0.05	> 50
CN	13	٧	0.002	٧	0.002	٧	0.003			0.01	< 20
NO <sub>3</sub> (N)	17		7		0.2		9.0	#	0.3	10	90
Pb	12	٧	0.01	٧	0.01	٧	0.01			0.05	92 V
SO.	12		98		39		52	#	10	250	21
T.D.S.	12		330		140	, ,	250	÷I	41	200	ς Σ
Zn	12		0.2	٧	0.02	٧	0.04	+1	0.03	0.1	A 40
Ŧ	13		0.5		0.1		0.3	Ħ	0.07	-	30
Hg	12	٧	0.001	٧	0.001	٧	0.001			0.005	× 50
Z	12		0.03	v	0.01	V	0.01	+1	0.002	0.1	> 10

<sup>a</sup>Tennessee Stream Guidelines.

Table 23
CHEMICAL WATER QUALITY DATA - POPLAR CREEK NEAR CLINCH RIVER
(Location P-2, Figure 3)
1981

	NUMBER				CONCENTRATION, mg/L	FRA	TION, r	ng/	<u>ר</u>			
SUBSTANCE	OF SAMPLES	MA	MAXIMUM MINIMUM	MIN	4IMUM		AVERAGE	\\$	Æ	STD."	S	STD.
PO	12		0.004	V	0.002	٧	0.002	+1	< 0.002 ± 0.0004	0.01	٧	20
Ç	12	٧	0.01	٧	< 0.01	٧	0.01			0.05	٧	20
CN	12	٧	< 0.002	<b>v</b>	0.007	٧	0.002			0.01	٧	> 20
NO <sub>3</sub> (N)	12				0.3		9.0	+I	+ 0.1	10		9
Pb	13	٧	10.0	٧	0.01	٧				0.05	٧	20
SO4	12		99		30		40	+1	7	250		16
T.D.S.	12		330		120		200	+1	38	200		4
Zu	12		0.3	V	0.02	٧	0.1	+1	0.05	0.1	٧	× 100
<u> </u>	12		0.3	٧	0.1	٧	0.2	+1	0.04	-	٧	<u>∞</u>
Hg	12	٧	0.001	٧	0.001	٧	> 0.001		٠	0.005	٧	> 20
ž	12		0.02	٧	0.01	٧	0.01	+I	0.002	0.1	٧	2

<sup>a</sup>Tennessee Stream Guidelines.

Table 24
NATIONAL POLLUTANT DISCHARGE ELIMINATION
SYSTEM (NPDES) EXPERIENCE
1981

		EFFLUE	NT LIMITS	
DISCHARGE POINT	EFFLUENT PARAMETERS	DAILY AVERAGE mg/L	DAILY MAXIMUM mg/L	PERCENTAGE OF MEASUREMENTS IN COMPLIANCE
ORNL				•
001				
(White Oak Creek)	Dissolved Oxygen (min.)	5		100
	Dissolved Solids		2000	92
	Oil and Grease	10	15	92
	Chromium (Total)	g∎	0.05	98
	pH (pH units)	-	6.0 - 9.0	99
002	-			
(Melton Branch)	Chromium (Total)		0.05	100
	Dissolved Solids		2000	100
	Oil and Grease	10	15	100
	pH (pH units)		6.0 - 9.0	99
003			•	
(Main Sanitary	Ammonia (N)		5	17
Treatment Facility)	BOD		20	60
	Chlorine Residual		0.5 - 2.0	93
	Fecal Coliform Bact. (No/100 mL)	200 <sup>6</sup>	400°	100
	pH (pH units)	'	6.0 - 9.0	100
	Suspended Solids		30	100
	Settleable Solids (mL/L)		0.5	94
004				
(7900 Area Sanitary	BOD		30	No Discharges
Treatment Facility)	Chlorine Residual		0.5 - 2.0	From This
	Fecal Coliform Bact. (No/100 mL)	200 <sup>b</sup>	400°	Facility
	pH (pH units)		6.0 - 9.0	
	Suspended Solids		30	
	Settleable Solids (mL/L)	<b></b> `	0.5	
Y-12 PLANT 001				
(Kerr Hollow	Dissolved Solids		2000	100
Quarry)	Lithium		5	100
Quarry)	pH (pH units)		6.0 - 9.0	100
	Suspended Solids		50	100
	Zirconium		3	100

Table 24 (CONTINUED)

			ENT LIMITS DAILY	PERCENTAGE OF
DISCHARGE	EFFLUENT	DAILY AVERAGE	MAXIMUM	MEASUREMENTS IN COMPLIANCE
POINT	PARAMETERS	mg/L	mg/L	IN COMPLIANCE
002				100
(Rogers Quarry)	pH (pH units)	<b></b>	6.0 - 9.0	100
	Suspended Solids <sup>a</sup>	30	50	100
	Settleable Solids (mL/L) <sup>a</sup>	••	0.5	100
003				100
(New Hope Pond)	Ammonia (N)		1.6	100
•	Chromium	0.05	0.08	100
	Dissolved Oxygen (min.)	5		100
	Dissolved Solids		2000	92
	Fluoride	1.5	2.0	100
	Lithium		5	
	Oil and Grease	10	15	100
	pH (pH units)		6.0 - 9.0	100
	Phosphate (as MBAS)	5	8	100
i	Suspended Solids <sup>a</sup>		20	100
·	Settleable Solids (mL/L) <sup>a</sup>		0.5	100
	Total Nitrogen (N)		20	100
	Zinc	0.1	0.2	96
004			1.5	100
(Bear Creek)	Oil and Grease	10	15	100
	pH (pH units)		6.0 - 8.5	100
ORGDP				
001			1.0	92
(K-1700 Discharge)	Aluminum	0.05	0.08	100
	Chromium (Total)		20	100
	Nitrate	 20	50	100
	Suspended Solids	30	15	100
	Oil and Grease	10	6.0 - 9.0	98
	pH(pH units)		0.0 - 9.0	70
002			None Detectable	100
(K-1410 Metal	Cyanide	10	15	100
Plating Facility)	Oil and Grease		6.0 - 9.0	100
	pH (pH units)		0.0 - 7.0	••-
004	** / ** *		6.0 - 9.0	1 <b>00</b>
(K-1131) Steam	pH (pH units)	0.005	0.008	100
Condensate Discharge)	Flow (MGD)	0.00.0	V,VV0	

Table 24 (CONTINUED)

		EFFLUE	NT LIMITS	
DISCHARGE POINT	EFFLUENT PARAMETERS	DAILY AVERAGE mg/L	DAILY MAXIMUM mg/L	PERCENTAGE OF MEASUREMENTS IN COMPLIANCE
005			· · · · · · · · · · · · · · · · · · ·	
(K-1203 Sanitary	Ammonia (N)	5 <sup>8</sup>	7°	100
Treatment Facility)	BOD	15 <sup>b</sup>	20°	99
•,	Chlorine Residual		0.5 - 2.0	99
	Dissolved Oxygen (min.)	5		100
	Fecal Coliform Bact. (No/100mL)	200 <sup>b</sup>	400°	100
	pH (pH units)		6.0 • 9.0	100
	Suspended Solids	30 <sup>b</sup>	45°	99
	Settleable Solids (mL/L)	-	0.5	99
006	• • •			
(K-1007B Holding	COD	20	25	100
Pond)	Chromium		0.05	100
,	Dissolved Oxygen (min.)	5		100
	Fluoride	1.0	1.5	100
	Oil and Grease	10	15	100
	pH (pH units)		6.0 - 9.0	100
	Suspended Solids <sup>a</sup>	30	50	100
007				
(K-901A Holding	Chromium (Total)		0.05	100
Pond)	Fluoride	1. <b>0</b>	1.5	100
,	Oil and Grease	10	15	100
	pH (pH units)	-	6.0 - 10	100
	Suspended Solids	30	5 <b>0</b>	100
$008^{d}$	•			
(K-710 Sanitary	BOD	30 <sup>6</sup>	45°	No Discharges
Treatment Facility)	Suspended Solids	30 <sup>b</sup>	45°	From This
,	Fecal Coliform Bact. (No/100 mL)	200 <sup>b</sup>	400°	Facility
	pH (pH units)		6.0 - 9.0	
	Chlorine Residual		0.5 - 2.0	
	Settleable Solids (mL/L)		1.0	
009	-			
(Sanitary Water	Suspended Solids <sup>a</sup>	30	50	100
Plant)	Aluminum		250	100
•	Sulphate		1400	100
	pH (pH units)		6.0 - 9.0	100

<sup>&</sup>lt;sup>a</sup>Limit applicable only during normal operations. Not applicable during periods of increased discharge due to surface run-off resulting from precipitation.

<sup>&</sup>lt;sup>b</sup>Monthly Average.

<sup>&</sup>lt;sup>c</sup>Weekly Average.


<sup>&</sup>lt;sup>d</sup>Due to the small flow rates at the K-710 Sanitary Treatment Facility, a rapid sand filter was installed May 1, 1978 eliminating the surface discharge and monitoring requirements.

Table 25 CONCENTRATION OF 191 IN MILK<sup>a</sup> 1981

	NUMBER	UN	ITS OF E-09 μCi	/mL (Bq/L)	COMPARISON
STATION NUMBER	OF SAMPLES	MAXIMUM	MINIMUM <sup>b</sup>	AVERAGE	WITH STANDARD
		<u>I</u> ı	mmediate Environ	s <sup>d</sup>	
1	22	<0.45 (0.017)	<0.45 (0.017)	<0.45 (0.017)	Range I
	47	0.7 (0.026)	<0.45 (0.017)	<0.45 (0.017) ± 0.01	Range I
2 3	46	0.5 (0.019)	<0.45 (0.017)	<0.45 (0.017) ± 0.01	Range I
4	47	1.1 (0.04)	<0.45 (0.017)	$<0.45 (0.017) \pm 0.03$	Range I
5	46	<0.45 (0.017)	<0.45 (0.017)	<0.45 (0.017)	Range I
6	43	3.6 (0.133)	<0.45 (0.017)	$<0.45 (0.017) \pm 0.15$	Range I
7	47	0.8 (0.030)	<0.45 (0.017)	<0.45 (0.017) ± 0.02	Range I
Average				<0.45 (0.017) ± 0.04	
			Remote Environs		
51	6	<0.45 (0.017)	<0.45 (0.017)	<0.45 (0.017)	Range I
52	3	<0.45 (0.017)	<0.45 (0.017)	<0.45 (0.017)	Range I
53	3	0.5 (0.019)	<0.45 (0.017)	<0.45 (0.017) ± 0.06	Range I
56	7	<0.45 (0.017)	<0.45 (0.017)	<0.45 (0.017)	Range I
58	4	1.3 (0.048)	<0.45 (0.017)	<0.45 (0.017) ± 0.48	Range I
Average				<0.45 (0.017) ± 0.10	

<sup>&</sup>lt;sup>a</sup>Raw milk samples, except for Station 2 which is a dairy.

<sup>&</sup>lt;sup>b</sup>Minimum detectable concentration of <sup>131</sup>I is 0.45 E-09 μCi/mL (0.017 Bq/L).



<sup>&</sup>lt;sup>d</sup>See Figure 6.

<sup>&</sup>quot;See Figure 7.

Table 26 CONCENTRATION OF "Sr IN MILK" 1981

	NUMBER	ואט	TS OF E-09 μCi/	mL (Bq/L)	COMPARISON WITH
STATION NUMBER	OF SAMPLES	MAXIMUM	MINIMUM*	AVERAGE	STANDARD
		Im	mediate Environs		
1	17	1.8 (0.066)	0.9 (0.033)	$1.3 (0.048) \pm 0.13$	Range I
	47	2.4 (0.089)	0.8 (0.030)	$1.4 (0.052) \pm 0.11$	Range I
2 3	44	3.2 (0.118)	0.7 (0.026)	$1.5 (0.056) \pm 0.14$	Range I
4	44	4.5 (0.166)	1.1 (0.041)	$2.2 (0.081) \pm 0.24$	Range I
5	46	2.6 (0.096)	0.7 (0.026)	$1.5 (0.056) \pm 0.12$	Range I
6	40	3.2 (0.118)	0.8 (0.030)	$1.7 (0.063) \pm 0.18$	Range [
7	46	2.6 (0.096)	0.7 (0.026)	$1.6 (0.059) \pm 0.11$	Range I
Average		<u></u>		$1.6 (0.059) \pm 0.15$	
		I	Remote Environs <sup>e</sup>		
51	6	2.4 (0.089)	0.7 (0.026)	$1.5 (0.056) \pm 0.51$	Range I
52	3	1.3 (0.048)	1.1 (0.041)	$1.2 (0.044) \pm 0.16$	Range I
53	3	0.9 (0.033)	0.5 (0.019)	$0.8 (0.030) \pm 0.27$	Range I
56	7	1.6 (0.059)	0.7 (0.026)	$1.0 (0.037) \pm 0.29$	Range I
58	4	2.2 (0.081)	1.1 (0.041)	$1.7 \ (0.063) \ \pm \ 0.46$	Range I
Average				1.3 (0.048) ± 0.36	

<sup>&</sup>lt;sup>a</sup>Raw milk samples, except for Station 2 which is a dairy.

cApplicable FRC standard, assuming 1 liter per day intake:
 Range I 0 to 2 E-08 μCi/mL (0.74 Bq/L) — Adequate surveillance required to confirm calculated intakes.
 Range II 2 E-08 μCi/mL (0.74 Bq/L) to 2 E-07 μCi/mL (7.4 Bq/L) — Active surveillance required.
 Range III 2 E-07 μCi/mL (7.4 Bq/L) to 2 E-06 μCi/mL (74 Bq/L) — Positive control action required.
 Note: Upper limit of Range II can be considered the concentration guide.

<sup>&</sup>lt;sup>b</sup>Minimum detectable concentration of <sup>∞</sup>Sr is 0.5 E-09 μCi/mL (0.019 Bq/L).

dSee Figure 6.

See Figure 7.

Table 27
RADIONUCLIDE CONTENT IN CLINCH RIVER FISH
ALPHA EMITTERS
1981
pCi/kg (mB4/kg) Wet Weight

LOCATION	Species*	nd∾:	7	ndwa	n.	n <sub>s</sub>	n	Rea	_	n.	٦	
CRM 5.0	Bass Blue Gill Carp Shad Crappie	0.011 0.008 0.011 0.014 0.011		0.0076 0.057 0.011 0.014 0.0070	(6.3) (0.4) (0.5) (0.3)	0.26 0.77 2.21 7.80 0.27	(10) (29) (290) (10)	0.14 0.41 0.81 1.61 0.12	(5) (5) (5) (5) (5) (5)	0.26 1.82 15.8 11.9	(9) (68) (590) (440) (19)	
CRM 10.0	Bass Blue Gill Carp Shad Crappie	0.011 0.032 0.011 0.10 0.014		0.011 0.041 0.012 0.023 0.0018	(0.4) (1.5) (0.4) (0.9)	0.25 12.2 1.02 4.41 0.27	(450) (38) (160) (10)	0.16 2.15 0.67 1.56 0.25	68 68 68 68 68 68 68 68 68 68 68 68 68 6	0.68 19.8 2.32 6.89 1.02	(25) (740) (86) (260) (38)	
CRM 12.0	Bass Blue Gill Carp Shad Crappie	0.011 0.081 0.025 0.064 0.020		0.0038 0.10 0.018 0.0092 0.0070	(6.1) (6.7) (6.3) (6.3)	0.29 3.24 0.28 5.51 0.98	(150) (200) (36) (36)	0.026 2.23 0.066 0.50 0.17	££££	0.49 13.8 0.42 8.72 1.44	(18) (510) (16) (320) (53)	
CRM 20.8*	Bass Blue Gill Carp Shad Crappie	0.026 0.028 0.014 0.17 0.007	(1.0) (1.0) (6.0) (6.0)	0.011 0.053 0.021 0.073	(0.4) (2.0) (0.8) (0.3)	0.79 0.69 0.46 3.72 0.46	(29) (26) (17) (140) (17)	0.23 0.38 0.28 0.50 0.11	\$ <del>5</del> 5 5 5	1.78 1.94 1.12 5.92 1.12	(66) (72) (42) (220) (42)	
CRM 25.0	Bass Blue Gill Carp Shad Crappie	0.019 0.008 0.007 0.005 0.005		0.008 0.012 0.007 0.007	(0.3) (0.3) (0.3) (0.3)	0.95 1.17 1.44 0.69 1.82	(35) (44) (53) (26) (68)	0.42 0.89 0.42 0.60 0.56	(12) (23) (23) (23) (23)	1.51 3.16 5.62 0.78 2.56	(56) (120) (210) (29) (95)	

<sup>a</sup>Composite of ten fish in each species.

<sup>&</sup>lt;sup>b</sup>Average of quarterly samples.

Table 28
RADIONUCLIDE CONTENT IN CLINCH RIVER FISH
BETA-GAMMA EMITTERS
1981
pCi/kg (mBq/kg) Wet Weight

LOCATION	Species	13.Cs	8	) <sub>ne</sub>	"Co	ıSı.		% MPI
CRM 5.0	Bass Blue Gill Carp Shad Crappie	98.3 72.9 77.2 11.9	(3.6) (2.7) (2.9) (4.4) (3.6)	3.78 4.05 3.86 6.89 3.51	(0.14) (0.15) (0.14) (0.14) (0.13)	2. 6. 8. 8. 8. 8. 8. 8. 8. 8. 8. 8. 8. 8. 8.	(0.14) (0.24) (0.68) (0.90)	0.04 0.05 0.14 0.18
CRM 10.0	Bass Blue Gill Carp Shad Crappie	106 56.7 63.2 119 70.2	(3.9) (2.1) (2.3) (4.4) (2.6)	1.51 3.24 3.51 5.97 2.11	(0.056) (0.12) (0.13) (0.22)	8.6 9.8 7.4 7.4 9.6	(0.14) (0.33) (0.54) (0.14)	0.04 0.07 0.19 0.12
CRM 12.0	Bass Blue Gill Carp Shad Crappie	215 72.9 25.9 96.4 98.2	(8.0) (2.7) (0.96) (3.6) (3.6)	2.27 8.10 2.11 4.59 1.76	(0.084) (0.30) (0.078) (0.17) (0.065)	4, 6, 4, 6, 4, 8, 4, 8, 8, 8, 8, 8, 8, 8, 9, 8, 9, 8, 9, 9, 9, 9, 9, 9, 9, 9, 9, 9, 9, 9, 9,	(0.17) (0.26) (0.17) (0.14)	0.05 0.03 0.03 0.04
CRM 20.8°	Bass Blue Gill Carp Shad Crappie	878 1371 270 693 770	(33) (51) (26) (29)	140 51.0 27.4 53.2 9.48	(5.18) (1.89) (1.01) (1.97) (0.35)	27.6 172.5 52.3 32.6 34.1	(1.2) (1.2) (1.3)	0.29 1.35 0.39 0.30
CRM 25.0	Bass Blue Gill Carp Shad Crappie	10.6 12.6 3.51 5.05 10.9	(0.39) (0.47) (0.13) (0.19)	3.78 2.43 3.51 4.59 3.51	(0.14) (0.09) (0.13) (0.17)	4.54 17.8 56.2 8.26 3.51	(0.17) (0.66) (0.31) (0.13)	0.03 0.13 0.39 0.06 0.03

<sup>a</sup>Composite of ten fish in each species.

<sup>&</sup>lt;sup>b</sup>Percent maximum permissible intake for all radionuclides in both Table 27 and 28. See text for definition of maximum permissible intake.

<sup>&#</sup>x27;Average of quarterly samples.

Table 29
MERCURY CONTENT IN CLINCH RIVER FISH
1981

		CONCENTRATION	
LOCATION	Species	ng/g - Wet Weight	% A.L.
CRM 50	35.5	133	72
	Bue Gill	86	1.1
	Carp	289	88
	Shad	7.3	15
	Crappie	. 401	80
CRM 10.0	Bass	237	41
	Blue Gill	257	51
	Carp	487	64
	Shad	44	6
	Crappic	. 181	56
CBM 12.0	Bass	43	6
	Blue Gill	18	4
	Carp	575	115
	Shad	23	\$
	Crappie	102	20
CRM 20.86	Bass	144	29
	Blue Gill	117	23
	Cara	108	22
	Shad	44	•
	Crappie	253	15
CRM 25.0	Bass	91	3
	Blue Gill	57	=
	Carp	124	25
	Shad	12	2
	Crappie	30	9
		A LANGE WITH THE PARTY OF THE P	

<sup>4</sup>Composite of ten fish in each species.

 $<sup>^{</sup>b}$ Percent of proposed FDA mercury in fish action level of 500 ng/g.

<sup>&#</sup>x27;Average of quarterly samples.

Table 30
17Cs CONCENTRATION IN DEER SAMPLES
1981
pCi/g (Bq/kg) - Wet Weight

SAMPLE NUMBER	MUS	MUSCLE	LIV	LIVER	SAMPLE NUMBER	MUSCLE	CLE	LIVER	ER
D-1	0.078	(2.9)	•	۵'	D-25	0.16	(0.0)	0.051	(1.9)
D-2P	•	•	•	•	D-26	0.15	(2.6)	0.059	(2.2)
D-3	•	,	•	•	D-27	0.95	(35.0)	0.22	(8.2)
D-4	0.027	(1.0)	0.029	(2.2)	D-28	0.35	(13.0)	0.17	(6.3)
D-5	0.062	(2.3)	0.049	(1.8)	D-29	0.62	(23.0)	0.14	(5.2)
D-6	0.032	(1.2)		•	D-30	0.17	(6.3)	0.15	(9.6)
D-7	0.035	(1.3)		•	D-31	0.19	(1.0)	0.084	(3.1)
D-8P	0.016	(9.0)		•	D-32	0.086	(3.2)	0.054	(5.0)
D-9	0.027	(1:0)	•		D-33	0.27	(10.0)	0.65	(24.0)
D-10	0.030	(1.1)		•	D-34	₹ Z	۲Z	0.059	(2.2)
D-11	0.024	(0.9)	N A	۲Z	D-354	0.20	(7.4)	0.065	(5.4)
D-12	•		0.030	(i.t)	D-36	0.25	(9.1)	0.12	(4.4)
D-13	0.041	(1.5)	•	,	D-37	0.057	(2.1)	910.0	(0.6)
D-14	0.027	(0.1)		,	D-38	0.14	(5.2)	0.029	(2.2)
D-16 <sup>b</sup>	0.92	(34)	0.38	(14.0)	D-39	0.19	(7.0)	0.068	(2.5)
D-17	0.032	(1.2)		•	D-41	0.20	(7.4)	0.043	(1.6)
BL-1	0.11	(4.2)		,	D-42	0.095	. (3.5)	0.076	(2.8)
BL-2			ı	,	D-43	0.27	(10.0)	a	•
D-22	0.045	(1.8)	610'0	(0,7)	D-44	0.14	(5.2)	0.051	(1.9)
D-23 <sup>c</sup>	0.016	(0.6)	0.014	(0.5)	D-45	0.11	(4.2)	0.027	(0.1)
D-24	0.070	(5.6)	0.043	(1.6)	D-46	0.073	(2.7)	1	- :

<sup>a</sup>Entries with a dash (-) indicate a concentration level <0.01 pCi/g (<0.4 Bq/kg).

NOTE: NA - Not Analyzed.

<sup>&</sup>lt;sup>b</sup>Also 0.005 pCi/g (0.2 Bq/kg) "Co in muscle; 0.2 pCi/g (7.4 Bq/kg) "Co in liver.

<sup>&#</sup>x27;Also 0.02 pCi/g (0.7 Bq/kg) "Co in muscle.

<sup>&</sup>lt;sup>d</sup>Also 0.01 pCi/g (0.4 Bq/kg) <sup>∞</sup>Co in muscle.

Table 31
VEGETATION SAMPLING DATA
1981

STATION		NCENTRATION <sup>6</sup> 1g/g (ppm)	U (TOTAI	L) CONCENTRATION <sup>b</sup> μg/g (ppm)
NUMBER <sup>a</sup>	GRASS	PINE NEEDLES	GRASS	PINE NEEDLES
1	. 9	•	0.6	_
3	7	- 5	1.6	0.2
2	< 5	7	1.2	0.3
<i>J</i>	` 5	7	0.7	0.2
5	6	7	0.7	0.5
6	< 5	< 5	0.6	0.3
7	5	5	0.5	0.2
8	8	10	0.6	0.4
9	7	< 5	0.7	0.2
10	5	6	0.5	0.1
11	11	9	1.7	1.1
12	10	7	0.4	0.4
13	13	v	1.1	•
14	8	-	-	•
15	11	•	-	•
16	17	•	-	•
17	12	•	-	-

<sup>&</sup>lt;sup>a</sup>See Figure 1.

NOTE: Applicable guides for flora have not been established. However, for comparison the American Industrial Hygiene Association Journal for January-February 1969 (pp. 98-101) states that dairy cattle is the species of livestock most sensitive to fluorides in grasses. For comparative purposes the following fluoride concentrations and their effect on dairy cattle are given.

30 ppm - no adverse effects
30 to 40 ppm - borderline chronic
40 to 60 ppm - moderate chronic
60 to 110 ppm - severe chronic
above 250 ppm - acute

<sup>&</sup>lt;sup>b</sup>Average concentration of two sample collections, January and July. Analytical results are on a dry weight basis.

Table 32
RADIOACTIVITY IN GRASS SAMPLES FROM PERIMETER AND REMOTE MONITORING STATIONS
1981 Units of pCi/g (Bq/kg) - Dry Weight

SAMPLING LOCATION <sup>a</sup>	Å	<u>ا</u> چار	, in	"Cs	nd <sub>ect</sub>	חוד חוד	J. Pu	=	O <sub>rt</sub>	٦	Oser .	٥	# 1	n <sub>e</sub>
				-		Perin	Perimeter							
HP-31	0.38	(4)	0.18	(6.7)	0.0089	(0.33)	0.0018	(0.01)	0.09	(3.5)	0.015	(0.56)	0.17	(6.3)
HP-32	0.43	(91)	0.07	(5.6)	0.0008	(0.03)	0.0004	(0.02)	0.0	(4.1)	0.021	(0.78)	0.39	(14)
HP-33	0.47	(13)	0.10	(3.7)	0.0022	(0.08)	0.0007	(0.03)	0.04	(1.5)	0.005	(0.19)	0.07	(5.6)
HP-34	0.57	(21)	0.08	(3.0)	0.0010	(0,04)	0.0011	(0.04)	0.03	3	0.010	(0.37)	0.07	(5.6)
HP-35	0.47	(13)	90.0	(2.2)	0.0017	(0.06)	0.0008	(0.03)	0.05	(1.9)	0.014	(0.52)	0.12	(4.3)
HP-36	0.82	(30)	0.04	(1.5)	0,0008	(0.03)	0.0007	. (0.03)	0.03	E:3	0.010	(0.37)	0.05	(1:9)
HP-37	0.55	(20)	0.15	(3.6)	0.0005	(0.03)	0.0007	(0.03)	0.05	(0.7)	900.0	(0.22)	0.05	(6.1)
HP-38	0.49	(18)	0.35	(13.0)	0.0014	(0.02)	0.0009	(0,04)	0.03	(1.1)	0.007	(0.26)	0.05	(6.1)
HP-39	0.62	(23)	0.15	(9.6)	0.0026	(0.10)	0.0018	(0.01)	0.08	(3.0)	0.071	(5.6)	91.0	(5.9)
Average	0.58	(21)	0.13	(4.8)	0.0023	(0.09)	0.001	(0.04)	0.08	(3.0)	0.020	(0.74)	0.16	(6.3)
						Rer	Remote							
HP-51	0.95	(38)	0.09	(3.3)	0.0049	(0.18)	0.0005	(0.02)	0.03	(1.1)	0.018	(0.67)	90.0	(2.3)
HP-52	0.76	(28)	0.13	(4.8)	0.0002	(0.01)	0.0049	(0.18)	90.0	(2.2)	0.054	(5.0)	0.17	(6.3)
11P-53	0.95	(35)	0.08	(3.0)	0.0002	(0.01)	0.0022	(0.08)	0.03	(I.I)	0.013	(0.48)	0.05	(6.1)
HP-55	0.59	(22)	Ϋ́	Ϋ́	0.0001	(<0.01)	<0.0001	(<0.01)	0.03	(F.E)	0.025	(0.93)	0.07	(5.6)
HP-56	0.62	(23)	Ϋ́Z	ΥZ	0.0041	(0.15)	0.0002	(0.01)	0,10	(4.0)	0.013	(0.48)	0.08	(3.0)
HP-57	0.38	(14)	Ϋ́Z	¥ Z	0.0014	(0.02)	0.0002	(0.01)	0.01	(0.4)	0.003	( <u>0</u> :E)	0.03	=======================================
HP-58	0.54	(50)	90'0	(2.2)	0.0014	(0.05)	0.0008	(0.03)	0.03	(0.1)	0.017	(0.63)	0.07	(5.6)
Average	99.0	(25)	0.09	(3.4)	0.0018	(0.06)	0.0017	(90.0)	0.04	(1.5)	0.020	(0.74)	0.07	(5.6)

"See Figures 1 and 2.

Average of two samples.

Опе затре.

NOTE: NA - Not analyzed.

Table 33
RADIOACTIVITY IN SOIL SAMPLES FROM PERIMETER AND REMOTE MONITORING STATIONS
1981

Units of pCi/g (Bq/kg) - Dry Weight

LOCATION	\$	"Sr	2	"Cs	ž	D <sub>E</sub>	2		***	.aPu	M.	nd <sub>M</sub>	· -	O <sub>4.7</sub>
						Peri	Perimeter <sup>b</sup>							
HP-31	0.3	Ē	0:1	(37)	0.7	(92)	0.05	(1.9)	0.012	(0.44)	0.03	(1.1)	0.3	Ξ
HP-32	0.5	(2)	Ξ	(41)	F.3	(48)	0.03	==	0.005	(0.01)	0.03	=======================================	0.9	$\widehat{\Xi}$
HP-33	0.4	(15)	Ξ	(41)	0.4	(13)	0.05	(0.7)	0.002	(0.01)	0.04	(1.5)	0.2	3
HP-34	0.5	(61)	1.5	(99)	0.3	<u>=</u>	0.02	(0.7)	0.00	(0.01)	0.03	E	0.3	Ξ
HP-35	0.4	(15)	1.7	(63)	0.5	( <del>6</del> E)	0.03	(1.1)	0.003	(0.11)	0.04	(1.5)	0.4	(3)
1FP-36	0.7	6	4.1	(52)	0.5	(61)	0.03	(E.E)	0.004	(0.15)	0.05	(0.7)	0.3	Ξ
HP-37	0.7	(56)	9.0	(36)	0.7	6	0.03	(0.7)	0.004	(0.15)	0.04	(1.5)	0.3	Ξ
HP-38	9.0	(22)	6.0	(33)	0.3	Ê	0.02	(0.1)	0.003	(0.IE)	0.04	(1.5)	0.2	5
HP-39	0.2	(2)	2.3	(82)	6.0	(33)	90:0	(2.2)	0.004	(0.15)	90'0	(2.2)	6.0	(33)
Average	0.4	(15)	<u></u>	(48)	9.0	(22)	0.03	(J. D	0.004	(0.15)	0.04	(1.5)	0.4	(15)
	1					Re	Remote					1		
HP-51	0.3	Ξ	0.5	(61)	0,4	(15)	0.04	(1.5)	0.002	(0.01)	0.05	(0.7)	0.4	(15)
HP-52	0.2	<u>(</u> E	0.1	(37)	0.5	(61)	0.03	<u>=</u>	0.007	(0.26)	0.08	(3.0)	0.3	Ξ
HP-53	0.3	Ξ	6.1	(0/	0.9	(33)	0.04	(1.5)	0.008	(0.30)	0.19	(2.0)	0.1	(26)
HP-55	0.1	<del>2</del>	4.	(52)	9.0	(22)	0.04	(3.5)	0.002	(0.01)	0.05	(6:E)	0.5	(61)
HP-56	0.2	(2)	8.0	(30)	0.7	(56)	0.05	(1.9)	0.00	(0.26)	0.09	(3.3)	9.0	(22)
HP-57	0.3	Ξ	3.5	(081)	0.5	(61)	0.03	<del>=</del>	0.00	(0.04)	0.06	(2.2)	0.4	(15)
HP-58	0.1	<del>5</del>	9.0	(30)	0.3	Ê	0.01	(0.4)	0.005	(0.19)	0.04	(1.5)	0.3	Ξ
Average	0,2	(3)	4.	(52)	9.0	(22)	0.03	(1.1)	0.004	(0.15)	0.08	(3.0)	0.5	(19)
•														

"See Figures 1 and 2.

Average of two samples.

One sample.

Table 34
STREAM SEDIMENT SAMPLES
July/November 1981
Average Concentration (µg/g dry weight basis)

STATION	n	Hg	Pb	ï	n)	Za	Cr	Mn	Ψ
CSI	-	_	29	28	21	72	34	2135	36,000
PS2	7	9	9	70	78	120	110	580	00009
PSS	9	4	37	57	36	126	84	825	50,000
PS6	=	01	44	83	51	187	221	824	50,000
PS9		m	30	44	31	85	49	1380	40,000
PS10	18	9	24	26	33	109	52	502	30,000
PS12	6	9	28	78	42	121	52	710	30,000
PS15	31	01	54	112	98	181	93	1050	000'09
PS17	13	6	35	76	38	103	47	1058	30,000
PS18	9	9	24	42	. 23	78	37	422	30,000
PS19	12	6	36	39	48	110	63	754	40,000
PS21	-	en	11	19	91	4	23	175	20,000
PS22	۲	7	42	73	101	125	86	562	70,000
CS20	17	46	31	11	53	135	108	929	40,000

Table 35 SUMMARY OF THE ESTIMATED RADIATION DOSE TO AN ADULT INDIVIDUAL DURING 1981 AT LOCATIONS OF MAXIMUM EXPOSURE

			DOSE 11	DOSE IN MILLIREM (µSv)	<b>(</b> )
PATHWAY	LOCATION	TOTA	TOTAL BODY	CRI	CRITICAL ORGAN
Gaseous Effluents Inhalation plus direct radiation from air and ground	Nearest resident to site boundary	0.38	(3.8)	9.2	(92) (lung)
Terrestrial food chains	Milk sampling stations ("Sr)	0.02	(0.2)	7.7	(27) (bone)
Liquid Essuents Aquatic sood chains	Clinch-Tennessee River System ("Sr)	2.9	(29)	11	(710) (bone)
Drinking water <sup>a</sup>	Kingston, Tennessee (**Sr)	0.22	(2.2)	10.9	(109) (bone)
Direct radiation along water, shores, and mud flats <sup>b</sup>	Downstream from White Oak Creek near experimental Cs field plots	5.9	(59)	5.9	(59) (total body)

<sup>a</sup>Based on the analysis of raw (unprocessed) water.

<sup>b</sup>Assuming a residence time of 240 hr/yr.

NOTE: Average background total body dose in the U.S.(30) is 106 mrem/yr (1060 µSv/yr).

# REFERENCE

- (1) DOE Manual Chapter 0524.
- (2) Tennessee Air Pollution Control Regulations, Department of Public Health, Division of Air Pollution, Nashville, Tennessee, June 1974 and amendments.
- (3) T. W. Oakes, K. E. Shank, and C. E. Easterly, "Natural and Man-Made Radionuclide Concentrations in Tennessee Soil" in Proceedings of the Health Physics Society Tenth Midyear Topical Symposium, Saratoga Springs, New York, October 11-13, 1976, pp. 322-333.
- (4) Methods for Chemical Analysis of Water and Wastes, EPA Methods Development and Quality Assurance Laboratory, NERC, Cincinnati, Ohio.
- (5) Guidelines for Effluent Criteria for Sewage and Industrial Wastewater, Tennessee Department of Public Health, Division of Water Quality Control, January 1973.
- (6) General Water Quality Criteria for the Definition and Control of Pollution in the Waters of Tennessee, Tennessee Water Quality Control Board, Department of Public Health, Nashville, Tennessee, as amended December 1971.
- (7) Background Material for the Development of Radiation Protection Standards, Staff Report of the Federal Radiation Council, Report No. 2, U.S. Government Printing Office, Washington, September 1961.
- (8) P. Bryan and C. E. White, "An Economic Evaluation of the Commercial Fishing in the TVA Lakes of Alabama during 1956," Proc. Twelfth Annual Conference Southeastern Assoc. of Game and Fish Commissioners, 1958 (pp. 128-132).
- (9) American Industrial Hygiene Association Journal, January February 1969 (pp. 98-101).
- (10) Plutonium and Other Transuranium Elements; Sources, Environmental Distribution and Biomedical Effects, U.S. AEC, WASH-1359, December 1974.
- (11) F. Pasquill, Atmospheric Diffusion, D. V. Nostrand Co., Ltd., London, 1962.
- (12) F. A. Gifford, Jr., The Problem of Forecasting Dispersion in the Lower Atmosphere, U.S. AEC, DTI, 1962.
- (13) R. E. Moore et al., AIRDOS-EPA: A Computerized Methodology for Estimating Environmental Concentrations and Dose to Man from Airborne Releases of Radionuclides, EPA 520/1-79-009, December 1979.
- (14) F. T. Binford, T. P. Hamrick, and B. H. Cope, Some Techniques for Estimating the Results of the Emission of Radioactive Effluent from ORNL Stacks, ORNL-TM-3187, Oak Ridge National Laboratory, 1970.
- (15) (a) P. Voilleque, D. R. Adams, and J. B. Echo, "Transfer of Krypton-85 from Air to Grass," Health Physics, 19, 1970 (p. 835).
  - (b) D. F. Bunch (ed.), Controlled Environmental Radioiodine Tests, Progress Report 2, IDO-12053, August 1966.
- (16) Recommendations of the International Commission on Radiological Protection, ICRP Publication 2, Report of Committee II on Permissible Dose for Internal Radiation, Pergamon Press, London, 1959.
- (17) Recommendations of the International Commission on Radiological Protection, ICRP Publication 6, Pergamon Press, London, 1964.

- (18) Recommendations of the International Commission on Radiological Protection, ICRP Publication 10, Report of Committee IV on Evaluation of Radiation Doses to Body Tissues from Internal Contamination due to Occupational Exposure, Pergamon Press, London, 1968.
- (19) Recommendations of the International Commission on Radiological Protection 10A, Report of Committee II on the Assessment of Internal Contamination Resulting from Recurrent or Prolonged Uptakes, Pergamon Press, London, 1971.
- (20) Metabolism of Plutonium and Other Actinides, ICRP Publication 19, Report of Committee II, Pergamon Press, London, 1972.
- (21) Report on Reference Man, ICRP Publication 23, Report of ICRP Task Group; W. S. Snyder, Chairman, Pergamon Press, London, 1975.
- (22) G. J. Hine ad G. L. Brownell (eds.), Radiation Dosimetry, Academic Press, New York, 1956.
- (23) K. Z. Morgan and J. E. Turner (eds.), Principles of Radiation Protection, Wiley, New York, 1967.
- (24) W. S. Snyder, L. T. Dillman, M. R. Ford, and J. W. Poston, "Calculations of Absorbed Dose to a Man Immersed in an Infinite Cloud of Krypton-85," Noble Gases Symposium, Las Vegas, Nevada, September 24-28, 1973.
- (25) M. R. Ford, Metabolism and Dosimetry Group, Oak Ridge National Laboratory, personal communication, March 1978.
- (26) W. D. Turner, S. V. Kaye, and P. S. Rohwer, EXREM and INREM Computer Codes for Estimating Radiation Doses to Populations from Construction of a Sea-Level Canal With Nuclear Explosives, K-1752, CTC and ORNL, Oak Ridge, Tennessee, September 1968.
- (27) D. K. Trubey and S. V. Kaye, The EXREM III Computer Code for Estimating External Radiation Doses to Populations from Environmental Releases, ORNL-TM-4322, Oak Ridge National Laboratory, December 1973.
- (28) R. H. Strand and C. W. Miller, Meteorological Data Bases Available for the United States Department of Energy Oak Ridge Reservation, ORNL-TM-6358, Oak Ridge National Laboratory, 1978.
- (29) Agricultural Statistics 1969, U.S. Department of Agriculture, U.S. Government Printing Office, Washington, 1971 (p. 588).
- (30) The Effects on Populations of Exposures to Low Levels of Ionizing Radiation, Report of the Advisory Committee on the Biological Effects of Ionizing Radiations, U.S. National Academy of Sciences, National Research Council, Washington, 1972.

# APPENDIX A QUALITY ASSURANCE

# Radiological

The Environmental Surveillance and Evaluation Section at Oak Ridge National Laboratory has initiated a quality assurance program to ensure that a high degree of accuracy and reliability is maintained in its surveillance activities. The program in effect at ORNL consists of quality control of techniques and procedures, and includes the establishment of a detailed written description of all activities pertaining to the Environmental Surveillance and Evaluation Section. This includes:

- 1. Operating procedures for each activity.
- 2. Inspection lists of operating and maintenance activities.
- 3. Check-off frequency lists for all quality assurance steps, such as schedules for equipment inspection and test control.
- 4. Documentation of compliance of quality assurance procedures.
- 5. Participation in intralaboratory and interlaboratory sample-exchange programs.
- 6. Evaluation of the adequacy of sample preparation work and data analysis.
- 7. Identification of the role, responsibilities, and authority of each staff member as related to quality assurance.

A schematic diagram showing a flow chart of this quality assurance program is given in Figure A1. A more detailed discussion of the ORNL QA program is given in Ref. (A1) and (A2).

# Chemical

A Nuclear Division Committee on Environmental Analysis established an interlaboratory quality control program in 1977. The purpose of this program is to provide quality control data for environmental analysis within the Nuclear Division. A unified Environmental and Effluent Analysis Manual was issued in March of 1977 which currently contains 105 analytical procedures; EPA-certified analytical methods are used wherever possible.

All Nuclear Division analytical laboratories maintain internal measurement control programs that are part of planned and systematic actions taken to prevent incorrect results. Standard samples containing many parameters measured are purchased and submitted to the laboratories for analysis. Standard samples of known values are processed along with routine samples and the results are recorded and examined to determine if they fall within prescribed limited. Analytical results are transmitted to the Y-12 Plant Quality Division for satistical review and a semi-annual report is provided to the analytical laboratories.

A1. T. W. Oakes, K. E. Shank, and J. S. Eldridge, "Quality Assurance Applied to an Environmental Surveillance Program," Conference Proceedings of the 4th Joint Conference on Sensing of Environmental Pollutants, New Orleans, La., Nov. 6-11, 1977, p. 226.

A2. T. W. Oakes, K. E. Shank, and J. S. Eldridge, "Quality Assurance Procedures for Environmental Surveillance at ORNL," ORNL-5186, in preparation.

ORNL-DWG. 77-18790




Figure A1
FLOW CHART OF QA PROGRAM

# **EXTERNAL DISTRIBUTION**

Director, Division of Industrial and Radiological Health,
Tennessee State Health Department
Director, Tennessee State Health Department
Federal Activities Coordinator, EPA Region IV
Associated Press - Knoxville Bureau
Clinton Courier News
Knoxville Journal
Knoxville News-Sentinel
Oak Ridge Department of Public Health
Oak Ridger
Roane County News
Tennessee Environmental Health Services - Knoxville Office
United Press International - Knoxville Bureau

# INTERNAL DISTRIBUTION

Department of Energy, Oak Ridge Operations (100, including external distribution)

Technical Information Center - 27


Union Carbide Corporation - Nuclear Division

- R. C. Baker 2
- H. I. Cobert
- P. C. Fourney
- R. F. Hibbs
- C. C. Hopkins 3
- G. W. Horde
- G. R. Jasny
- R. G. Jordan 10
- M. E. Mitchell 20
- T. W. Oakes 45
- H. Postma 2
- C. R. Richmond
- M. Sanders 35
- P. R. Vanstrum 2
- C. W. Weber 5
- Y-12 Plant Records 2
- Y-12 Technical Information Office

			•
а <sub>в</sub>			
•			
· <del>.</del>			
•		•	

• 

# UCC-ND



# UNITED STATES DEPARTMENT OF ENERGY OAK RIDGE FACILITIES

Calendar Year 1980

Printed in the United States of America. Available from National Technical Information Service
U.S. Department of Commerce
5285 Port Royal Road, Springfield, Virginia 22161

Price: Paper Copy \$5.25; Microfiche \$3.00 (domestic); \$4.50 (foreign)

This report was prepared as an account of work sponsored by an agency of the United States Government. Neither the United States Government nor any agency thereof, nor any of their employees, makes any warranty, express or implied, or assumes any legal liability or responsibility for the accuracy, completeness, or usefulness of any information, apparatus, product, or process disclosed, or represents that its use would not infringe privately owned rights. Reference herein to any specific commercial product, process, or service by trade name, trademark, manufacturer, or otherwise, does not necessarily constitute or imply its endorsement, recommendation, or favoring by the United States Government or any agency thereof. The views and opinions of authors expressed herein do not necessarily state or reflect those of the United States Government or any agency thereof.

Date of Issue: June 10, 1981

# ENVIRONMENTAL MONITORING REPORT UNITED STATES DEPARTMENT OF ENERGY OAK RIDGE FACILITIES

Calendar Year 1980

# **UNION CARBIDE CORPORATION** — NUCLEAR DIVISION

Oak Ridge Gaseous Diffusion Plant Oak Ridge National Laboratory Oak Ridge Y-12 Plant

Office of Health, Safety, and Environmental Affairs
Post Office Box Y
Oak Ridge, Tennessee 37830

•
e e

# **TABLE OF CONTENTS**

PA	GΕ
TRODUCTION	. 1
MMARY	. 3
ONITORING DATA — COLLECTION, ANALYSIS, AND EVALUATION	
Air Monitoring	. 4
External Gamma Radiation Monitoring	
Water Monitoring ,	. 8
Biological Monitoring	
Soil and Sediment Monitoring	16
Calculation of Potential Radiation Dose to the Public	17
FERENCES	59
PENDIX A	62

·				,	
			•		
					-
					•
		•			
					. n  -
·					

# LIST OF FIGURES

<b>FIGURE</b>	PA	AGE
1	Air, Vegetation, and Soil Sampling Locations	. , 5
2	Remote Air Monitoring Locations	6
3	Stream Monitoring Locations	. 10
4	Curies Discharged Over White Oak Dam	. 11
5	Percentage Concentration Guide Levels in The Clinch River	. 12
6	Immediate Environs Milk Sampling Locations	. 14
7	Remote Environs Milk Sampling Locations	. 15
8	Oak Ridge Gaseous Diffusion Plant Sediment	
	Sampling Locations	. 18
9	Meteorological Data for the Oak Ridge Reservation	. 20
10	Exposure Pathways	. 21
A1	Flow Chart of QA Program	. 63
	LIST OF TABLES	
TABLE		AGE
1	Incremental Population Table In The Vicinity of ORNL	
2	Continuous Air Monitoring Data (Gross Beta Activity)	
3	Continuous Air Monitoring Data (Gross Alpha Activity)	
4	Continuous Air Monitoring Data (Specific Radionuclides)	
5	Concentration of <sup>131</sup> 1 in Air as Measured by the Perimeter Air Monitoring Stations	
6	Discharges of Radioactivity to the Atmosphere	
7	Air Monitoring Data — Fluorides	
8	Air Monitoring Data — Suspended Particulates	
9	Sulfur Dioxide Monitoring Data	
10	External Gamma Radiation Measurements	
11	Radionuclides in the Clinch River	
12	Uranium Concentration in Surface Streams	
13	Discharges of Radioactivity to Surface Streams	
14	Long-Lived Gross Beta Activity in Rainwater	
15	Chemical Water Quality Data — White Oak Dam	
16	Chemical Water Quality Data - Melton Hill Dam	
17	Chemical Water Quality Data — ORGDP Sanitary Water Pumping Station	
18	Chemical Water Quality Data — ORGDP Recirculating	, 40
	Water Pumping Station	<i>1</i> .1
19	Chemical Water Quality Data — Clinch River	. 71
	Downstream of ORGDP	42
. 20	Chemical Water Quality Data East Fork Poplar Creek	
21	Chemical Water Quality Data — East Fork Fobial Creek	
22	Chemical Water Quality Data — Poplar Creek Above Blair Bridge	
23	Chemical Water Quality Data — Poplar Creek Near Clinch River	

					,
					-
		·	·		
	·				

TABLE	(contd.) PAGE
24	National Pollutant Discharge Elimination System
	(NPDES) Experience
25	Concentration of <sup>131</sup> I in Milk 50
26	Concentration of <sup>90</sup> Sr in Milk 51
27	Radionuclide Content of Clinch River Fish 52
28	137Cs Concentration in Deer Samples53
29	Vegetation Sampling Data 54
30	Radioactivity in Grass Samples From Perimeter and Remote
	Monitoring Stations
31	Radioactivity in Soil Samples from Perimeter and Remote
	Air Monitoring Stations 56
32	Stream Sediment Samples 57
33	Summary of the Estimated Radiation Dose
_	r

7
, <b>4</b> -

## INTRODUCTION

Oak Ridge is located in East Tennessee in a broad valley which lies between the Cumberland Mountains on the northwest and the Great Smoky Mountains on the southeast. The Department of Energy (DOE) Reservation is located in the Valley and Ridge physiographic province which is characterized by parallel ridges of sandstone, shale, and cherty dolomite, separated by valleys of less weather-resistant limestone and shale. The ridges are oriented southwest-northeast. Topography of the area is due to differential erosion of severely folded and faulted rocks ranging in age from Early Cambrian to Early Mississippian. Elevations range from 226 meters to 415 meters above mean sea level with a maximum relief of 189 meters. The area includes gently sloping valleys and rolling to steep slopes and ridges. The Tennessee Valley Authority's (TVA) Melton Hill and Watts Bar Reservoirs on the Clinch River form the southern and western boundaries of the Reservation while the City of Oak Ridge (approximately 28,000 population) is on the northern boundary.

The local climate is noticeably influenced by topography. Prevailing winds are usually either up-valley, from west to southwest, or down-valley, from east to northeast. During periods of light winds, daytime winds are usually southwesterly and nighttime winds usually northeasterly. Wind velocities are somewhat decreased by the mountains and ridges, and tornadoes rarely occur. In winter, the Cumberland Mountains have a moderating influence on the local climate by retarding the flow of cold air from the north and west. Temperatures of 38°C or higher and-18°C or below are unusual. Low-level temperature inversions occur during approximately 56 percent of the hourly observations. Winter and early spring are the seasons of heaviest precipitation with the monthly maximum normally occuring during January to March. The mean annual precipitation is approximately 137 centimeters.

The topography of the Oak Ridge Area is such that all drainage from the DOE Reservation flows into the Clinch River which has its headwaters in southwestern Virginia and flows southwest to its mouth near Kingston, Tennessee. The Clinch River flow is regulated by several dams which provide reservoirs for flood control, electric power generation, and recreation. The principal tributaries through which liquid effluents from the plant areas reach the Clinch River are White Oak Creek, East Fork Poplar Creek, and Poplar Creek.

With the exception of the City of Oak Ridge, the land within 8 kilometers of the DOE Reservation is predominantly rural being utilized largely for residences, small farms, and pasturage for cattle. The approximate location and population of the towns nearest the DOE Reservation are: Oliver Springs (pop. 3400) 11 kilometers to the northwest; Clinton (pop. 4800) 16 kilometers to the northeast; Lenior City (pop. 5300) 11 kilometers to the southeast; Kingston (pop. 4100) 11 kilometers to the southwest; and Harriman (pop. 8700) 13 kilometers to the west. Knoxville, the major metropolitan area nearest Oak Ridge, is located about 40 kilometers to the east and has a population of approximately 175,000. A directional 80-kilometer population distribution, which is used for population dose calculations later in this report, is shown in Table 1.

The DOE Reservation contains three major operating facilities: the Oak Ridge National Laboratory (ORNL), the Oak Ridge Gaseous Diffusion Plant (ORGDP), and the Y-12 Plant; all of which are operated by Union Carbide Corporation, Nuclear Division. In addition, two smaller DOE facilities are in the area: the Comparative Animal Research Laboratory, and the Oak Ridge Associated Universities.

The Oak Ridge National Laboratory is a large multipurpose research laboratory whose basic mission is the discovery of new knowledge, both basic and applied, in all areas related to energy. To accomplish this mission, the Laboratory conducts research in all fields of modern science and technology. The Laboratory's facilities consist of nuclear reactors, chemical pilot plants, research laboratories, radioisotope production laboratories, and support facilities.

The Oak Ridge Gaseous Diffusion Plant (ORGDP) is a complex of production, research, development, and support facilities located west of the city of Oak Ridge. While the primary function of ORGDP is the enrichment of uranium hexafluoride (UF<sub>e</sub>) in the uranium-235 isotope, extensive efforts are also expended on research and development activities associated with both the gaseous diffusion and gas centrifuge processes. In addition, the barrier material used by all three Department of Energy-owned gaseous diffusion plants is manufactured at ORGDP. Numerous other activities (maintenance, nitrogen production, steam production, uranium recovery, fluorine production, water treatment, laboratory analysis, administration, etc.) lend support to these primary functions and are thus essential to the operation of this plant.

The Oak Ridge Y-12 Plant which is located immediately adjacent to the City of Oak Ridge has five major responsibilities: (1) production of nuclear weapon components, (2) processing of source and special nuclear materials, (3) support to the weapon design laboratories, (4) support to other UCC-ND installations, and (5) support to other government agencies. Activities associated with these functions include the production of lithium compounds, the recovery of enriched uranium from unirradiated scrap material, and the fabrication of uranium and other materials into finished parts and assemblies. Fabrication operations include vacuum casting, are melting, powder compaction, rolling, forming, heat treating, machining, inspection, and testing.

Operations associated with the DOE research and production facilities in Oak Ridge give rise to several types of waste materials.

Radioactive wastes are generated from nuclear research activities, reactor operations, pilot plant operations involving radioactive materials, isotope separation processes, uranium enrichment, and uranium processing operations. Nonradioactive wastes are generated by normal industrial-type support operations that include water demineralizers, air conditioning, cooling towers, acid disposal, sewage plant operations, and steam plant operations.

Nonradioactive solid wastes are buried in a centralized sanitary landfill or designated burial areas. Radioactive solid wastes are buried in designated burial areas or placed in retrievable storage either above or below ground depending upon the type and quantity of radioactive material present and the economic value involved.

Gaseous wastes generally are treated by filtration, electrostatic precipitation, and/or chemical scrubbing techniques prior to release to the atmosphere. The major gaseous waste streams are released through stacks to provide atmospheric dilution for materials which may remain in the stream following treatment.

Liquid radioactive wastes are not released but are concentrated and contained in tanks for ultimate disposal. Process water which may contain small quantities of radioactive or chemical pollutants is discharged, after treatment, to White Oak Creek, Poplar Creek, East Fork Poplar Creek, and Bear Creek, which are small tributaries to the Clinch River.

## SUMMARY

The Environmental Monitoring Program for the Oak Ridge area includes sampling and analysis of air, water from surface streams, creek sediments, biota, and soil for both radioactive and nonradioactive materials. This report presents a summary of the results of the program for calendar year 1980.

Surveillance of radioactivity in the Oak Ridge environs indicates that atmospheric concentrations of radioactivity were not significantly different from other areas in East Tennessee. Concentrations of radioactivity in the Clinch River and in fish collected from the river were less than 4 percent of the permissible concentration and intake guides for individuals in the offsite environment. While some radioactivity was released to the environment from plant operations, the concentrations in all of the media sampled were well below established standards.

The total body dose to a "hypothetical maximum exposed individual" at the site boundary was calculated to be 6.2 millirem/yr which is 1.2 percent of the DOE Manual Chapter 0524 standard. The maximum 50-year dose commitment to the critical organ of an individual from the aquatic food chain was calculated to be 53 millirem to the bone which is 3.5 percent of the allowable annual standard. The maximum dose commitment to individuals living nearest the site boundary from airborne releases, assuming continuous residence, was 1.8 millirem to the total body and 16.6 millirem to the lung. These doses are 0.4 percent and 1.1 percent, respectively, of the annual standards. The average total body dose to an Oak Ridge resident was estimated to be 0.1 millirem as compared to approximately 100 millirem/yr from natural background radiation; the average dose commitment to the lung of an Oak Ridge resident was 1.2 millirem. The cumulative total body dose to the population within an 80-kilometer radius of the Oak Ridge facilities resulting from 1980 effluents was calculated to be 8.8 man-rem. This dose may be compared to an estimated 74,000 man-rem to the same population resulting from natural background radiation.

Surveillance of nonradioactive materials in the Oak Ridge environs shows that established limits were not exceeded for those materials possibly present in the air as a result of plant operations.

The chemical water quality data in surface streams obtained from the water sampling program indicated that average concentrations resulting from plant effluents were in compliance with State stream guidelines with the exception of fluoride at monitoring Station E-1 which equalled the guideline.

National Pollutant Discharge Elimination System (NPDES) permit compliance information has been included in this report.

During 1980 only one spill of oil and/or hazardous materials from the Oak Ridge installations was reported to the National Response Center.

# MONITORING DATA COLLECTION, ANALYSIS, AND EVALUATION

Environmental monitoring data for calendar year 1980 are summarized in Table 2 through 33. In general, the data tables show the number of samples collected at each location, the maximum concentration, the minimum concentration, the average concentration, the relevant standard, and percent of standard for the average of each parameter. Averages are usually accompanied by plus-or-minus (±) values which represent the 95 percent confidence limits. The 95 percent confidence limits which are calculated from the standard deviation of the average, assuming a normal frequency distribution, are predictions of the variability in the range of concentrations based on a limited number of measurements. They do not represent the conventional error in the average of repeated measurements on identical samples. Data which are below the minimum detectable limit are expressed as less than (<) the minimum detectable value. In computing average values, sample results below the detection limit are assigned the detection limit value with the resulting average value being expressed as less than (<) the computed value.


Average environmental concentrations are compared with applicable standards where such standards have been established, as a means of evaluating the impact of effluent releases. In some cases, for lack of an official standard, stream concentrations of nonradioactive pollutants have been compared with Tennessee State Health Department stream guidelines.

Liquid effluent monitoring data have been compared to the limits specified in the National Pollutant Discharge Elimination System (NPDES) permits issued to the Oak Ridge Facilities by the Environmental Protection Agency (EPA).


### Air Monitoring

Radioactive — Atmospheric concentrations of radioactive materials occuring in the general environment of East Tennessee are monitored by two systems of monitoring stations. One system consists of nine stations (HP-31 through HP-39) which encircle the perimeter of the Oak Ridge area and provides data for evaluating releases from Oak Ridge facilities to the immediate environment, Figure 1. A second system consists of eight stations (HP-51 through HP-58) encircling the Oak Ridge area at distances of from 19 to 121 kilometers, Figure 2. This system provides background data to aid in evaluating local conditions. Sampling for radioactive particulates is carried out by passing air continuously through filter papers. Filter papers are evaluated weekly by gross beta and gross alpha counting techniques and composited by system quarterly for specific radionuclide analysis during normal operations. More frequent detailed analyses are performed if concentrations in the environment are significantly above normal. Airborne radioactive iodine is monitored in the immediate environment (HP-31 through HP-39) by passing air continuously through cartridges containing activated charcoal. Charcoal cartridges are evaluated for radioactive iodine by gamma spectrometry.

Data on the concentrations of radioactive materials in air and the quantities of radioactive materials released to the atmosphere in the Oak Ridge and surrounding areas are given in Tables 2 through 6.



AIR, VEGETATION, AND SOIL SAMPLING LOCATIONS



REMOTE AIR MONITORING LOCATIONS

The average gross beta concentrations of radioactivity from particulates in air measured by both the perimeter and remote monitoring systems were 0.03 and 0.03 percent, respectively, of the applicable concentration guide (CG) as specified in the DOE Manual, Appendix 0524<sup>(1)</sup> for individuals in uncontrolled areas (Table 2).

The average gross alpha concentrations in the perimeter and remote monitoring systems were 0.02 and 0.03 percent, respectively, of the CG for a mixture of uranium isotopes (Table 3).

The results of specific radionuclide analyses of composited filters are given in Table 4. The environmental concentrations tabulated are all at least a thousand times less than the applicable DOE concentration guides for the radionuclides detected.

The concentration of <sup>131</sup> as measured by the perimeter air monitoring system was <0.01 percent of the inhalation concentration guide for individuals in uncontrolled areas (Table 5).

While some radioactivity was released to the atmosphere (Table 6), measurements in the Oak Ridge area show that environmental levels were well below established standards.

<u>Nonradioactive</u> — Environmental air samples are taken for the determination of fluorides, suspended particulates, and sulfur dioxide.

Sampling locations for fluorides are indicated by F-1 through F-6, Figure 1. The current sampling procedure is to obtain seven-day samples collected on potassium carbonate treated paper and to analyze weekly by specific ion electrode. The seven-day analyses are then averaged to obtain 30-day values.

Suspended particulates are measured at locations SP-1 through SP-4, Figure 1. The method for the determination of suspended particulates is the high volume method recommended by EPA. Particulates are collected by drawing air through weighed filter paper. The filter paper is allowed to equilibrate in a humidity controlled atmosphere and the filter is reweighed. From the weight of particulates, the sampling time, and the air flow rate, the particulate concentrating in micrograms per cubic meter is calculated. The sampling period is 24 hours.

The two continuous monitoring stations (S-1 and S-2) in the Y-12 Plant are used for measurement of ambient sulfur dioxide concentrations. Each station consists of a pulsed ultraviolet fluorescence analyzer and recorder with associated equipment located in a temperature-controlled shelter. Sulfur dioxide concentrations are interpreted on an hourly basis and averaged for 24-hour, monthly, and annual periods.

Air monitoring data for fluorides, suspended particulates, and sulfur dioxide are presented in Tables 7 through 9. The data indicate that measured environmental concentrations of fluorides, suspended particulates, and sulfur dioxide were in compliance with applicable standards. (2)

The Y-12 steam plant is being upgraded to operate more efficiently at higher steam load levels. The current electrostatic precipitator installation is not adequate to meet emission limits at higher steam load levels. Funds have been requested and preliminary design has been commenced for the installation of pollution control equipment to meet emission limits under higher operating load conditions.

## External Gamma Radiation Monitoring

External gamma radiation background measurements are made routinely at the perimeter air monitoring stations and at the remote monitoring stations using calcium fluoride thermoluminescent dosimeters suspended one meter above the ground. Dosimeters at the perimeter stations are collected and analyzed monthly. Those at the remote stations are collected and analyzed semiannually.

Data on the average external gamma radiation background are given in Table 10. A considerable variation in background levels is normally experienced in East Tennessee depending upon elevation, topography, and geological character of the surrounding soil.<sup>(3)</sup>

External gamma radiation measurements were performed along the stream course of East Fork Poplar Creek to evaluate radioactivity which might be contained in the sediments as a result of effluent releases. Additionally, measurements were made along the bank of the Clinch River from the mouth of White Oak Creek several hundred yards downstream to evaluate gamma radiation levels resulting from effluent releases and "sky shine" from an experimental <sup>137</sup>Cs plot located near the river bank. Measurements were made using scintillation detectors and/or thermoluminescent dosimeters suspended one meter above the ground surface. The average background level determined at the remote stations was subtracted from the measured gamma radiation levels to determine the incremental increases resulting from plant operations.

Gamma levels long East Fork Poplar Creek ranged from 0 to 12  $\mu$ R/hr above background. The external gamma radiation levels along the bank of the Clinch River ranged from 5 to 23  $\mu$ R/hr above background. Potential doses to individuals in the environment from these elevated gamma radiation levels were calculated and are included, where significant, in the dose assessment section of the report.

### Water Monitoring

Radioactive — Water samples are collected in the Clinch River for radioactivity analyses at Melton Hill Dam (Station C-2) 3.7 kilometers above White Oak Creek outfall, at the ORGDP sanitary water intake (Station C-3) 10 kilometers downstream from the entry of White Oak Creek, at the ORGDP recirculating water intake (Station C-4) downstream from the Poplar Creek outfall, near Brashear Island (Station C-6), and at Center's Ferry (Station C-5) near Kingston, Tennessee, Figure 3. Samples are collected continuously at all locations except for Station C-5 and Station C-6 which are collected on a daily and monthly grab-sample basis, respectively. Samples are composited for monthly or quarterly analysis depending upon location.

Water samples also are collected for radioactivity analyses at White Oak Dam (Station W-1), at the outlet of New Hope Pond on East Fork Poplar Creek (Station E-1), in Bear Creek (Station B-1), and in Poplar Creek (Stations P-1 and P-2), Figure 3. The samples collected at Stations W-1, E-1, and B-1 are continuous proportional samples. Grab samples are collected at Stations P-1 and P-2 on a weekly basis. Water samples were collected also at the juncture of White Oak Creek and the Clinch River. All samples are composited for monthly analysis.

The concentrations of fission product radionuclides present in detectably significant amounts are determined by specific radionuclide analysis and gamma spectrometry. Uranium analysis is by the fluorometric method. Transuranic alpha emitters are determined by ion exchange and alpha range analysis. The concentration of each radionuclide is compared with its respective concentration guide (CG) value as specified in the DOE Manual, Appendix 0524, and percent of concentration guide for a known mixture of radionuclides is calculated in accordance with the method given in Appendix 0524.

Data on the concentrations of radionuclides measured in the Clinch River are given in Table 11. Data on the concentrations of uranium in surface streams and the quantities of radioactivity release to surface streams are given in Tables 12 and 13.

Analysis of water samples collected at the juncture of White Oak Creek and the Clinch River indicated that the yearly average concentration of radionuclides was approximately 20 percent of the applicable concentration guide for uncontrolled areas. The calculated average concentration of radionuclides in the Clinch River, based on the analysis of water samples collected at White Oak Dam (Station W-1) and the dilution afforded by the river, was determined to be 0.2 percent of the applicable concentration guide for uncontrolled areas assuming complete mixing. The average dilution factor for 1980, based on the flow of White Oak Creek and the Clinch River, was 1130. The measured average concentrations of radionuclides in the Clinch River upstream and downstream of White Oak Creek outfall were less than 0.2 percent of the applicable concentration guide.

The calculated average concentration of transuranic alpha emitters in the Clinch River resulting from effluent releases was 4 x  $10^{-12}~\mu\text{Ci/ml}$ , which is less than 0.01 percent of the concentration guide for water containing a known mixture of radionuclides.

Trends in water discharges and calculated percent concentration guide levels in the Clinch River are presented in Figures 4 and 5. Discharges of <sup>90</sup>Sr and <sup>3</sup>H are shown in Figure 4 as these nuclides contribute the majority of the radiological dose downstream.




Figure 3
STREAM MONITORING LOCATIONS




Figure 4
CURIES DISCHARGED OVER WHITE OAK DAM




Figure 5

PERCENTAGE CONCENTRATION GUIDE LEVELS IN THE CLINCH RIVER

(VALUES GIVEN ARE CALCULATED VALUES BASED ON THOSE

CONCENTRATIONS MEASURED AT WHITE OAK DAM AND DILUTION AFFORDED

BY THE CLINCH RIVER.)

Rainwater — The gross beta activity in rainwater was analyzed; the results are shown in Table 14. The fluctations among the stations for both the perimeter and remote networks are due to statistical random variation. It is noted that the average radioactivity is greater for the remote stations than the perimeter stations.

Nonradioactive — Water samples are collected for the analysis of nonradioactive substances at the same locations discussed previously under radioactive water sampling. All samples are composited for monthly analysis. Samples are analyzed for a variety of water quality parameters related to process release potential and background information needs by analytical procedures recommended by the Environmental Protection Agency. (4)

Data on chemical concentrations in surface streams are given in Tables 15 through 23. The average concentrations of all substances analyzed were in compliance with Tennessee stream guidelines<sup>(5, 6)</sup> except for fluoride at Station E-1 which was 100 percent of the guideline.

National Pollutant Discharge Elimination System (NPDES) permits were issued by the Environmental Protection Agency (EPA) for each of the Oak Ridge facilities operated by Union Carbide Corporation - Nuclear Division in 1975. The permits established a number of discharge locations at each installation and listed specific concentration limits and/or monitoring requirements for a number of parameters at each discharge location. Table 24 contains the discharge locations at each installation, the parameters at each location for which limits have been established, the permit limits for each parameter, and the percentage compliance experienced.

#### Biological Monitoring

Milk — Raw milk is monitored for <sup>131</sup>I and <sup>90</sup>Sr by the collection and analysis of samples from 12 sampling stations located within a radius of 80 kilometers of Oak Ridge. Samples are normally collected weekly at each of seven stations located near the Oak Ridge area. Five stations, located more remotely with respect to Oak Ridge operations, are sampled at a rate of one station each week. Milk sampling locations for all stations are shown in Figures 6 and 7. Samples are analyzed by ion exchange and gamma spectrometry; results are compared to intake guides specified by the Federal Radiation Council (FRC). <sup>(7)</sup>

The average concentrations of  $^{131}$ I and  $^{90}$ Sr in raw milk are given in Tables 25 and 26, respectively. If one assumes the average intake of milk per individual to be one liter per day, the average concentration of  $^{131}$ I in the milk in both the immediate environs of the Oak Ridge area and in the environs remote from Oak Ridge were within FRC Range I. The average concentrations  $^{90}$ Sr in milk from both the immediate and remote environs were within the FRC Range I.




Figure 6
IMMEDIATE ENVIRONS MILK SAMPLING LOCATIONS




Figure 7
REMOTE ENVIRONS MILK SAMPLING LOCATIONS

Fish Sampling — Several species of fish which are commonly caught are taken from the Clinch River each year. The scales, head, and entrails are removed from the fish before ashing. Ten fish of each species are composited for each sample, and the samples are analyzed by gamma spectrometry and radiochemical techniques for the critical radionuclides which may contribute significantly to the potential radiation dose to man.

Data on the concentration of radionuclides in Clinch River fish are given in Table 27. Consumption of 16.8 kilograms of bluegill per year<sup>(8)</sup> taken from the river near White Oak Creek outfall results in approximately 3 percent of the maximum permissible intake, which represents the highest dose potential to the public from fish consumption. The maximum permissible intake is calculated to be equal to a daily intake of 2.2 liters of water, over a period of one year, containing the concentration guide of the radionuclides in question. Mercury concentrations in the fish samples collected were less than the FDA proposed action level.

<u>Deer</u> — Frequently, deer are killed by automobiles on the DOE Reservation. Nineteen deer samples were analyzed during 1980. Summary data of the <sup>137</sup>Cs content in deer samples are presented in Table 28. The deer with the highest concentration of <sup>137</sup>Cs would result in a dose of 0.005 millirem to the total body and 0.01 millirem to the liver (critical organ) if one assumes the consumption of 1 kilogram of meat. It should be noted that no hunting is allowed on the Reservation.

<u>Vegetation</u> – Samples of pine needles and grass are collected semiannually from 17 areas (Stations VS-1 through VS-17, Figure 1) and analyzed for uranium and fluoride content. Fluorometric analysis is used for the determination of uranium and colorimetric analysis is used for the determination of fluorides.

Data on the uranium and fluoride content in vegetation are presented in Table 29. The fluoride concentration in grass at all sampling points was below the 30 ppm level considered to produce no adverse effects when ingested by cattle. (9) Uranium concentrations were below levels of environmental concern.

Additionally, samples of grass were collected semiannually from the perimeter and annually from the remote air-sampling stations (see Figure 1 and 2). At each station, all the grass from five 1/5 meter-squared plots was collected. One plot was taken beside the station, and the other four were taken at 15 m from the station at 90° directions from each other. The grass from each station was then composited and analyzed by gamma spectrometry and radiochemical techniques for a variety of radionuclides. Data on the radionuclide concentrations in grass are presented in Table 30.

#### Soil and Sediment Monitoring

<u>Soil</u> — Soil samples are also collected semiannually from near the perimeter and annually from the remote stations. The same five 1/5 meter-squared plots used for grass analysis were also used for soil determinations. Two cores, 8 cm in diameter and 5 cm in depth, were taken from each plot; a composite of 10 cores was used for each station. These samples were also analyzed by gamma spectrometry and radiochemical techniques.

Data on specific radionuclide concentrations in soil are given in Table 31. The plutonium concentrations found were comparable to the value of 0.05 pCi/g considered to be a representative concentration of plutonium in U.S. surface soil. (10)

<u>Sediment</u> — A sediment sampling program was initiated at ORGDP in 1975 to determine the concentrations of various metallic ions in the sediment of Poplar Creek. The current sampling program consists of 14 sampling locations (Figure 8) which should be generally representative of plant effluents. Samples are collected twice during the year and analyzed by atomic absorption.

The concentrations of metals in the stream sediment samples, Table 32, generally exceed background levels for metals in remote streams, except for thorium which was below detectable limits. An examination of the effluent sources indicates that only very small quantities of any of these metals are currently being released, suggesting that present concentrations found in sediment samples are residual metals from earlier plant operations.

## Calculation of Potential Radiation Dose to the Public

Potential radiation doses resulting from plant effluents were calculated for a number of dose reference points within the Oak Ridge environs. All significant sources and modes of exposure were examined, and a number of general assumptions were used in making the calculations.

The site boundary for the Oak Ridge Complex was defined as the perimeter of the DOE controlled area.

Gaseous effluents are discharged from several locations within each of the three Oak Ridge facilities. For calculational purposes, the gaseous discharges are assumed to occur from only one vent from each site. Since the release points at ORGDP and the Y-12 Plant do not physically approximate an elevated stack, their discharges are assumed to be from 10 meters above ground level; releases from ORNL are through elevated stacks. The meteorological data collected at the ORNL site were used for dispersion calculations. Concentrations of radionuclides contained in the air and deposited on the ground were estimated at distances up to 80 kilometers from the Oak Ridge facilities with the Gaussian plume model developed by Pasquill<sup>(11)</sup> and Gifford<sup>(12)</sup> incorporated in a computer program.<sup>(13)</sup> The concentration has been averaged over the crosswind direction to give the estimated ground level concentration downwind of the source of emission.<sup>(14)</sup> The deposition velocities used in the calculations were 10<sup>-6</sup> cm/sec for krypton and xenon, 10<sup>-2</sup> cm/sec for iodine, and 1 cm/sec for particulates.<sup>(15)</sup> Meteorological data are shown in Figure 9; the length of the bars indicates the percentage of time the wind is blowing in that direction.

Potential pathways of exposure to man from radioactive effluents released by the Oak Ridge operations that are considered in the dose estimates are presented in Figure 10. The pathways shown in the figure are not exhaustive, but they include the principal pathways of exposure based on experience.

Exposures to radionuclides that originate in the effluents released from the Oak Ridge facilities were converted to estimates of radiation dose to individuals using models and




Figure 8
OAK RIDGE GASEOUS DIFFUSION PLANT SEDIMENT SAMPLING LOCATIONS

data presented in publications of the International Commission on Radiological Protection, (16-21) other recognized literature on radiation protection, (22-24) personal communication, (25) and computer programs incorporating some of these models and data. (26, 27) Radioactive material taken into the body by inhalation or ingestion will continuously irradiate the body until removed by processes of metabolism and radioactive decay; thus the estimates for internal dose are called "dose commitments;" they are obtained by integrating over the assumed remaining lifetime (50 years) of the exposed individual.

The radiation doses to the total body and to internal organs from external exposures to penetrating radiation are approximately equal, but they may vary considerably for internal exposures because some radionuclides concentrate in certain organs of the body. For this reason, estimates of radiation dose to the total body, thyroid, lungs, bone, liver, kidneys, and gastrointestinal tract were considered for various pathways of exposure. These estimates were based on parameters applicable to an average adult. (16, 21) The population dose estimate (in man-rem) is the sum of the total body doses to exposed individuals within an 80-kilometer radius of the Oak Ridge facilities.

Maximum Potential Exposure — The point of maximum potential exposure ("fence-post" dose) on the site boundary is located along the bank of the Clinch River adjacent to a cesium field experimental plot and is due primarily to "sky-shine" from the plot. A maximum potential total body exposure of 226 millirem/yr was calculated for this location assuming that an individual remained at this point for 24 hours/day for the entire year. The calculated maximum potential exposure is 45 percent of the allowable standard. This is an atypical exposure location and the probability of an exposure of the magnitude calculated is considered remote since access is only by boat.

The total body dose to a "hypothetical maximum exposed individual" at the same location was calculated using a more realistic residence time of 240 hours/yr. The calculated dose under these conditions was 6.2 millirem/yr which is 1.2 percent of the allowable standard (1) and represents what is considered a probable upper limit of exposure.

A more probable exposure potential might be considered to occur at other locations beyond the site boundary as a result of airborne or liquid effluent releases.

The dose commitment to an individual continuously occupying the residence nearest the site boundary would result from inhalation and is based on an inhalation rate for the average adult of 2 x 10<sup>4</sup> liters/day. The calculated dose commitments at this location were 16.6 millrem to the lung (the critical organ) and 1.8 millirem to the total body; uranium-234 is the important radionuclide contributing to this dose. These levels are 1.1 percent and 0.4 percent, respectively, of the allowable annual standard. Due to inherent uncertainties in the meteorological data, (28) stack sampling data and calculational techniques, the calculated doses may be in error as much as 300%.

The most important contribution to dose from radioactivity within the terrestrial food-chain is by the atmosphere-pasture-cow-milk food-chain pathway. Measurements of the two principal radionuclides entering into this pathway, <sup>131</sup>I and <sup>90</sup>Sr (see Tables 25 and 26), indicate that the maximum dose to an individual in the immediate environs from ingestion of one liter of milk per day is 0.02 millirem to the thyroid and 1.5 millirem to the bone at





Figure 9
METEOROLOGICAL DATA FOR THE OAK RIDGE RESERVATION






Figure 10 EXPOSURE PATHWAYS

Station 6. The average concentrations for the remote stations were assumed to be background and were subtracted from the perimeter station data in making the calculations.

The public water supply closest to the liquid discharges from the Oak Ridge facilities is located approximately 26 kilometers downstream at Kingston, Tennessee. The intake to the water filtration plant is located on the Tennessee River approximately one-half mile upstream from the confluence of the Clinch and Tennessee Rivers. Normally, Tennessee River water is used for the Kingston water supply but under certain conditions of power generation, backflow can occur. Under backflow conditions, Clinch River water may move upstream in the Tennessee River and be used as the source of water for the Kingston filtration plant. Measurements of untreated river water samples taken at the Kingston filtration plant intake indicate that the maximum dose commitment resulting from the ingestion of the daily adult requirement (about two liters per day) is 6.6 millirem to the bone and 0.15 millirem to the total body. The average concentrations in Melton Hill Dam water (background) were subtracted from the values obtained at Kingston.

Estimates of the 50-year dose commitment to an adult were calculated for consumption of 16.8 kilograms of fish per year from the Clinch River. The consumption of 16.8 kilograms (8) is about 2.5 times the national average fish consumption (29) and is used because of the popularity of fishing in East Tennessee. From the analysis of edible parts of the fish examined (see Table 27), the maximum possible organ dose commitment to an individual from the highest quarterly bluegill sample taken from CRM 20.8 is estimated to be 72 millirem to the bone from <sup>90</sup>Sr. The maximum total body dose to an individual was calculated to be 1.4 millirem.

A more probable dose commitment, based on the annual average concentration of <sup>90</sup>Sr in bluegill samples taken from CRM 20.8, was calculated to be 53 millirem to the bone and 1.1 millirem to the total body. These dose commitments are about 3.5 percent and 0.2 percent, respectively, of the allowable annual standards. Fish samples taken from Melton Hill Lake were analyzed to determine background conditions. Fish caught and consumed from other locations in the Clinch River would result in significantly less dose than the maximum calculated for CRM 20.8, see Table 27.

Summaries are given in Table 33 of the potential radiation doses to adult members of the general public at the points of highest potential exposure from gaseous and liquid effluents from the Oak Ridge facilities.

Dose to the Population — The Oak Ridge population received the largest average individual total body dose as a population group. The average total body dose to an Oak Ridge resident was estimated to be 0.11 millirem as compared to approximately 100 millirem/yr from natural background radiation; the average dose commitment to the lung of an Oak Ridge resident was 1.2 millirem. The maximum potential dose commitment to an Oak Ridge resident was calculated to be 16.6 millirem to the lung. This calculated dose is 1.1 percent of the allowable annual standard. (1)

The cumulative total body dose to the population within an 80 kilometer radius of the Oak Ridge facilities resulting from 1980 plant effluents was calculated to be 8.8 man-rem. This cumulative dose was calculated using the population distribution given in Table 1 for

ORNL atmospheric effluents; similar population distributions were used for the Y-12 and ORGDP releases. This dose may be compared to an estimated 74,000 man-rem to the same population resulting from natural background radiation. About 14 percent of the collective dose from the effluents of the Oak Ridge facilities is estimated to be to the Oak Ridge population.

Table 1
INCREMENTAL POPULATION TABLE IN THE VICINITY OF ORNL<sup>a</sup>

Direction E E NE O NE O NME	_	2.00.	3.2-4.8	4.8-6.4	6.4-8.0	8-16	16-32	32-48	48-64	64-80
1	0									
ENE 0 NE 0 NNE 0	,	0	0	0	0	3,059	44,880	100,500	11,790	12,390
NE 0	6	0	0	0	0	0	27,460	74,690	18,720	13,870
NNE	0	0	0	0	0	9,713	12,480	7,167	4,392	7,476
	C	0	0	0	1,461	13,780	4,362	11,190	12,670	6,119
2		0	0	0	1,490	5,578	2,177	1,441	2,223	4,508
NNN	_	0	0	0	0	1,495	0	1,152	4,559	4,676
NN NN	_	0	0	0	0	1,073	4,804	1,538	1,896	7,552
WNW	0	0	0	0	0	287	2,971	1,543	0	4,151
o ≯		0	0	0	0	999	13,100	4,595	9,038	7,318
0 MSM	_	0	0	0	0	622	9,862	3,495	4,562	4,204
0 MS	_	0	0	0	0	733	1,840	1,909	3,962	8,578
0 MSS	_	0	0	0	•	721	2,055	7,897	21,580	10,530
O S	_	0	0	0	0	943	8,742	7,309	6,560	1,222
SSE 0	_		0	0	1,374	7,277	1,290	4,091	<del>46</del> 9	0
SE 0	_	0	0	0	0	1,167	4,304	15,010	46	0
ESE 0	_	0	0	0	0	960′9	5,343	36,020	4,132	6,840
TOTAL 0	_	0	0	0	4,325	53,510	145,670	279,547	106,599	99,434
CUMULATIVE TOTAL 0	_	0	0	0	4,325	57,835	203,505	483,052	589,651	689,085

<sup>a</sup>Based on 1970 Census Data.

Table 2
CONTINUOUS AIR MONITORING DATA
Long-Lived Gross BETA Activity of Particulates in Air
1980

		NUMBER	UNITS	OF 10 <sup>-13</sup> μCi	/ml	<u></u> %
STATION	LOCATION	OF SAMPLES	MAXIMUMa	MINIMUMb	AVERAGE	cĜc
		Perimet	er Area <sup>d</sup>	<u> </u>	-	
HP-31	Kerr Hollow Gate	50	0.7	0.07	$0.25 \pm 0.04$	0.03
HP-32	Midway Gate	51	0.8	0.14	$0.31 \pm 0.05$	0.03
HP-33	Gallaher Gate	52	2.4	0.11	$0.30 \pm 0.09$	0.03
HP-34	White Oak Dam	52	0.9	0.12	$0.32 \pm 0.05$	0.03
HP-35	Blair Gate	50	1.0	0.15	$0.32 \pm 0.05$	0.03
HP-36	Turnpike Gate	52	0.6	0.06	$0.25 \pm 0.04$	0.03
HP-37	Hickory Creek Bend	52	0.9	0.10	$0.35 \pm 0.05$	0.04
HP-38	East of EGCR	52	0.8	0.06	$0.26 \pm 0.04$	0.03
HP-39	Townsite	51	0.6	0.10	$0.24 \pm 0.03$	0.02
Average					0.29 ± 0.05	0.03
		Rem	ote Area <sup>e</sup>			-
HP-51	Norris Dam	51	0.8	0.06	$0.27 \pm 0.05$	0.03
HP-52	Loudoun Dam	52	1.4	0.04	$0.26 \pm 0.06$	0.03
HP-53	Douglas Dam	52	0.9	0.10	$0.27 \pm 0.05$	0.03
HP-54	Cherokee Dam	19	0.3	0.10	$0.19 \pm 0.03$	0.02
HP-55	Watts Bar Dam	52	1.4	0.05	$0.32 \pm 0.08$	0.03
HP-56	Great Falls Dam	52	8.0	0.05	$0.38 \pm 0.06$	0.04
HP-57	Dale Hollow Dam	51	1.0	0.04	0.36 ± 0.07	0.04
HP-58	Knoxville	47	1.2	0.09	0.26 ± 0.06	0.03
Average					0.29 ± 0.06	0.03

<sup>&</sup>lt;sup>a</sup>Maximum weekly average concentration.

<sup>&</sup>lt;sup>b</sup>Minimum weekly average concentration-minimum detectable level is 1 x  $10^{-15}~\mu$ Ci/ml.

 $<sup>^{\</sup>text{CCG}}$  is 10<sup>-10</sup>  $\mu\text{Ci/ml}$  for unidentified radionuclides (DOE Manual, Appendix 0524, Annex A, Table II).

<sup>&</sup>lt;sup>d</sup>See Figure 1.

<sup>&</sup>lt;sup>e</sup>See Figure 2.

Table 3
CONTINUOUS AIR MONITORING DATA
Long-Lived Gross Alpha Activity of Particulates in Air
1980

		NUMBER	UNITS	OF 10 <sup>-15</sup> μCi	/ml	%
STATION	LOCATION	OF SAMPLES	MAXIMUMa	мімімимь	AVERAGE	cĜc
		Perimet	er Area <sup>d</sup>			
HP-31	Kerr Hollow Gate	50	4.1	0.5	$0.9 \pm 0.2$	0.02
HP-32	Midway Gate	51	2.8	0.6	1.1 ± 0.2	0.03
HP-33	Gallaher Gate	52	3.0	0.6	1.1 ± 0.2	0.03
HP-34	White Oak Dam	52	2.0	0.6	$0.9 \pm 0.1$	0.02
HP-35	Blair Gate	50	23.3	0.5	1.5 ± 0.9	0.04
HP-36	Turnpike Gate	52	2.3	0.5	0.8 ± 0.1	0.02
HP-37	Hickory Creek Bend	52	2.7	0.6	$0.9 \pm 0.1$	0.02
HP-38	East of EGCR	52	2.3	0.5	$0.8 \pm 0.1$	0.02
HP-39	Townsite	51	2.3	0.6	$0.9 \pm 0.2$	0.02
Average					1.0 ± 0.2	0.03
		Rem	ote Area <sup>e</sup>			<u> </u>
HP-51	Norris Dam	51	3.0	0.5	$1.2 \pm 0.2$	0.03
HP-52	Loudoun Dam	52	5.7	0.6	1.1 ± 0.2	0.03
HP-53	Douglas Dam	53	2.0	0.6	1.0 ± 0.1	0.03
HP-54	Cherokee Dam	19	2.0 ·	0.6	1.1 ± 0.1	0.03
HP-55	Watts Bar Dam	52	4.7	0.7	1.5 ± 0.2	0.04
HP-56	Great Falls Dam	52	3.3	0.5	1.2 ± 0.2	0.03
HP-57	Dale Hollow Dam	51	5.2	0.5	$1.2 \pm 0.3$	0.03
HP-58	Knoxville	47	3.5	0.5	$1.0 \pm 0.2$	0.03
Average					1.2 ± 0.2	0.03

<sup>&</sup>lt;sup>a</sup>Maximum weekly average concentration.

<sup>&</sup>lt;sup>b</sup>Minimum weekly average concentration-minimum detectable level is 1 x  $10^{-16}~\mu$ Ci/ml.

 $<sup>^{\</sup>text{C}}\text{CG}$  is 40 x 10 $^{-13}\,\mu\text{Ci/mI}$  for a mixture of uranium isotopes (DOE Manual, Appendix 0524, Annex A, Table II).

dSee Figure 1.

<sup>&</sup>lt;sup>e</sup>See Figure 2.

Table 4
CONTINUOUS AIR-MONITORING DATA
Specific Radionuclides in Air
(Composite Samples)
1980
Units of 10<sup>-15</sup> µCi/ml

		PERIME	PERIMETER STATIONS	HONS			REMO	REMOTE STATIONS	ONS	
					Yearly					Yearly
RADIONUCLIDE 1st Qtr.	1st Otr.	2nd Otr.	3rd Otr.	4th Otr.	Average	1st Otr.	2nd Otr.	3rd Otr.	4th Otr.	Average
7Be	95	109	101	78	96	89	91	82	29	82
<sup>JS</sup> 06	0.01	0.18	0.02	0.12	90.0	0.07	0,14	0.05	0.17	0.11
$106_{\mathrm{Ru}}$	0.33	0.72	A N	0.44	0.49	0.25	9.0	¥ ¥	0.57	0.44
125 <sub>Sb</sub>	0.11	A	0.11	A A	0.11	0.13	Υ V	90.0	A A	0.13
$^{137}_{\mathrm{Cs}}$	0.28	0.67	0.28	0.23	0.37	0.25	0.44	0.19	0.13	0.25
$^{144}$ Ce	0.39	0.72	N A	1.83	0.98	0.51	9.5	Ϋ́	2.01	0.87
$228_{\mathrm{Th}}$	0.035	0.042	0.035	¥	0.037	0.02	600.0	0.016	NA	0.015
$230_{\mathrm{Th}}$	0.03	0.038	0.033	0.017	0.03	0.01	0.01	0.015	0.007	0.011
$232_{\mathrm{Th}}$	0.03	0.041	0.042	0.011	0.031	0.01	900.0	0.012	0.007	0.009
234 <sub>U</sub>	0.35	0.57	0.63	98.0	9'0	0.026	0.037	0.034	0.048	0.036
$235_{f U}$	0.012	0.024	0.03	0.024	0.023	0.004	0.005	0.003	0.002	0.004
$238_{\sf U}$	0.27	0.33	0.33	0.24	0.29	0.017	0.017	0.024	0.022	0.02
$238_{Pu}$	0.0001	0.002	0.0003	0.0008	0.000	0.0002	0.0009	0.0003	0.0004	0.0004
$239_{Pu}$	0.004	0.009	0.001	0.002	0.004	0.002	600'0	0.002	0.002	0.004

NA · Not Available

concentration of  $^{131}$ i in air measured by the perimeter air monitoring stations<sup>a</sup> Table 5

		NUMBER OF	NO	UNITS OF 10.14 µCi/ml	E,	
STATION NUMBER	LOCATION	SAMPLES TAKEN	MAXIMUMb	MINIMUMC	AVERAGE	pSO %
HP-31	Kerr Hollow Gate	20	0.3	0.02	0.14 ± 0.02	<0.01
HP-32	Midway Gate	51	0.3	0.02	$0.14 \pm 0.02$	<0.01
HP-33	Gallaher Gate	52	0.3	0.02	$0.14 \pm 0.02$	<0.01
HP-34	White Oak Dam	52	0.2	0.03	$0.14 \pm 0.02$	<0.01
HP-35	Blair Gate	52	0.3	0.03	$0.13 \pm 0.02$	<0.01
HP-36	Turnpike Gate	51	0.3	0.03	$0.12 \pm 0.02$	<0.01
HP-37	Hickory Creek Bend	52	1.0	0.03	$0.16 \pm 0.04$	<0.01
HP-38	East of EGCR	52	0.2	0.03	$0.12 \pm 0.02$	<0.01
HP-39	Townsite	51	0.2	0.02	$0.12 \pm 0.01$	<0.01
Average					$0.13 \pm 0.02$	<0.01

<sup>a</sup>See Figure 1.

<sup>b</sup>Maximum weekly average concentration.

<sup>c</sup>Minimum weekly average concentration-minimum detectable amount of  $^{131}$  is 1 × 10<sup>-16</sup>  $\mu$ Ci/ml.

 $^{
m d}$ CG is 1 x 10<sup>-10</sup>  $_{\mu}$ Ci/ml (DOE Manual, Appendix 0524, Annex A, Table II).

Table 6
DISCHARGES OF RADIOACTIVITY TO THE ATMOSPHERE
1980

RADIONUCLIDE	CURIES DISCHARGED
Uranium <sup>a</sup>	0.2
131 <sub>1</sub>	0.2
3 <sub>H</sub>	14,800
133 <sub>Xe</sub> b	<42,800
85 <sub>K-</sub> b	< 8,800
99 <sub>Tc</sub>	0.9
134 <sub>Cs</sub>	0.004
137 <sub>Cs</sub>	0.002
Alpha <sup>C</sup>	4.9 × 10 <sup>-6</sup>

<sup>&</sup>lt;sup>a</sup>Uranium of varying enrichments - curie quantities calculated using the appropriate specific activity for material released.

<sup>&</sup>lt;sup>b</sup>Upper limit values based on direct radiation measurements in the stack gas stream and an assumed mixture of noble gases.

<sup>&</sup>lt;sup>C</sup>Unidentified alpha.

Table 7
AIR MONITORING DATA - FLUORIDES
1980

Location <sup>a</sup>	Number of Samples	Maxi Concenti Averagin	Maximum Concentration for Averaging Interval µg/m <sup>3</sup>	Number	Number of Times Standard Exceeded <sup>b</sup>	Annual Average µg/m³
	7 Day	7 Day	30 Day	7 Day	30 Day	
F.1	53	0.4	0.2	0	0	<0.1 ± 0.02
F-2	50	1.2	0.7	0	0	$0.3 \pm 0.08$
F.3	53	0.5	0.3	0	0	<0.2 ± 0.04
F-4	53	0.3	0.2	0	0	<0.1 ± 0.02
F-5	51	0.2	0.1	0	0	<0.1 ± 0.01
F-6 <sup>c</sup>	20	0.2	0.1	0	0	<0.1 ± 0.01

<sup>a</sup>See Figure 1.

<sup>b</sup>Tennessee Air Pollution Control Regulations-

 $3.7 \, \mu g/m^3$  for 12 hour averaging interval

2.9 µg/m<sup>3</sup> for 24 hour averaging interval

 $1.6~\mu g/m^3$  for 7 day averaging interval

1.2 µg/m³ for 30 day averaging interval

All values are maximum not to be exceeded more than once per year.

<sup>C</sup>Station F-6 approximately 8 kilometers from ORGDP upwind of the predominant prevailing wind direction, thus may be considered representative of general ambient background concentration.

NOTE: Data not amenable to comparison with 12-hour or 24-hour standard.

Table 8
AIR MONITORING DATA - SUSPENDED PARTICULATES
1980

	NUMBER OF	СО	NCENTRATIO	N, μg/m <sup>3</sup>	%
LOCATIONa	SAMPLES	MAXIMUM	MINIMUM	AVERAGE	STD.b
SP-1	45	90	1	30 ± 8	40
SP-2	42	93	2	31 ± 7	41
SP-3	37	108	3	33 ± 9	44
SP-4	41	99	1	26 ± 8	35

<sup>&</sup>lt;sup>a</sup>See Figure 1.

Maximum 24 hr. Average

- 260 μg/m<sup>3</sup>

Annual Geometric Mean

- 75 μg/m<sup>3</sup>

<sup>&</sup>lt;sup>b</sup>Tennessee Ambient Air Standards - Primary Standard.

Table 9
SULFUR DIOXIDE MONITORING DATA
1980

-	MAXIMUM 24 HR	. AVERAGE (PPM)	MONTHLY A	/ERAGE (PPM)
MONTH	STATION S-1	STATION S-2	STATION S-1	STATION S-2
January	No Data	.033	No Data	.006
February	.042	.053	.007	.012
March	.037	.026	.009	.005
April	.004	.041	.010	.002
May	.015	.014	.006	.004
June	.002	.015	.002	.005
July	.017	.016	.007	.007
August	.020	.016	.011	.007
September	.018	.012	.011	.004
October	.027	.009	.013	.003
November	.033	.017	.010	.003
December	.023	.034	.004	.007
Annual Ariti	hmetic Mean		.007	.005

Tennessee Ambient Standards

Maximum 24 hr. Average - 0.14 ppm

Annual Arithmetic Mean - 0.03 ppm

Minimum Detectable Limit - 0.002 ppm

Table 10 EXTERNAL GAMMA RADIATION MEASUREMENTS 1980

STATION		NUMBER OF	BACKGR	OUND
NUMBER	LOCATION	MEASUREMENTS TAKEN	μR/hr	mR/yr
-		Perimeter Stations <sup>a</sup>		
HP-31	Kerr Hollow Gate	12	8.3 ± 1.6	73 ± 14
HP-32	Midway Gate	11	9.7 ± 2.6	85 ± 23
HP-33	Gallaher Gate	. 12	7.8 ± 1.8	68 ± 15
HP-34	White Oak Dam	12	16.0 ± 3.8	140 ± 33
HP-35	Blair Gate	11	7.6 ± 1.7	67 ± 15
HP-36	Turnpike Gate	. 11	7.3 ± 1.6	64 ± 14
HP-37	Hickory Creek Bend	10	8.9 ± 1.6	78 ± 13
HP-38	East of EGCR	12	8.0 ± 1.1	70 ± 10
HP-39	Townsite	12	7.3 ± 1.5	64 ± 13
Average			9.0 ± 1.3	79 ± 15
		Remote Stations <sup>b</sup>	····· <u>-</u> ······ -	
HP-51	Norris Dam	2	5.4 ± 0.33	47 ± 3
HP-52	Loudoun Dam	2	7.1 ± 0.70	62 ± 6
HP-53	Douglas Dam	2	$7.3 \pm 0.5$	64 ± 5
HP-55	Watts Bar Dam	2	$6.2 \pm 0.4$	54 ± 3
HP-56	Great Falls Dam	2	8.0 ± 3.2	70 ± 28
HP-57	Dale Hollow Dam	2	9.7 ± 1.6	85 ± 4
HP-58	Knoxville	2	$10.2 \pm 0.3$	89 ± 2
Average		-	7.7 ± 1.7	67 ± 12

<sup>&</sup>lt;sup>a</sup>See Figure 1. <sup>b</sup>See Figure 2.

Table 11
RADIONUCLIDES IN THE CLINCH RIVER
1980

			CONCENTE	ATION OF RA	DIONUCLID	ES OF PRIMA	CONCENTRATION OF RADIONUCLIDES OF PRIMARY CONCERN	
				NO.	UNITS OF 10°9 µCi/ml	cCi/ml		
LOCATION	NUMBER OF SAMPLES	RANGE	90 <sub>Sr</sub>	137 <sub>Cs</sub>	106 <sub>Ru</sub>	60 <sub>Co</sub>	3 <sub>H</sub>	cG <sup>a</sup>
C-2CRM 23.1	4	Max.	0.23	0.18	0.27	0.23	850	
		Min.	0.05	<0.01	0.05	0.05	700	
		Avg.	$0.11 \pm 0.08$	<0.07 ± 0.07	$0.17 \pm 0.09$	$0.11 \pm 0.08$	<b>760</b> ± 80	<0.07
C-3 CRM 14.5	4	Max.	1.82	0.18	0.27	0.41	3,233	
		Min.	0.18	<0.01	0.05	0.09	745	
		Avg.	$0.75 \pm 0.7$	<0.08 ± 0.08	$0.17 \pm 0.09$	$\boldsymbol{0.21 \pm 0.15}$	$1,510 \pm 1,190$	<0.16
C-5 CRM 4.5	4	Max.	3.55	1.8	1.36	0.18	1,860	
		Min.	60:0	<0.01	60.0	0.05	009	
		Avg.	1.2 ± 1.6	<0.07 ± 0.07	$0.64 \pm 0.5$	$0.08 \pm 0.07$	009 ∓ 096	<0.11

<sup>a</sup>Most restrictive concentration guide for each isotope used for calculating percent concentration guide. The method for calculating percent of concentration guide for a known mixture of radionuclides is given in DOE Manual, Appendix 0524, Annex A. (1)

URANIUM CONCENTRATION IN SURFACE STREAMS 1980 Table 12

			NO	UNITS OF 10-8 µCi/ml	lm/	
STATION NUMBER <sup>a</sup>	LOCATION	NUMBER OF SAMPLES	MAXIMUM	MINIM	AVERAGE	g <sub>g</sub>
P-1	Poplar Creek	12	0.7	<0.0>	<0.2 ± 0.1	6.1
P-2	Poplar Creek	12	1.0	<0.02	<0.4 ± 0.2	<0.1
C-3	Clinch River	12	0.1	<0.07	<0.09 ± 0.02	<b>∆0.1</b>
0.4	Clinch River	12	0.5	<0.07	<0.2 ± 0.1	<b>0.1</b>
9-0	Clinch River	12	0.2	<0.07	<0.1 ± 0.03	<b>0.1</b>
<u>г</u> -1	East Fork Poplar Creek	=	6.9	3,1	5.2 ± 1.3	0.2
8-1	Bear Creek	=	3.7	0.8	1.8 ± 0.9	0.1

<sup>a</sup>See Figure 3.  $^{
m b}$ CG is 3 x 10<sup>-5</sup>  $\mu$ Ci/mł for a mixture of uranium isotopes (DOE Manual, Appendix 0524, Annex A, Table 11).

Table 13
DISCHARGES OF RADIOACTIVITY TO SURFACE STREAMS
1980

RADIONUCLIDE	CURIES DISCHARGED
137 <sub>Cs</sub>	0.6
60 <sub>Co</sub>	1.37
3 <sub>H</sub>	3,370
131 <sub>1</sub>	0.09
106 <sub>Ru</sub>	<0.01
90 <sub>Sr</sub>	1.35
99 <sub>Tc</sub>	5.1
Uranium <sup>a</sup>	0.6
232 <sub>Th</sub>	0.008
Transuranics <sup>b</sup>	0.04

<sup>&</sup>lt;sup>a</sup>Uranium of varying enrichments — curie quantities calculated using the appropriate specific activity for material released.

<sup>&</sup>lt;sup>b</sup>Value based on gross transuranic alpha emitter analysis.

Table 14
LONG-LIVED GROSS BETA ACTIVITY IN RAINWATER
1980

STATION NUMBER	LOCATION	NUMBER SAMPLES TAKEN	UNITS OF 10 <sup>-8</sup> μCi/ml <sup>a</sup>
	F	Perimeter Area <sup>b</sup>	
HP-31	Kerr Hollow Gate	38	1.0 ± 0.2
HP-32	Midway Gate	36	$0.8 \pm 0.2$
HP-33	Gallaher Gate	41	1.2 ± 0.3
HP-34	White Oak Dam	40	1.0 ± 0.3
HP-35	Blair Gate	38	0.9 ± 0.2
HP-36	Turnpike Gate	36	$0.8 \pm 0.3$
HP-37	Hickory Creek Bend	36	$0.8 \pm 0.2$
HP-38	East of EGCR	40	1.3 ± 0.2
HP-39	Townsite	36	1.0 ± 0.3
Average	,		1.0 ± 0.2
· · · · · · · · · · · · · · · · · · ·		Remote Area <sup>C</sup>	
HP-51	Norris Dam	43	3.1 ± 0.3
HP-52	Loudoun Dam	. 27	$4.7 \pm 0.3$
HP-53	Douglas Dam	26	$2.4 \pm 0.4$
HP-54	Cherokee Dam	27	2.0 ± 0.5
HP-55	Watts Bar Dam	28	2.6 ± 0.4
HP-56	Great Falls Dam	30	2.7 ± 0.4
HP-57	Dale Hollow Dam	27	3.1 ± 0.3
HP-58	Knoxville	37	$2.4 \pm 0.5$
Average			2.9 ± 0.2

<sup>&</sup>lt;sup>a</sup>Weekly average concentration.

<sup>&</sup>lt;sup>b</sup>See Figure 1.

<sup>&</sup>lt;sup>C</sup>See Figure 2.

Table 15
CHEMICAL WATER QUALITY DATA — WHITE OAK DAM (Location W-1, Figure 3)
1980

			CONCENTRATION, mg/l	I/gm, mg/I		8
SUBSTANCE	SAMPLES	MAXIMUM	MINIM	AVERAGE	STD.ª	STD.
ప	10	<0.01	<0.01	<0.01	0.05	<b>2</b> 0
Zn	10	<0.02	<0.02	<0.02	0.1	<20
NO3(N)	10	8.6	0.01	4.6 ± 2.2	10	46
, g	12	<0.001	<0.001	<0.001	0.005	<b>⊘</b> 20

<sup>a</sup>Tennessee Stream Guidelines.

Table 16
CHEMICAL WATER QUALITY DATA — MELTON HILL DAM
(Location C-2, Figure 3)
1980

SUBSTANCE SAMPLES  Cr 10			CONCENTRATION, mg/l		à
Cr 10	MAXIMUM	MINIMUM	AVERAGE	STD.ª	% STD.
Zn 10	<0.01	<0.01	<0.01	0.05	0Z>
ì	<0.02	<0.02	<0.02	0.1	0 <u>7</u>
NO <sub>3</sub> (N) 10	2.2	0.1	<0.55 ± 0.5	10	9 >
Hg 11	<0.001	<0.001	<0.001	0.005	√20

<sup>a</sup>Tennessee Stream Guidelines.

Table 17
CHEMICAL WATER QUALITY DATA — ORGDP SANITARY WATER
PUMPING STATION
(Location C-3, Figure 3)
1980

	1 1		CONCENTRATION, mg/l	TION, mg/l		· &
SUBSTANCE	SAMPLES	MAXIMUM	MINIMOM	AVERAGE	STD.ª	STD.
3	12	0.003	< 0.002	< 0.002 ± 0.0002	0.01	<20
ن ا	12	< 0.01	< 0.01	< 0.01	0.05	<20
, Z	12	< 0.002	< 0.002	< 0.002	0.01	<b>~</b> 50
(N)°ON	12	1.3	0.2	0.5 ± 0.2	. 10	ည
	12	< 0.01	< 0.01	< 0.01	0.05	<20
SO.	12	32	14	23 ± 4	250	6
T.D.S.	12	172	98	141 ± 17	200	28
Zn	12	0.2	< 0.02	< 0.06 ± 0.3	0.1	09>
ļ	12	0.1	< 0.1	< 0.1	-	<10
롼	12	< 0.001	< 0.001	< 0.001	0.005	<b>%</b>
Ë	12	0.2	< 0.01	< 0.02 ± 0.03	0.1	<20
•	!					

<sup>a</sup>Tennessee Stream Guidelines.

Table 18
CHEMICAL WATER QUALITY DATA — ORGDP RECIRCULATING
WATER PUMPING STATION
(Location C.4, Figure 3)
1980

	NI IMBED OF		CONCENTRATION, mg/l	IJON, mg/l		ò
SUBSTANCE	SAMPLES	MAXIMUM	MINIMUM	AVERAGE	STD. <sup>a</sup>	STD.
PO	12	0.004	< 0.002	< 0.002 ± 0.0004	0.01	<20
င်	12	0.03	< 0.01	< 0.01 ± 0.003	0.05	<20
CN	12	< 0.002	< 0.002	< 0.002	0.01	<20
$NO_3(N)$	12	2.8	0.2	0.6 ± 0.4	10	9
Pb	12	< 0.01	< 0.01	< 0.01	0.05	₹50
so <u>≓</u>	12	35	17	23 ± 4	250	6
T.D.S.	12	283	64	183 ± 36	200	37
Zn	12	0.1	< 0.02	< 0.06 ± 0.01	0.1	<b>0</b> 9>
<u> </u>	12	0.1	< 0.1	< 0.1	-	<10
Hg	12	< 0.001	< 0.001	< 0.001	0.005	<20
Ë	12	0.2	< 0.01	< 0.03 ± 0.04	0.1	<30

<sup>a</sup>Tennessee Stream Guidelines.

CHEMICAL WATER QUALITY DATA — CLINCH RIVER DOWNSTREAM OF ORGOP (Location C-6, Figure 3)
1980 Table 19

			CONCENTRATION, mg/l	TON, mg/l		
SUBSTANCE	NUMBER OF SAMPLES	MAXIMUM	MINIMUM	AVERAGE	STD.ª	STD.
po	12	0.003	. < 0.002	< 0.002 ± 0.0002	0.01	<20
ڻ	12	< 0.01	< 0.01	< 0.01	0.02	<b>~</b> 50
CN	12	< 0.002	< 0.002	< 0.002	0.01	<20
NO3(N)	12	2.7	0.1	0.6 ± 0.4	10	9
9	12	< 0.01	< 0.01	< 0.01	0.05	<b>0</b> ₹
SO <sub>4</sub>	12	30	4	19 ± 4	250	<b>&amp;</b>
T.D.S.	12	219	110	162 ± 19	200	32
Zn	12	90:0	0.01	0.03 ± 0.01	0.1	30
ļ <b>L</b>	12	0.2	< 0.1	+1	<del>(</del>	<10
Hg	12	< 0.001	< 0.001	< 0.001	0.005	<b>\</b>
Ē	12	0.1	< 0.01	< 0.02 ± 0.02	0.1	<20

<sup>a</sup>Tennessee Stream Guidelines.

Table 20
CHEMICAL WATER QUALITY DATA — EAST FORK POPLAR CREEK
(Location E-1, Figure 3)
1980

	a C a Sawina		CONCENTRATION, mg/l	TION, mg/l		6
SUBSTANCE	SAMPLES	MAXIMUM	MINIMUM	AVERAGE	STD.ª	STD.
PO	12	0.002	< 0.002	< 0.002		
	12	21	< 2	< 7 ± 6		
ప	12	< 0.01	< 0.01	< 0.01		
!#	12	1.3	0.7	1.0 ± 0.2	_	100
Hg	12	0.003	< 0.001	< 0.002 ± 0.001		
$NO_3(N)$	12	5.2	0.7	2.7 ± 1.2		27
<del>2</del>	12	0.03	< 0.01	< 0.02 ± 0.01		٧
so <sub>4</sub>	12	63	18	39 ±11		16
T.D.S.	12	241	177	201 ± 20	200	4
Zn	. 12	0.05	< 0.02	< 0.03 ± 0.01	0.1	< 30

<sup>a</sup>Tennessee Stream Guidelines.

Table 21
CHEMICAL WATER QUALITY DATA — BEAR CREEK (Location B-1, Figure 3)
1980

8	STD.	<b>⊘</b>	< 2	<20	<80	9 >	<20
	STD.ª	0.01	250	***	01	250	0.1
:	AGE	2	<del>()</del>	± 0.1	7 7	+ 2	
ON, mg/l	AVERAGE	< 0.002	< 4 ± 3	< 0.2	<b>8</b> >	<u>÷</u>	< 0.02
CONCENTRATION, mg/l	MINIMUM	< 0.002	< 2	< 0.1	< 0.1	<10	< 0.02
	MAXIMUM	0.002	13	0.4	25	24	0.02
L	SAMPLES	12	12	12	12	12	12
	SUBSTANCE	Cd	CI_	_ <b>L</b>	NO3(N)	SO <sup>=</sup>	. uZ

<sup>a</sup>Tennessee Stream Guidelines.

CHEMICAL WATER QUALITY DATA — POPLAR CREEK ABOVE BLAIR BRIDGE (Location P-1, Figure 3) Table 22

	NI IMBED OF		CONCENTRATION, mg/l	TION, mg/l		à
SUBSTANCE	SAMPLES	MAXIMUM	MINIMUM	AVERAGE	STD.a	STD.
В	12	0.004	< 0.002	< 0.002 ± 0.0004		<20
ن	12	< 0.01	< 0.01	< 0.01	0.05	<b>2</b> 20
CN	12	< 0.002	< 0.002	< 0.002		<20
$NO^3(N)$	12	4	0.2	1 ± 0.6		20
Po	12	0.01	< 0.01	< 0.01		₹50
so <u>≞</u>	12	70	31	41 ± 7	7	16
T.D.S.	12	317	126	220 ± 40	Ŋ	44
Zn	12	0.3	< 0.02	< 0.06 ± 0.04	0.1	<b>09</b> >
<u> </u>	12	0.4	0.1	$0.2 \pm 0.06$	-	20
Нg	12	< 0.001	< 0.001	< 0.001	0.002	<b>~</b> 20
Ż	12	0.2	< 0.01	< 0.03 ± 0.03	0.1	<30

<sup>a</sup>Tennessee Stream Guidelines.

CHEMICAL WATER OUALITY DATA — POPLAR CREEK NEAR CLINCH RIVER (Location P-2, Figure 3)
1980 Table 23

	7084114		CONCENTRATION, mg/l	TION, mg/i		۵
SUBSTANCE	SAMPLES	MAXIMUM	MINIMOM	AVERAGE	STD. <sup>a</sup>	STD.
3	12	0.004	< 0.002	< 0.002 ± 0.0004		<20
స	12	> 0.01	< 0.01	< 0.01	0.09	<20
CN	12	< 0.002	< 0.002	< 0.002		<20
$NO_3(N)$	12	3.2	0.1	0.9 ± 0.5		G
Pb	12	0.01	< 0.01	< 0.01		<20
SO=	12	86	23	34 ±11	250	14
T.D.S.	12	270	127	186 ± 27	2	37
Zn	12	0.09	< 0.02	< 0.04 ± 0.02	0.1	<40
ļ.	12	0.3	< 0.1	< 0.2 ± 0.04	-	<20
Hg	12	< 0.001	< 0.001	< 0.001	0.005	<20,
ïZ	12	0.07	< 0.01	< 0.02 ± 0.01	0.1	<20

<sup>a</sup>Tennessee Stream Guidelines.

Table 24

NATIONAL POLLUTANT DISCHARGE ELIMINATION
SYSTEM (NPDES) EXPERIENCE
1980

· · · · · · · · · · · · · · · · · · ·		EFFLUE	NT LIMITS	
		DAILY	DAILY	PERCENTAGE OF
DISCHARGE	EFFLUENT	AVERAGE	MAXIMUM	<b>MEASUREMENTS</b>
POINT	PARAMETERS	mg/l	mg/l	IN COMPLIANCE
ORNL				
001				
(White Oak Creek)	Dissolved Oxygen (min.)	5		95
Trimes Car Great	Dissolved Solids		2000	97
	Oil and Grease	10	15	100
	Chromium (Total)		0.05	96
	pH (pH units)		6.0 - 9.0	98
002	pro (pro dimen		0.0 0.0	•
(Melton Branch)	Chromium (total)	<del>-</del>	0.05	98
•	Dissolved Solids		2000	92
	Oil and Grease	10	15	. 100
	pH (pH units)	<del></del>	6.0 - 9.0	100
003				
(Main Sanitary	Ammonia (N)		5	29
Treatment Facility)	BOD	<del></del>	20	83
	Chlorine Residual		0.5 - 2.0	93
·	Fecal Coliform Bact. (No/100 ml)	200 <sup>b</sup>	400 <sup>c</sup>	100
	pH (pH units)	<del>-</del> -	6.0 - 9.0	100
	Suspended Solids	<del></del>	30	89
	Settleable Solids		0.5	98
004	(ml/l)	•		
/7000 4 Ci+	DOB.			
(7900 Area Sanitary	BOD Chlorina Davidust		30	No Discharges
Treatment Facility)	Chlorine Residual		0.5 - 2.0	From This
	Fecal Coliform Bact.	200 <sup>b</sup>	400G	Facility
	(No/100 ml) pH (pH units)	200-	400 <sup>c</sup> 6.0 – 9.0	
	Suspended Solids		6.0 <u>-</u> 9.0 30	
	Settleable Solids		0.5	
	(ml/l)	<b>—</b> ~	0.5	
Y-12 PLANT				
001				
(Kerr Hollow	Dissolved Solids		2000	100
Quarry)	Lithium	<del></del>	5	100
	pH (pH units)		6.0 9.0	100
	Suspended Solids		50	100
	Zirconium		3	No Disposals
002				
(Rogers Quarry)	pH (pH units)		6.0 - 9.0	89
	Suspended Solids <sup>a</sup>	30	50	100
•	Setteable Solids		0.5	100
	(ml/l) <sup>(a)</sup>			

Table 24 (CONTINUED)

· · · · · · · · · · · · · · · · · · ·		EFFLUE	NT LIMITS	
DISCHARGE POINT	EFFLUENT PARAMETERS	DAILY AVERAGE mg/l		PERCENTAGE OF MEASUREMENTS IN COMPLIANCE
FOINT	1 ATTANETETO	1119/1	mg/	
003				
(New Hope Pond)	Ammonia (N)		1.6	100
•	Chromium	0.05	80.0	100
	Dissolved oxygen (Min.)	5	<del></del>	<del>9</del> 6
	Dissolved Solids		2000	100
	Fluoride	1.5	2.0	92
	Lithium		5	100
	Oil and Grease	10	15	92
	ph (pH units)	<del></del>	6.0 - 9.0	99
	Phosphate (as MBAS)	5	8	100
	Suspended Solids <sup>a</sup>		20	94
	Settleable Solids (ml/l) <sup>a</sup>		0.5	96
	Total Nitrogen (N)	<b>-</b>	20	100
	Zinc	0.1	0.2	94
004	-			
(Bear Creek)	Oil and Grease	10	15	100
	pH (pH units)		6.0 - 8.5	100
ORGDP				
001			4.0	100
(K-1700 Discharge)	Aluminum		1.0	100
	Chromium (Total)	0.05	0.08	100
	Nitrate		20	100
	Suspended Solids	30	50	100
	Oil and Grease	10	15	100
	pH (pH units)		6.0 - 9.0	93
002			B	400
(K-1410 Metal	Cyanide	<del>-</del> -	None Detectab	
Plating Facility)	Oil and Grease	10	15	100
	pH (pH units)		6.0 - 9.0	100
004				400
(K-1131 Steam	pH (pH units)		6.0 - 9.0	100
Condensate	Flow (MGD)	0.005	0.008	100
Discharge)				
005				
(K-1203 Sanitary	Ammonia (N)	5 <mark>.</mark> b	7 <sup>C</sup>	100
Treatment Facility)	BOD	15 <sup>b</sup>	20 <sup>c</sup>	86
readment racinty/	Chlorine Residual		0.5 - 2.0	95
	Dissolved Oxygen (Min.)	 5		100
	Fecal Coliform Bact.	200 <sup>5</sup>	400 <sup>c</sup>	100
	(No/100 ml)	200	400	,,,,
	pH (pH units)		6.0 - 9.0	100
	Suspended Solids	30p	45 <sup>c</sup>	94
	Settleable Solids		0.5	89
	Serveanie antiga		Ų. <b>U</b>	<del></del>

Table 24 (CONTINUED)

<del></del>		EFFLUEN	IT LIMITS	
DISCHARGE POINT	EFFLUENT PARAMETERS	DAILY AVERAGE mg/l	DAILY MAXIMUM mg/l	PERCENTAGE OF MEASUREMENTS IN COMPLIANCE
			-	
006 //: 10078 Unidian	COD	20	25	100
(K-1007B Holding Pond)	Chromium	20	0.05	100
Pona)	Dissolved Oxygen (Min.)	5	0.00	100
	Fluoride	1.0	1.5	100
	Oil and Grease	10	15	100
	pH (pH units)		6.0 - 9.0	100
	Suspended Solids <sup>a</sup>	30	50	100
007	Casponada Sonas	40		
(K-901A Holding	Chromium (total)		0.05	98
Pond)	Fluoride	1.0	1.5	92
,	Oil and Grease	10	15	100
	pH (pH units)		6.0 - 10	100
	Suspended Solids	30	50	100
008 <sup>d</sup>	•			
(K-710 Sanitary	BOD	30 <sup>b</sup>	45 <sup>C</sup>	No Discharges
Treatment Facility)	Suspended Solids	30 <sup>b</sup>	45 <sup>C</sup>	From This
	Fecal Coliform Bact. (No/100 ml)	200 <sup>b</sup>	400 <sup>c</sup>	Facility
	pH (pH units)		6.0 - 9.0	
	Chlorine Residual		0.5 - 2.0	
	Settleable Solids (ml/l)	<del>-</del> -	0.1	
009				
(Sanitary Water	Suspended Solids <sup>a</sup>	30	50	100
Plant)	Aluminum		250	100
	Sulphate		1400	100
	pH (pH units)	<del></del>	6.0 - 9.0	100

<sup>&</sup>lt;sup>a</sup>Limit applicable only during normal operations. Not applicable during periods of increased discharge due to surface run-off resulting from precipitation.

<sup>&</sup>lt;sup>b</sup>Monthly Average.

<sup>&</sup>lt;sup>C</sup>Weekly Average.

<sup>&</sup>lt;sup>d</sup>Due to the small flow rates at the K-710 Sanitary Treatment Facility, a rapid sand filter was installed May 1, 1978 eliminating the surface discharge and monitoring requirements.

Table 25
CONCENTRATION OF <sup>131</sup>LIN MILK<sup>a</sup>
1980

OT A TION		UNI	TS OF 10 <sup>-9</sup> μci	/ml	COMPARISON
STATION NUMBER	NUMBER OF SAMPLES	MAXIMUM	мімімим	AVERAGE	WITH STANDARDS <sup>C</sup>
		Immediat	e Environs <sup>d</sup>		
<u>.</u> 1	46	0.46	<0.45	<0.45	Range I
2	49	0.45	<0.45	<0.45	Range I
3	46	0.45	<0.45	<0.45	Range I
4	45	0.62	<0.45	<0.45 ± 0.06	Range I
5	48	0.62	<0.45	<0.45 ± 0.06	Range I
6	46	1.30	<0.45	<0.48 ± 0.3	Range I
7	46	0.62	<0.45	<0.45 ± 0.1	Range I
Average				<0.45 ± 0.05	
<del> </del>		Remote E	invirons <sup>e</sup>		
51	7	<0.45	<0.45	<0.45	Range I
52	4	<0.45	<0.45	<0.45	Range I
53	9	<0.45	<0.45	<0.45	Range I
56	8	<0.45	<0.45	<0.45	Range I
57	6	<0.45	<0.45	<0.45	Range I
Average				<0.45	

<sup>&</sup>lt;sup>a</sup>Raw milk samples, except for Station 2 which is a dairy.

Range I 0 to 1  $\times$  10<sup>-8</sup>  $\mu$ Ci/ml - Adequate surveillance required to confirm calculated intakes.

Range II  $1 \times 10^{-8} \,\mu\text{Ci/ml}$  to  $1 \times 10^{-7} \,\mu\text{Ci/ml}$  - Active surveillance required. Range III  $1 \times 10^{-7} \,\mu\text{Ci/ml}$  to  $1 \times 10^{-6} \,\mu\text{Ci/ml}$  - Positive control action required.

Note: Upper limit of Range II can be considered the concentration guide.

<sup>&</sup>lt;sup>b</sup>Minimum detectable concentration of  $^{131}$ I is 0.45 x  $^{10^{-9}}$   $\mu$ Ci/ml.

<sup>&</sup>lt;sup>C</sup>Applicable FRC standard, assuming 1 liter per day intake:

<sup>&</sup>lt;sup>d</sup>See Figure 6.

<sup>&</sup>lt;sup>e</sup>See Figure 7.

Table 26
CONCENTRATION OF <sup>90</sup>Sr IN MILK<sup>a</sup>
1980

		UNI	TS OF 10 <sup>-9</sup> μCi	/ml	COMPARISON
STATION NUMBER	NUMBER OF SAMPLES	MAXIMUM	мімімим	AVERAGE	WITH STANDARDS <sup>C</sup>
		Immediat	e Environs <sup>d</sup>		
1	46	4.7	0.4	1.7 ± 0.2	Range I
2	48	2.7	0.7	1.5 ± 0.1	Range I
3	46	2.6	0.8	1.6 ± 0.1	Range I
4	45	7.0	0.9	2.0 ± 0.3	Range I
5	32	2.8	8.0	1.6 ± 0.1	Range I
6	49	2.8	0.4	2.1 ± 0.2	Range I
7	48	2.7	0.8	$1.6 \pm 0.1$	Range I
Average				1.7 ± 0.2	
		Remote E	nvirons <sup>e</sup>	· · · · · · · · · · · · · · · · · · ·	
51	7	2.7	0.8	2.0 ± 0.5	Range I
52	4	1.9	0.8	1.2 ± 0.5	Range I
53	9	2.7	0.7	$1.0 \pm 0.4$	Range I
56	8	1.8	0.8	1.3 ± 0.2	Range I
57	6	3.5	2.0	2.4 ± 0.8	Range I
Average				1.6 ± 0.5	

<sup>&</sup>lt;sup>a</sup>Raw milk samples, except for Station 2 which is a dairy.

Range I 0 to 2 x  $10^{-8}~\mu\text{Ci/mI}$  - Adequate surveillance required to confirm calculated intakes. Range II 2 x  $10^{-8}~\mu\text{Ci/mI}$  to 2 x  $10^{-7}~\mu\text{Ci/mI}$  - Active surveillance required.

Range III  $2 \times 10^{-7} \,\mu\text{Ci/ml}$  to  $2 \times 10^{-6} \,\mu\text{Ci/ml}$  - Positive control action required.

Note: Upper limit of Range II can be considered the concentration guide.

<sup>&</sup>lt;sup>b</sup>Minimum detectable concentration of  $^{90}$ Sr in milk is 0.5 x 10<sup>-9</sup>  $\mu$ Ci/ml.

<sup>&</sup>lt;sup>C</sup>Applicable FRC standard, assuming 1 liter per day intake:

dSee Figure 6.

<sup>&</sup>lt;sup>e</sup>See Figure 7.

Table 27
RADIONUCLIDE CONTENT IN CLINCH RIVER FISH
1980
DCi/kg Wet Weight

		:			á	JUNKY WEL	iigiaw ia						
LOCATION Species <sup>a</sup>	Species <sup>a</sup>	90 <sub>Sr</sub>	$239_{\rm Pu}$	238 <sub>Pu</sub>	238 <sub>U</sub>	235 <sub>U</sub>	234 <sub>U</sub>	137 <sub>Cs</sub>	و0 <sup>C</sup> 0	40 <sub>K</sub>	qldW %	Hg (ng/g)	% of A.L. <sup>c</sup>
CRM 5.0	Bass	5.2	0.01	0.01	0.1	0.02	0.3	122	1.5	3573	0.03	157	31%
	Blue Gill	5.2	0.01	0.05	0.26	90'0	0.42	99	1.4	3900	0.04	220	44
	Carp	19.2	0.13	90.0	0.72	0.18	4.	67	2.4	4277	0.14	199	40
	Shad	17.6	0.03	0.03	4.8	0.48	9.9	97	4	3917	0.08	25	מו
	Crappie	13.9	0.01	0.01	6.3	0.21	0.94	77	5.6	3831	0.11	65	13
CRM 12.0	Bass	6	0.13	0.01	0.72	0.11	Ξ	334	7.9	3475	0.10	430	98
	Blue Gill	14.4	0.09	0.12	4.	0.11	2.4	34.6	5.3	4771	0.10	470	94
	Carp	4.2	0.01	0.01	0.38	0.05	0.52	27.5	2.7	3480	0.03	102	20
	Shad	53	0.17	0.04	11.9	0.75	16.3	99	4.4	2948	0.38	18.2	4
	Crappie	10.8	0.03	90.0	0.32	90.0	0.50	79	3.2	3338	0.09	122	24
CRM 20.8 <sup>d</sup>	Bass	14.4	0.07	0.04	0.16	9.0	0.3	136	6.8	3278	0.11	66	20
	Blue Gill	391	0.28	0.26	1.4	0.44	1.4	1289	29	4406	2.86	219	44
	Carp	49	0.05	0.01	0.32	90.0	0.49	233	15.3	3584	0.37	193	39
	Shad	18.7	0.53	0.07	2.4	0.28	3.7	345	34	3163	0.17	24	2
	Crappie	12.9	0.25	0.01	==	0.16	1,3	47	5.1	3625	0.10	45	ග
CRM 25.0	Bass	5.4	0.03	0.03	0.68	0.57		4.7	2.5	4057	0.04	11	2
	Blue Gill	7.7	0.1	0.16	1.7	0.52	ON)	14	4.8	4608	90.0	-29	12
	Carp	3.2	0.05	0.03	0.5	0.08	DATA)	8.4	1.7	2854	0.05	109	4
	Shad	9'9	0.43	90.0	0.48	0.07		6	2.2	4136	0.05	7.4	-
	Crappie	0.72	0.03	0.16	1.3	0.75		3.4	2.9	3949	0.01	21	22
				•									

<sup>a</sup>Composite of 10 fish in each species.

<sup>b</sup>Maximum PermissIble Intake - Intake of radionuclide from eating fish is calculated to be equal to a daily intake of 2.2 liters of water over a period of one year, containing the concentration guide of radionuclides in question. Consumption of fish is assumed to be 16.8 kg/yr of the species in question. Only man-made radionuclides were used in the calculation.

Cpercent of proposed FDA Mercury in fish action level of 500 ng/g; Mercury data included in this table as a matter of convenience.

d Average of quarterly samples.

Table 28

137<sub>Cs</sub> CONCENTRATION IN DEER SAMPLES
1980
pCi/kg Wet Weight

SAMPLE NUMBER	MUSCLE	LIVER
1	10	43
2	30	<10
3	< 10	<10*
4	27	15
5	10	<10
6	< 10	<10
7	< 10	<10
8	< 10	<10
9	27	<10
10	41	<10
11	27	1.7
12	68	38
13	60	30
14	< 10	<10
15	< 10	<10
16	78	15
17	103	70
18	24	<10
19	38	<10

<sup>\*</sup>This liver sample contained 18 pCi/kg <sup>60</sup>Co.

Table 29
VEGETATION SAMPLING DATA
1980

STATION		NCENTRATION <sup>b</sup> g/g (ppm)		CONCENTRATION <sup>b</sup> µg/g (ppm)
NUMBERa	GRASS	PINE NEEDLES	GRASS	PINE NEEDLES
1	12	<u></u>	0.6	<del>_</del>
2	8	< 7	1.6	0.2
3	9	5	1.2	. 0.3
4	6	7	0.7	0.2
5	8	15	0.7	0.5
6	6	6	0.6	0.3
7	7	6	0.5	0.2
8	14	9	0.6	0.4
9	7	6	0.7	0.2
10	11	< 7	0.5	0.1
11	15	13	1.7	1.1
12	8	4	0.4	0.4
13	13	-	1.1	<del></del>
14	9	<del></del>	0.5	<del>-</del>
15	24	_	0.6	_
16	14	-	1.2	_
17	8	_	8.0	-

<sup>&</sup>lt;sup>a</sup>See Figure 1.

NOTE: Applicable guides for flora have not been established. However, for comparison the American Industrial Hygiene Association Journal for January-February 1969 (pp. 98-101) states that dairy cattle is the species of livestock most sensitive to fluorides in grasses. For comparative purposes the following fluoride concentrations and their effect on dairy cattle are given.

30 ppm - no adverse effects
30 to 40 ppm - borderline chronic
40 to 60 ppm - moderate chronic
60 to 110 ppm - severe chronic

above 250 ppm - acute

<sup>&</sup>lt;sup>b</sup>Average concentration of two sample collections, January and July. Analytical results are on a dry weight basis.

Table 30

RADIOACTIVITY IN GRASS SAMPLES FROM PERIMETER AND REMOTE MONITORING STATIONS

1980

(Units of pCi/g-Dry Weight)

SAMPLING LOCATION <sup>a</sup>	7 <sub>Be</sub>	90 <sub>Sr</sub>	137 <sub>Cs</sub>	239 <sub>Pu</sub>	238 <sub>Pu</sub>	238 <sub>U</sub>	235 <sub>U</sub>	234 <sub>U</sub>
			Perir	neter <sup>b</sup>				
HP-31	17	0.7	0.1	0.002	0.001	0.05	0.016	0.11
HP-32	12	0.6	ND	0.002	0.001	0.10	0.013	0.33
HP-33	5	1.2	0.1	0.001	0.001	0.03	0.005	0.04
HP-34	8	1.1	0.2	0.002	0.001	0.02	0.006	0.03
HP-35	18	0.8	0.1	0.001	0.001	0.03	0.007	0.07
HP-36	3	8.0	ND	0.001	0.001	0.03	0.033	0.04
HP-37	10	0.4	0.1	0.001	0.001	0.02	0.003	0.03
HP-38	7	0.5	ND	0.001	0.001	0.01	0.003	0.03
HP-39	15	0.7	0.1	0.001	0.001	0.04	0.005	0.07
Average	11	0.8	0.1	0.001	0.001	0.04	0.01	0.08
				Remote <sup>C</sup>				
HP-51		0.2	ND	< 0.001	<0.0003	0.02	0.003	0.02
HP-52		0.5	0.06	0.001	<0.0002	0.01	0.004	0.01
HP-53	(NO	0.3	0.11	0.001	0.0002	0.04	0.005	0.04
HP-55		0.3	0.06	0.002	<0.0011	0.02	0.013	0.03
HP-56	DATA)	0.7	0.11	0.001	< 0.0002	0.02	0.011	0.02
HP-57		0.6	ND	0.001	<0.0002	0.01	0.014	0.04
HP-58		0.2	ND	0.001	<0.0006	0.01	0.008	0.01
Average		0.4	0.09	<0.001	<0.0004	0.02	800.0	0.02

<sup>&</sup>lt;sup>a</sup>See Figures 1 and 2.

<sup>&</sup>lt;sup>b</sup>Average of two samples.

<sup>&</sup>lt;sup>C</sup>One sample

ND - Not detectable.

Table 31

RADIOACTIVITY IN SOIL SAMPLES FROM PERIMETER AND REMOTE
MONITORING STATIONS
1980
(Units of pCi/g - Dry Weight)

SAMPLING LOCATION <sup>a</sup>	90 <sub>Sr</sub>	137 <sub>Cs</sub>	234 <sub>U</sub>	235 <sub>U</sub>	238 <sub>U</sub>	238 <sub>Pu</sub>	239 <sub>Pu</sub>
			Perimeter	.b			
HP-31	0.2	1.5	0.7	0.43	0.18	0.002	0.02
HP-32	0.6	1.7	1.2	0.06	0.66	0.002	0.02
HP-33	0.3	2.4	0.4	0.02	0.29	0.003	0.03
HP-34	0.2	0.9	0.3	0.02	0.23	0.002	0.01
HP-35	0.2	1.3	0.5	0.02	0.35	0.001	0.01
HP-36	0.2	1.4	0.3	0.03	0.24	0.001	0.02
HP-37	0.2	0.6	0.6	0.08	0.33	0.003	0.01
HP-38	0.2	1.1	0.3	0.01	0.24	0.001	0.01
HP-39	0.3	2.2	0.7	0.04	0.41	0.001	0.03
Average	0.3	1.5	0.6	80.0	0.33	0.002	0.02
· ·		R	emote <sup>C</sup>				- · · - · · · · · · · · · · · · · · · ·
HP-51	0.32	1.0	0.51	0.03	0.41	0.001	0.03
HP-52	0.23	1.9	0.32	0.02	0.30	0.001	0.02
HP-53	0.30	1.1	0.49	0.07	0.41	0.001	0.01
HP-55	0.84	1.5	0.38	0.02	0.32	0.002	0.03
HP-56	0.49	1.6	0.43	0.02	0.38	0.001	0.02
HP-57	0.51	3.5	0.65	0.04	0.54	0.003	0.04
HP-58	0.14	1.5	0.41	0.03	0.32	0.001	0.02
Average	0.40	1.7	0.46	0.02	0.38	0.001	0.02

<sup>&</sup>lt;sup>a</sup>See Figures 1 and 2.

<sup>&</sup>lt;sup>b</sup>Average of two samples.

<sup>&</sup>lt;sup>c</sup>One sample,

Table 32
STREAM SEDIMENT SAMPLES
July/November 1980
Average Concentration (µg/g dry weight basis)

STATION	ח	Hg	Pb <sup>a</sup>	Ni	J.	Zn	Ċ	Mn	ъ	ΑI	Ŧ
CS1	-	4	38	37	34	83	35	2409	2	43,000	<20
PS2	œ	4	57	66	95	135	130	653	ო	79,000	<20
PS5	9	ស	33	47	33	88	41	515	~	53,500	<b>2</b> 00
PS6	18	12	40	100	62	168	175	958	4	99'000	<20
PS9	4	ιΩ ·	21	42	56	80	42	935	2	38,500	<20
PS10	17	19	36	144	112	131	152	540	ო	39,000	<20
PS12	4	9	27	42	25	65	56	522	2	34,000	<20
PS15	31	4	38	198	11	118	73	784	2	48,000	<20
PS17	13		35	99	41	101	38	208	2	39,500	<20
PS18	4	10	23	36	23	69	25	432	2	28,500	<20
PS19	6	14	36	37	120	92	20	847	_	58,500	<20
PS21	7	4	62	94	113	146	83	701	4	93,500	<20
PS22	83	13	37	59	37	114	20	572	2	37,000	<20
CS20	-	<del></del>	<12	14	=	32	14	391		15,000	<20

<sup>a</sup>Average of two samples, some results were below detectable limit.

SUMMARY OF THE ESTIMATED RADIATION DOSE TO AN ADULT INDIVIDUAL DURING 1980 AT LOCATIONS OF MAXIMUM EXPOSURE Table 33

		DOSE	DOSE (MILLIREM)
PATHWAY	LOCATION	TOTAL BODY	CRITICAL ORGAN
Gaseous Effluents			
All pathways	Nearest resident	1.8 <sup>a</sup>	16.6 (lung) <sup>a</sup>
Terrestrial food chains to milk	Milk sampling station number 6 ( <sup>90</sup> Sr)	0.02	1.5 (bone)
Liquid Effluents			
Aquatic food chains to fish	Clinch River ( <sup>90</sup> Sr)	1.1	53 (pone)
Drinking water <sup>b</sup>	Kingston, Tennessee ( <sup>90</sup> Sr)	0.15	6.6 (bone)
Direct radiation along water, shores, and mud flats. <sup>c</sup>	In Clinch River, downstream from White Oak Creek near experimental Cs field plots	6.2	6.2 (total body)

<sup>a</sup>Uncertainties in these calculated doses may be as much as 300% (see text).

<sup>b</sup>Based on the analysis of raw (unprocessed) water; see text.

<sup>c</sup>Assuming a residence time of 240 hr/yr.

NOTE: Average background total body dose in the U.S., <sup>(30)</sup>is 106 mrem/yr.

### REFERENCES

- DOE Manual Chapter 0524.
- 2. Tennessee Air Pollution Control Regulations, Department of Public Health, Division of Air Pollution, Nashville, Tennessee, December 1972.
- T. W. Oakes, K. E. Shank, and C. E. Easterly, "Natural and Man-Made Radionuclide Concentrations in Tennessee Soil" in *Proceedings of the Health Physics Society* Tenth Midyear Topical Symposium, Saratoga Springs, New York, October 11-13, 1976, pp. 322-333.
- 4. Methods for Chemical Analysis of Water and Wastes, EPA Methods Development and Quality Assurance Laboratory, NERC, Cincinnati, Ohio.
- Guidelines for Effluent Criteria for Sewage and Industrial Wastewater, Tennessee Department of Public Health, Division of Water Quality Control, January 1973.
- General Water Quality Criteria for the Definition and Control of Pollution in the Waters of Tennessee, Tennessee Water Quality Control Board, Department of Public Health, Nashville, Tenn., as amended December 1971.
- Background Material for the Development of Radiation Protection Standards, Staff Report of the Federal Radiation Council, Report No. 2, U.S. Government Printing Office, Washington, September 1961.
- 8. P. Bryan and C. E. White, "An Economic Evaluation of the Commercial Fishing in the TVA Lakes of Alabama during 1956," *Proc. Twelfth Annual Conference Southeastern Assoc. of Game and Fish Commissioners*, 1958 (pp. 128–132).
- American Industrial Hygiene Association Journal, January February 1969 (pp. 98-101).
- Plutonium and Other Transuranium Elements: Sources, Environmental Distribution and Biomedical Effects, U.S. AEC, WASH-1359, December 1974.
- 11. F. Pasquill, Atmospheric Diffusion, D. V. Nostrand Co., Ltd., London, 1962.
- F. A. Gifford, Jr., The Problem of Forecasting Dispersion in the Lower Atmosphere, U.S. AEC, DTI, 1962.
- M. Reeves, III, P. G. Fowler, and K. E. Cowser, A Computer Code for Routine Atmospheric Releases of Short-Lived Radioactive Nuclides, ORNL-TM-3613, Oak Ridge National Laboratory, October 1972.
- 14. F. T. Binford, T. P. Hamrick, and B. H. Cope, Some Techniques for Estimating the Results of the Emission of Radioactive Effluent from ORNL Stacks, ORNL-TM-3187 1970
- 15. (a) P. Voilleque, D. R. Adams, and J. B. Echo, "Transfer of Krypton-85 from Air to Grass," *Health Physics*, 19, 1970 (p. 835).

- (b) D. F. Bunch (ed.), Controlled Environmental Radioiodine Tests, Progress Report 2, IDO-12053, August 1966.
- Recommendations of the International Commission on Radiological Protection, ICRP Publication 2, Report of Committee II on Permissible Dose for Internal Radiation, Pergamon Press, London, 1959.
- Recommendations of the International Commission on Radiological Protection, ICRP Publication 6, Pergamon Press, London, 1964.
- Recommendations of the International Commission on Radiological Protection, ICRP Publication 10, Report of Committee IV on Evaluation of Radiation Doses to Body Tissues from Internal Contamination due to Occupational Exposure, Pergamon Press, London, 1968.
- Recommendations of the International Commission on Radiological Protection, ICRP Publication 10A, Report of Committee II on the Assessment of Internal Contamination Resulting from Recurrent or Prolonged Uptakes, Pergamon Press, London, 1971.
- Metabolism of Plutonium and Other Actinides, ICRP Publication 19, Report of Committee II, Pergamon Press, London, 1972.
- 21. Report on Reference Man, ICRP Publication 23, Report of ICRP Task Group, W. S. Snyder, Chairman, Pergamon Press, London, 1975.
- 22. G. J. Hine and G. L. Brownell (eds.), *Radiation Dosimetry*, Academic Press, New York, 1956
- K. Z. Morgan and J. E. Turner (eds.), Principles of Radiation Protection, Wiley, New York, 1967.
- W. S. Snyder, L. T. Dillman, M. R. Ford, and J. W. Poston, "Calculations of Absorbed Dose to a Man Immersed in an Infinite Cloud of Krypton-85," Noble Gases Symposium, Las Vegas, Nevada, September 24-28, 1973.
- 25. M. R. Ford, Metabolism and Dosimetry Group, Oak Ridge National Laboratory, personal communication, March 1978.
- W. D. Turner, S. V. Kaye, and P. S. Rohwer, EXREM and INREM Computer Codes for Estimating Radiation Doses to Populations from Construction of a Sea-Level Canal With Nuclear Explosives, K-1752, CTC and ORNL, Oak Ridge, Tenn., September 1968.
- D. K. Trubey and S. V. Kaye, The EXREM III Computer Code for Estimating External Radiation Doses to Populations from Environmental Releases, ORNL-TM-4322, December 1973,
- 28. R. H. Strand and C. W. Miller, Meteorological Data Bases Available for the United States Department of Energy Qak Ridge Reservation, ORNL-TM-6358, 1978.

- 29. Agricultural Statistics 1969, U.S. Department of Agriculture, U.S. Government Printing Office, Washington, 1971 (p. 588).
- 30. The Effects on Populations of Exposures to Low Levels of Ionizing Radiation, Report of the Advisory Committee on the Biological Effects of Ionizing Radiations, U.S. National Academy of Sciences, National Research Council, Washington, 1972.

# APPENDIX A QUALITY ASSURANCE

# Radiological

The Environmental Surveillance and Evaluation Section at Oak Ridge National Laboratory has initiated a quality assurance program to ensure that a high degree of accuracy and reliability is maintained in its surveillance activities. The program in effect at ORNL consists of quality control of techniques and procedures, and includes the establishment of a detailed written description of all activities pertaining to the Environmental Surveillance and Evaluation Section. This includes:

- 1. Operating procedures for each activity.
- 2. Inspection lists of operating and maintenance activities.
- 3. Check-off frequency lists for all quality assurance steps, such as schedules for equipment inspection and test control.
- 4. Documentation of compliance of quality assurance procedures.
- Participation in intralaboratory and interlaboratory sample-exchange programs.
- Evaluation of the adequacy of sample preparation work and data analysis.
- 7. Identification of the role, responsibilities, and authority of each staff member as related to quality assurance.

A schematic diagram showing a flow chart of this quality assurance program is given in Figure A1. A more detailed discussion of the ORNL QA program is given in Ref. (A1) and (A2).

#### Chemical

A Nuclear Division Committee on Environmental Analysis established an interlaboratory quality control program in 1977. The purpose of this program is to provide quality control data for environmental analysis within the Nuclear Division. A unified Environmental and Effluent Analysis Manual was issued in March of 1977 which currently contains 96 analytical procedures; EPA-certified analytical methods are used wherever possible.

All Nuclear Division analytical laboratories maintain internal measurement control programs that are part of planned and systematic actions taken to prevent incorrect results. Standard samples containing all parameters measured are purchased and submitted to the laboratories for analysis. Standard samples of known values are processed along with routine samples and the results are recorded and examined to determine if they fall within prescribed limits. Analytical results are transmitted to the Y-12 Plant Quality Division for statistical review and a semi-annual report is provided to the analytical laboratories.

A1. T. W. Oakes, K. E. Shank, and J. S. Eldridge, "Quality Assurance Applied to an Environmental Surveillance Program," Conference Proceedings of the 4th Joint Conference on Sensing of Environmental Pollutants, New Orleans, La., Nov. 6-11, 1977, p. 226.

A2. T. W. Oakes, K. E. Shank, and J. S. Eldridge, "Quality Assurance Procedures for Environmental Surveillance at ORNL, "ORNL-5186, in preparation.

ORNL-DWG. 77-18790




Figure A1
FLOW CHART OF QA PROGRAM

## **EXTERNAL DISTRIBUTION**

Director, Division of Industrial and Radiological Health,
Tennessee State Health Department
Director, Tennessee State Health Department
Federal Activities Coordinator, EPA Region IV
Associated Press — Knoxville Bureau
Clinton Courier News
Knoxville Journal
Knoxville News-Sentinel
Oak Ridge Department of Public Health
Oak Ridger
Roane County News
Tennessee Environmental Health Services — Knoxville Office
United Press International — Knoxville Bureau

## INTERNAL DISTRIBUTION

Department of Energy, Oak Ridge Operations (75, including external distribution)
Technical Information Center — 27
Union Carbide Corporation — Nuclear Division

- R. C. Baker 2
- H. I. Cobert
- P. C. Fourney
- G. W. Horde
- G. R. Jasny
- R. G. Jordan 10
- M. E. Mitchell 20
- T. W. Oakes 45
- H. Postma 2
- C. R. Richmond
- M. Sanders 35
- P. R. Vanstrum 7
- Y-12 Plant Records 2
- Y-12 Technical Information Office