

Appendix C. Reference Standards and Data for Water

Appendix C. Reference Standards and Data for Water

Table C.1. Reference standards for radionuclides in water

Parameter ^a	National primary drinking water standard ^b	DCS ^c
²⁴¹ Am		170
²¹⁴ Bi		260,000
¹⁰⁹ Cd		16,000
¹⁴³ Ce		26,000
⁶⁰ Co		7,200
⁵¹ Cr		790,000
¹³⁷ Cs		3,000
¹⁵⁵ Eu		87,000
Gross alpha ^d	15	
Gross beta (mrem/year)	4	
³ H	20,000 ^e	1,900,000
¹³¹ I		1,300
⁴⁰ K		4,800
²³⁷ Np		320
^{234m} Pa		71,000
²³⁸ Pu		150
^{239/240} Pu		140
²²⁶ Ra	5 ^f	87
²²⁸ Ra	5 ^f	25
¹⁰⁶ Ru		4,100
⁹⁰ Sr	8 ^e	1,100
⁹⁹ Tc		44,000
²²⁸ Th		340
²³⁰ Th		160
²³² Th		140
²³⁴ Th		8,400
Thorium, natural		140
²³⁴ U		680
²³⁵ U		720
²³⁶ U		720
²³⁸ U		750
Uranium, natural		750
Uranium, total ^g (µg/L)	30	680

Table C.1 (continued)

^aOnly the radionuclides included in the Oak Ridge Reservation monitoring programs are listed. Unless labeled otherwise, units are pCi/L.

^b40 CFR Part 141, *National Primary Drinking Water Regulations*, Subparts B and G. The drinking water standards are presented strictly for reference purposes and have regulatory applicability only for public water supplies.

^cDOE. “*Derived Concentration Technical Standard, DOE-STD-1196-2011, April 2011.*”

^dExcludes radon and uranium.

^eThese values are not maximum contaminant levels but are concentrations that result in the effective dose equivalent of the maximum contaminant level for gross beta emissions, which is 4 mrem/year.

^fApplies to combined ²²⁶Ra and ²²⁸Ra.

^gMinimum of uranium isotopes.

Table C.2. TDEC and EPA nonradiological water quality standards and criteria (µg/L)

Chemical	TDEC and EPA Drinking Water Standards ^a	TDEC Fish and Aquatic Life Criteria		TDEC recreation criteria water + organisms, organisms only ^b
		Maximum	Continuous	
Acenaphthene				670, 990
Acrolein				190,290
Acrylonitrile (c)				0.51, 2.5
Alachlor	2 (E1, T)			
Aldrin (c)		3.0	–	0.00049, 0.00050
Aldicarb	3 (E1)			
Aldicarb sulfoxide	4 (E1)			
Aldicarb sulfone	2 (E1)			
Aluminum	50 – 200 (E2)			
Anthracene				8300, 40,000
Antimony	6 (E1, T)			5.6, 640
Arsenic (c)	10 (E1, T)			10.0, 10.0
Arsenic(III) ^c		340 ^c	150 ^c	
Asbestos	7 million fibers/L (MFL) (E1)			
Atrazine	3 (E1, T)			
Barium	2000 (E1, T)			
Benzene (c)	5 (E1, T)			22, 510
Benzidine (c)				0.00086, 0.0020
Benzo(a)anthracene (c)				0.038, 0.18
Benzo(a)pyrene (c)	0.2 (E1, T)			0.038, 0.18
Benzo(b)fluoranthene (c)				0.038, 0.18
Benzo(k)fluoranthene (c)				0.038, 0.18
Beryllium	4 (E1, T)			
a-BHC (c)				0.026, 0.049
b-BHC (c)				0.091, 0.17
g-BHC (Lindane)	0.2 (E1, T)	0.95	–	0.98, 1.8
Bis(2-chloroethyl)ether (c)				0.30, 5.3
Bis(2-chloro-isopropyl)ether				1400, 65,000
Bis(2-ethylhexyl)phthalate (c)				12, 22
Bromate	10 (E1)			
Bromoform (c)				43, 1400
Butylbenzyl phthalate				1500, 1900
Cadmium	5 (E1, T)	2.0 ^d	0.25 ^d	

Table C.2 (continued)

Chemical	TDEC and EPA Drinking Water Standards ^a	TDEC Fish and Aquatic Life Criteria		TDEC recreation criteria water + organisms, organisms only ^b
		Maximum	Continuous	
Carbofuran	40 (E1, T)			
Carbon tetrachloride (c)	5 (E1, T)			2.3, 16
Chlordane (c)	2 (E1, T)	2.4	0.0043	0.0080, 0.0081
Chloride	250,000 (E2)			
Chlorine (TRC)	4000 (E1)	19	11	
Chlorite	1000 (E1)			
Chlorobenzene				130, 1600
Chlorodibromomethane (c)				4.0, 130
Chloroform (c)				57, 4700
Chloramines (as Cl2)	4000 (E1)			
Chlorine dioxide (as Cl2)	800 (E1)			
2-Chloronaphthalene				1000, 1600
2-Chlorophenol				81, 150
Chromium (total)	100 (E1, T)			
Chromium(III)		570 ^d	74 ^d	
Chromium(VI) ^c		16 ^c	11 ^c	
Chrysene (c)				0.038, 0.18
Coliforms	630/100 mL, <i>E. coli</i> , geometric mean (T); no more than 5% of samples per month can be positive for total coliforms (E1)	2880/100 mL, <i>E. coli</i> (single sample)	630/100 mL, <i>E. coli</i> (geometric mean)	126/100 mL, geometric mean, <i>E. coli</i> 487, maximum lakes/reservoirs, <i>E. coli</i> 941, maximum, other water bodies, <i>E. coli</i>
Color	15 color units (E2)			
Copper	1000 (E2) 1300 (E1 "Action Level")	13 ^d	9.0 ^d	
Cyanide (as free cyanide)	200 (E1, T)	22	5.2	140, 140
2,4-D (Dichlorophenoxyacetic acid)	70 (E1, T)			
4,4'-DDT (c)		1.1	0.001	0.0022, 0.0022
4,4'-DDE (c)				0.0022, 0.0022
4,4'-DDD (c)				0.0031, 0.0031
Dalapon	200 (E1, T)			
Demeton			0.1	
Diazinon		0.1	0.1	
Dibenz(a,h)anthracene (c)				0.038, 0.18
1,2-dibromo-3-chloropropane (DBCP)	0.2 (E1, T)			
1,2-Dichlorobenzene (<i>ortho</i> -)	600 (E1, T)			420, 1300
1,3-Dichlorobenzene (<i>meta</i> -)				320, 960
1,4-Dichlorobenzene (<i>para</i> -)	75 (E1, T)			63, 190
3,3-Dichlorobenzidine (c)				0.21, 0.28
Dichlorobromomethane (c)				5.5, 170
1,2-Dichloroethane (c)	5 (E1, T)			3.8, 370
1,1-Dichloroethylene	7 (E1, T)			330, 7100
Cis-1,2-Dichloroethylene	70 (E1, T)			
trans 1,2-Dichloroethylene	100 (E1, T)			140, 10,000
Dichloromethane	5 (E1, T)			
2,4-Dichlorophenol				77, 290

Table C.2 (continued)

Chemical	TDEC and EPA Drinking Water Standards ^a	TDEC Fish and Aquatic Life Criteria		TDEC recreation criteria water + organisms, organisms only ^b
		Maximum	Continuous	
1,2-Dichloropropane (c)	5 (E1, T)			5.0, 150
1,3-Dichloropropene (c)				3.4, 210
Dieldrin (c)		0.24	0.056	0.00052, 0.00054
Diethyl phthalate				17,000, 44,000
Di (2-ethylhexyl) adipate	400 (E1, T)			
Di (2-ethylhexyl) phthalate	6 (E1, T)			
Dinoseb	7 (E1, T)			
Dimethyl phthalate				270,000, 1,100,000
2,4-Dimethylphenol				380, 850
Di-n-butyl phthalate				2000, 4500
2,4-Dinitrophenol				69, 5300
2,4-Dinitrotoluene (c)				1.1, 34
Dioxin (2,3,7,8-TCDD) (c)	3 E-5 (E1, T)			0.000001, 0.000001
Diquat	20 (E1, T)			
1,2-Diphenylhydrazine (c)				0.36, 2.0
a-Endosulfan		0.22	0.056	62, 89
b-Endosulfan		0.22	0.056	62, 89
Endosulfan sulfate				62, 89
Endothall	100 (E1, T)			
Endrin	2 (E1, T)	0.086	0.036	0.059, 0.06
Endrin aldehyde				0.29, 0.30
Ethylbenzene	700 (E1, T)			530, 2100
Ethylene dibromide	0.05 (E1, T)			
Fluoranthene				130, 140
Fluorene				1100, 5300
Fluoride	2000 (E2) 4000 (E1)			
Foaming agents	500 (E2)			
Glyphosate	700 (E1, T)			
Guthion			0.01	
Haloacetic acids (five)	60 (E1)			
Heptachlor (c)	0.4 (E1, T)	0.52	0.0038	0.00079, 0.00079
Heptachlor epoxide (c)	0.2 (E1, T)	0.52	0.0038	0.00039, 0.00039
Hexachlorobenzene (c)	1 (E1, T)			0.0028, 0.0029
Hexachlorobutadiene (c)				4.4, 180
Hexachlorocyclopentadiene	50 (E1, T)			40, 1100
Hexachloroethane (c)				14, 33
Ideno(1,2,3-cd)pyrene (c)				0.038, 0.18
Iron	300 (E2)			
Isophorone (c)				350, 9600
Lead	5 (T) 15 (E1 "Action Level")	65 ^d	2.5 ^d	
Malathion			0.1	
Manganese	50 (E2)			
Mercury (inorganic) ^c	2 (E1, T)	1.4 ^c	0.77 ^c	0.05, 0.051
Methoxychlor	40 (E1, T)		0.03	
Methyl bromide				47, 1500
2-Methyl-4,6-dinitrophenol				13, 280

Table C.2 (continued)

Chemical	TDEC and EPA Drinking Water Standards ^a	TDEC Fish and Aquatic Life Criteria		TDEC recreation criteria water + organisms, organisms only ^b
		Maximum	Continuous	
Methylene chloride (Dichloromethane) (c)				46, 5900
Mirex			0.001	
Monochlorobenzene	100 (E1, T)			
Nickel	100 (T)	470 ^d	52 ^d	610, 4600
Nitrate as N	10,000 (E1)			
Nitrite as N	1000 (E1, T)			
Nitrobenzene				17, 690
N-Nitrosodimethylamine (c)				0.0069, 30
N-Nitrosodi-n-propylamine (c)				0.05, 5.1
N-Nitrosodiphenylamine (c)				33, 60
Nonylphenol		28.0	6.6	
Odor	3 threshold odor number (E2)			
Oxamyl (Vydate)	200 (E1, T)			
Parathion		0.065	0.013	
Pentachlorophenol (c)	1 (E1, T)	19 ^e	15 ^e	2.7, 30
pH	6.5 to 8.5 units (E2) 6.0 to 9.0 units (T)		6.0 to 9.0 units, wade-able streams 6.5 to 9.0 units, larger rivers, lakes, etc	6.0 to 9.0 units
Phenol				21,000, 1,700,000
Picloram	500 (E1, T)			
PCBs, total (c)	0.5 (E1, T)	–	0.014	0.00064, 0.00064
Pyrene				830, 4000
Selenium	50 (E1, T)	20	5	
Silver	100 (E2)	3.2 ^d	–	
Simazine	4 (E1, T)			
Styrene	100 (E1, T)			
Sulfate	250,000 (E2)			
1,1,2,2-Tetrachloroethane (c)				1.7, 40
Tetrachloroethylene (c)	5 (E1, T)			6.9, 33
Thallium	2 (E1, T)			0.24, 0.47
Toluene	1000 (E1, T)			1300, 15,000
Total dissolved solids	500,000 (E2)			
Total Nitrate and Nitrite	10,000 as N (E1)			
Total trihalomethanes	80 (E1)			
Toxaphene (c)	3 (E1, T)	0.73	0.0002	0.0028, 0.0028
2,4,5-TP (Silvex)	50 (E1, T)			
Tributyltin (TBT)		0.46	0.072	
1,2,4-Trichlorobenzene	70 (E1, T)			35, 70
1,1,1-Trichloroethane	200 (E1, T)			
1,1,2-Trichloroethane (c)	5 (E1, T)			5.9, 160
Trichloroethylene (c)	5 (E1, T)			25, 300
2,4,6-Trichlorophenol (c)				14, 24

Table C.2 (continued)

Chemical	TDEC and EPA Drinking Water Standards ^a	TDEC Fish and Aquatic Life Criteria		TDEC recreation criteria water + organisms, organisms only ^b
		Maximum	Continuous	
Vinyl chloride (c)	2 (E1, T)			0.25, 24
Xylenes (total)	10,000 (E1, T)			
Zinc	5000 (E2)	120 ^d	120 ^d	

^aE1 = EPA Primary Drinking Water Standards; E2 = EPA Secondary Drinking Water Standards; T = TDEC domestic water supply criteria.

^bFor each parameter, the first recreational criterion is for “water and organisms” and is applicable on the Oak Ridge Reservation (ORR) only to the Clinch River because the Clinch is the only stream on ORR that is classified for both domestic water supply and for recreation. The second criterion is for “organisms only” and is applicable to the other streams on ORR. TDEC uses a 10⁻⁵ risk level for recreational criteria for all carcinogenic pollutants (designated with “(c)” under “Chemical” column). Recreational criteria for noncarcinogenic chemicals are set using a 10⁻⁶ risk level. (Note: All federal recreational criteria are set at a 10⁻⁶ risk level.)

^cCriteria are expressed as dissolved.

^dCriteria are expressed as dissolved and are a function of total hardness (mg/L). Criteria displayed correspond to a total hardness of 100 mg/L.

^eCriteria are expressed as a function of pH; values shown correspond to a pH of 7.8.

Abbreviations

TDEC = Tennessee Department of Environment and Conservation

EPA = US Environmental Protection Agency